

PHASE ONE
ENVIRONMENTAL SITE ASSESSMENT

**RAMPART STREET AREA DRAINAGE IMPROVEMENTS
RAMPART, PINE, RENWICK, VALERIE AND FLACK STREETS
HARRIS COUNTY, TEXAS**

WBS NO. M-000265-0001-3



PREPARED FOR:
KLOTZ ASSOCIATES, INC.

BY:
**BERG & OLIVER ASSOCIATES, INC.
HOUSTON, TEXAS**

**REPORT NO: 8635PI12
DECEMBER 2012**

TABLE OF CONTENTS

1.0 EXECUTIVE SUMMARY	1
2.0 INTRODUCTION	3
2.1 Purpose	3
2.2 Detailed Scope-of-Services	3
2.3 Significant Assumptions	5
2.4 Limitations and Exceptions	6
2.5 Special Terms and Conditions.....	7
2.6 User Reliance	7
3.0 SITE DESCRIPTION	8
3.1 Location.....	8
3.2 Project Alignment and Vicinity General Characteristics	8
3.3 Descriptions of Structures, Roads or Improvements on the Project Alignment.....	8
3.4 Current Use(s) of the Project Alignment.....	8
3.5 Past Uses of the Project Alignment	9
3.6 Current Uses of the Adjoining Properties	9
3.7 Past Uses of the Adjoining Properties.....	9
3.8 Location and Site Maps.....	9
4.0 USER PROVIDED INFORMATION	10
4.1 Specialized Knowledge	10
4.2 Commonly Known or Reasonably Ascertainable Information	10
4.3 Valuation Reduction for Environmental Issues.....	10
5.0 RECORDS REVIEW	11
5.1 Standard Environmental Record Sources, Federal and State	11
5.1.1 National Priority List (NPL) Superfund Sites and State Equivalent Sites	12
5.1.2 CERCLA Database (CERCLIS List).....	13
5.1.3 RCRA Database (RCRIS List) and TCEQ IHW facilities/sites.....	13
5.1.4 Registered, Petroleum Storage Tank (PST) List.....	14
5.1.5 Leaking Petroleum Storage Tank (LPST) Facilities	15
5.1.6 Emergency Response Notification System (ERNS) and TxSpill Listings.....	16
5.1.7 State Landfill List (TxLF) and/or Closed Landfill Inventory	16
5.1.8 State Equivalent CERCLIS and Brownfields	17
5.1.9 Dry Cleaning-Related Sites and Tribal Facilities/Sites.....	18
5.2 Physical Setting Sources	18
5.2.1 Topography	18
5.2.2 Geology/Soils.....	19
5.2.3 Surface Water Hydrology	20
5.2.4 Hydrogeology	20
5.3 Historical Use Information for the Property.....	21
5.3.1 Chain-of-Title Records	21
5.3.2 Historical Aerial Photographs.....	21
5.3.3 Owner/Occupant Questionnaire.....	22
5.4 Historical Use Information for the Property and/or Adjoining Properties	23
5.4.1 Sanborn Fire Insurance Maps and USGS Topographic Maps	23
5.4.2 Historical City Directories	23
5.5 Additional Records Sources	24
5.5.1 Tobin Research Regional Oil and Gas Survey.....	24

6.0 SITE RECONNAISSANCE	25
6.1 Methodology	25
6.1.1 Hazardous Substances or Petroleum Products	25
6.1.2 Storage Tanks, 55-Gallon Drums or Containers	25
6.1.3 Possible Presence of Poly Chlorinated Biphenyls (PCBs).....	26
6.1.4 Indications of Solid Waste Disposal	26
6.1.5 Wastewater Disposal or Disposition	26
6.1.6 Other Conditions of Concern or Observations.....	26
7.0 INTERVIEWS	27
7.1 Owner/Occupant Questionnaire	27
7.2 Interview with Local Government Official or Similar Individuals	27
7.3 Interview with Others.....	27
8.0 FINDINGS AND CONCLUSIONS.....	28
9.0 SIGNATURES OF ENVIRONMENTAL PROFESSIONALS	29
10.0 SPECIAL TERMS.....	30
11.0 DEFINITIONS.....	31
12.0 REFERENCES	34
13.0 QUALIFICATIONS OF ENVIRONMENTAL PROFESSIONALS PARTICIPATING IN THE PHASE I ENVIRONMENTAL SITE ASSESSMENT	35

TABLES

Table 1	Summary of Regulatory Facilities (Section 5.1)
---------	--

APPENDICES

Appendix A	Location Map(s)
Appendix B	Site Map(s)
Appendix C	Regulatory Database Search
Appendix D	Physical Setting Information
Appendix E	Legal Description and Chain-of-Title
Appendix F	Historical Aerial Photographs
Appendix G	Owner/Occupant Questionnaire
Appendix H	Sanborn Fire Insurance and Historical Topographic Maps
Appendix I	Historical City Directories
Appendix J	Tobin Map and/or Railroad Commission of Texas Information
Appendix K	Site Photographs
Appendix L	Interviews

PHASE I ENVIRONMENTAL SITE ASSESSMENT

1.0 EXECUTIVE SUMMARY

Project Name: Rampart Street Area Drainage Improvements (a.k.a. Storm Sewer Improvements to Rampart Street)

Location:

The project will be referred to as “project alignment” in this document. The project alignment is east and south of US Highway 59-South (Southwest Freeway) and west of US Interstate Highway West Loop 610 South. The project alignment is south of Gulfton Street and north of Beechnut Street, east of Hillcroft Avenue and west Chimney Rock Road. The storm water drainage system is proposed to be installed below portions of Mullins Drive, Clairewood Drive, Rampart Street, Pine Street, Valerie Street, Flack Drive and Renwick Drive. The project is located west of Bellaire area (community or area known as) and the eastern Sharpstown area.

Project Description:

The project consists of storm sewer system upgrades for the above-mentioned streets and area.

Current/Historic Land Use:

Currently, the project alignment consists of several streets that range from asphalt-paved with open drainage ditch to concrete paved streets with curb and curb inlets. Bordering land uses consist of single family residential, numerous car repair or vehicle-related shops, gasoline service station, convenience stores and other commercial uses (shopping center, office/warehouse facilities and other) and institutional uses.

In the mid-1940s (1944), the majority of the project alignment or streets were not present and only a section of Pine Street and small part of Rampart Street were present. The area was rural. By 1953, additional portions of an early Rampart, Valerie and Flack Streets, and Renwick Drives were present. By 1962, the streets were all in-place. Residential housing bordered the northern and southern parts of the project alignment. Scattered commercial, some residential and vacant land was present along Rampart Street at this time. The project alignment had many similarities to its current appearance. By 1976, the project alignment was very similar to its current appearance. Bordering land was completely developed by this time and commercial uses predominantly bordered Rampart Street. From 1976 to date, the project alignment area remained similar. Some redevelopment has occurred along Rampart Street.

Regulatory Review:

One hundred three regulatory facilities or listings were reported within the All Appropriate Inquiry (AAI), American Society for Testing & Material (ASTM)-designated search range. One unmapped regulatory facility also was reported. Unmapped regulatory facilities are a facility that a global position (longitude and latitude) has not been assigned. The facilities are noted due to cross-referencing by location name, street name and zip code. Of the one hundred four regulatory listings, the following facilities were identified as being a potential environmental concern to the project:

- Former National Convenience Store/Stop-N-Go (6030 Dashwood Drive). The convenience store is still active, but the facility no longer markets gasoline. The facility is located on the northeast corner of Rampart and Dashwood Streets.
- Jessamine SOC (6050 Jessamine Street). The facility has been redeveloped with a church. The facility is located on the northeast corner of Rampart and Jessamine Streets.
- Rampart Office Park (7027 Rampart Street). The property is situated on the southeast corner of

Rampart and Jessamine Streets.

- Nine Stop/a.k.a. 9 Stop Food Store (6102-A Bissonnet Street). The convenience store is still active, but the facility no longer markets gasoline. The facility is located on the northwest corner of Rampart and Bissonnet Streets.

Please refer to Section 5.0 for additional details.

Site Visit:

Site reconnaissance was conducted on October 11, 2012 by Tom Murphy and Ben Price of Berg ♦ Oliver Associates, Inc. The northern portion of the project area is residential. The southern portion of the project area is predominantly residential (single family and a few townhomes), but a school, church and convenience store also were noted. Commercial uses are located along Rampart Street. Numerous car repair facilities, tire shops, gasoline service station and other service-related businesses were noted along Rampart Street. Some retail is present at Beechnut and Bissonnet Streets. Additional details concerning the project alignment are presented in *Section 3.3*.

Findings and Conclusions:

We have performed a Phase I Environmental Site Assessment in conformance with the scope and limitations of ASTM Practice E1527-2005 as modified by Chapter 11 of the City's Infrastructure Design Manual of the Storm Water Improvements to Rampart Street, located in Harris County, Texas. Any exceptions to, or deletions from, this practice are described in *Section 2.4* of this report. This assessment has revealed no evidence of recognized environmental conditions in connection with the property with the exception of the following:

1. Phase II ESA activities are considered appropriate for three locations at the project alignment as follows:
 - Former National Convenience Store/Stop-N-Go (6030 Dashwood Drive). Three soil borings are recommended for the location.
 - Jessamine SOC (6050 Jessamine Street) and Rampart Office Park (7027 Rampart Street). Since the facilities are present at the northeast and southeast corners Rampart and Jessamine Streets, the facilities can be handled as one location. Three soil borings are recommended for the location.
 - Nine Stop/a.k.a. 9 Stop Food Store (6102-A Bissonnet Street). Three soil borings are recommended for the location.

2.0 INTRODUCTION

The study reported herein is a Phase I Environmental Site Assessment for Klotz Associates, for the project alignment located in Harris County, Texas. This assessment was performed to satisfy one of the requirements for the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) innocent landowner defense, contiguous property owner or bona fide prospective purchaser: that is, the practices that constitute "all appropriate inquiry into the previous ownership and uses of the property consistent with good commercial or customary practice" as defined in 42 USC 9601(35)(B).

2.1 Purpose

The objective of the Phase I Environmental Site Assessment was to identify, to the extent feasible pursuant to the processes prescribed in ASTM Standard Practice E1527-2005, "Environmental Site Assessments and as modified by Chapter 11 of the city's Infrastructure Design Manual: Phase I Environmental Site Assessment Process", *recognized environmental conditions* in connection with the project alignment.

The term *recognized environmental conditions* means the presence or likely presence of any hazardous substances or *petroleum products* (see Section 10.0 and 11.0 for special terms and definitions) on a property under conditions that indicate an existing release, a past release, or a material threat of a release of any such hazardous substances or *petroleum products* into structures on the property or into the ground, groundwater, or surface water of the project alignment area. The term is not intended to include *de minimis* conditions that generally do not present a material risk of harm to public health or the environment and that generally would not be the subject of an enforcement action if brought to the attention of appropriate governmental agencies.

Petroleum products are included within the scope of this practice because they are of concern with respect to many parcels of commercial and/or non-commercial real estate and the current custom and usage is to include inquiry into the presence of petroleum at the site when conducting an environmental site assessment of real estate.

2.2 Detailed Scope-of-Services

The following components, as prescribed in the ASTM standard, comprise the fundamental scope under which this Phase I Environmental Site Assessment was performed:

- 1). Records Review - Review of records, both current and historical, that would help identify recognized environmental conditions in connection with the project alignment. Fifty-year chain-of-titles were not obtained and reviewed as part of the scope of this Phase I ESA. City directories were reviewed to

provide historical background of the project alignment area.

BOA will obtain and review regulatory database information prepared to the approximate ASTM-designated minimum search distance. A reasonable effort or attempt to identify and reconcile inaccuracies presented in the database, if any, will be conducted, when site-specific or related knowledge is available. Unmapped (orphan) regulatory facilities also will be reviewed and their potential risk to the project alignment will be evaluated. The following other historical sources also will be utilized to evaluate the condition of the project alignment area:

- Review of reasonably obtainable historical aerial photographs of the project alignment. Provide observations and/or conclusions concerning the project alignment based on the aerial photographs;
 - Review of current and/or historical United States Geological Survey 7.5-Minute Topographical Maps, Sanborn Fire Insurance Maps (when available) or other pertinent maps (Railroad Commission of Texas Maps, Tobin Research Oil & Gas Maps, Geologic Maps, Aquifer Maps, Stratigraphic and Hydrogeologic Cross Section(s), Fault and Radon Maps, United States Department of Agricultural and/or agricultural experiment station Soil Conservation Service Maps, Federal Emergency Management Agency Flood Insurance Rate Maps and other available maps);
 - Review of historical city directories and evaluation of the potential for environmental concern;
 - Review of reasonably obtainable public agency records concerning the storage, treatment and/or disposal of hazardous substances, and the registration of and reported releases of petroleum storage tanks in the vicinity of the project alignment; and,
 - Review of available geotechnical or environmental reports for the project alignment, when available.
- 2). Site Reconnaissance - Visual and physical observations of the project alignment, and any structures located on the project alignment, to the extent not obstructed by bodies of water, adjacent buildings, or other obstacles or a hindrance to access. A physical inspection of the project alignment and visual inspection of adjoining tracts (reconnaissance) will be conducted.
- 3). Interviews - Interviews with current owners and/or occupants of select adjoin property(ies), as well as local government officials that may have jurisdiction of the area that the project alignment exists. Interviews will be conducted with individuals familiar with the project alignment and/or project alignment history and/or historical operations performed at the project alignment, when

available.

- 4). Report - A document containing the findings and conclusions of the environmental assessment, including methodologies, information sources, and other necessary documentation will be submitted to the client.

Some substances may be present on a property in quantities and under conditions that may lead to contamination of the property, or nearby properties, but are not included in CERCLA's definition of hazardous substances or do not otherwise present potential liability.

The ASTM standard states that there may be environmental issues or conditions at a property that parties may wish to assess in connection with commercial real estate that are outside the scope of Practice E1527-2005. These issues and/or conditions are designated *non-scope considerations* or *additional services*. If, during the course of this assessment, such considerations or services are addressed in this report, they will be so designated. This study was performed to achieve the following objectives:

- 1). Evaluate past and current land use of the project alignment, and adjacent properties, for indications of the generation, use, storage, transportation, and/or disposal of hazardous substances or petroleum products at the project alignment area.
- 2). Evaluate the potential for soil and/or groundwater contamination due to the presence or potential presence of hazardous substances or petroleum products.
- 3). Identify serious or potentially serious threats to human health or the environment to reduce the risks to agents, employees, contractors and the general public.
- 4). Recommend additional investigations as necessary to assess potential contamination of the project alignment, and to determine the nature, level, and extent of such contamination, if present.

2.3 Significant Assumptions

BOA assumes the information concerning the legal description, metes and bounds, title commitment/purchase price versus the appraised value, owner (seller)/buyer provided-information and other site-specific information provided by the client are accurate. BOA does not warrant the accuracy of this information or whether additional work or site visits may be necessary due to inaccurate details concerning the project alignment. BOA may require a change order in such cases. BOA will put forth conclusions and recommendations based on professional judgment; and BOA will obtain all practically reviewable, publicly

available or reasonably ascertainable information concerning the project alignment to the best of BOAs knowledge. This Phase I ESA is not meant to be an exhaustive investigation of “clean” properties such as a residential lot, vacant and undeveloped land with little historic activity or a property with similar low to non-existent environmental risk factors. Phase I ESAs are tailored for commercial properties such as: industrial properties of all natures, office/warehouse facilities, retail and retail center, service-related enterprises (e.g. print shop, car repair, lube facility, car dealerships, airport, pesticide applicators, manufacturing, specialty businesses, etc.), office buildings and institutional uses. Properties utilized for single family dwellings with four or less units tend to be outside the Phase I ESA practice or consideration. Phase I ESA may be conducted on multi-family properties at ones discretion or based on lending requirements.

No environmental site assessment can wholly eliminate uncertainty regarding the potential for *recognized environmental conditions* in connection with a project alignment. Performance of this practice is intended to reduce, but not eliminate, uncertainty regarding the potential for recognized environmental conditions in connection with a property, and this practice recognizes reasonable limits of time and cost. Thus, not every property will warrant the same level of assessment or inquiry. Environmental site assessments must be evaluated based on the reasonableness of the judgments made at the time and under the circumstances in which they were made.

2.4 Limitations and Exceptions

The Phase I Environmental Site Assessment report, and the opinions expressed herein concerning the potential for environmental impairment liabilities from regulated sites, is partially based on published information. Undetectable environmental risks may be present and not documented by regulatory agency files. Berg ♦ Oliver Associates, Inc., therefore, does not warrant, guarantee, or certify the accuracy or completeness of such regulatory information. Berg ♦ Oliver Associates, Inc. disclaims any and all liability for errors, omissions, or inaccuracies in such information and data, and for any and all inaccurate conclusions, inadvertent or otherwise, which may be based on such information and data.

This environmental site assessment cannot wholly eliminate uncertainty regarding the potential for recognized environmental conditions in connection with the project alignment. Performance of this practice is intended to reduce, but not eliminate, uncertainty regarding the potential for such conditions. The following variances from the ASTM Standard were made for this assessment:

1. Fifty-year chain-of-titles were not obtained for the numerous tracts and/or lots that border the project alignment(s).
2. Owner/Occupant Questionnaires were not conducted under the scope of this

project.

2.5 Special Terms and Conditions

This Phase I Environmental Site Assessment was authorized by Mr. Ralph Cox, PE on behalf of Klotz Associates and was prepared for client use in evaluating the potential environmental risks associated with the project alignment. *Sections 10.0 and 11.0* provide important terms and definitions related to environmental site assessment or environmental-related issues.

The methodology used to perform this study included site reconnaissance, reviews of historical use information, reviews of physical setting sources, reviews of standard environmental record sources (including selected agency files), and interviews with individuals familiar with the project alignment area. No additional services, or non-ASTM E1527-2005 scope of services were conducted under the scope of this report.

2.6 User Reliance

This report does not constitute an appraisal of value or legal opinion, and Berg♦Oliver Associates, Inc. makes no representations or warranties of the fitness of the project alignment for any specific use or value. Berg♦Oliver Associates, Inc. assumes no responsibility for the customer's, or a third party's, use of this report. Berg♦Oliver Associates, Inc. shall not be liable for any special consequential or exemplary damages resulting, in whole or in part, from customer's use of the report. This report was conducted and prepared under the scope of services presented in the proposal contract between BOA and client. This report was prepared utilizing site-specific data that may only be applicable to a certain time period, or may be specific to the client and was specifically the basis for the preparation of this report. Unauthorized reliance of this document by anyone other than above-listed client is strictly prohibited. No warranty is specifically expressed, or implied in third party matters of this nature, and unauthorized utilization of this document is made at any third party's risk. Any third party utilization of this document will require a BOA review of the information and a reliance letter prepared by BOA.

3.0 SITE DESCRIPTION

3.1 Location

The project alignment is east and south of US Hwy. 59-South (Southwest Freeway) and west of US IH W. Loop 610 S. in Harris County, Texas. The project alignment is located to the west of Bellaire area and eastern Sharpstown area and is part of the city of Houston. The project alignment is south of Gulfton Street and north of Beechnut Street, east of Hillcroft Avenue and west Chimney Rock Road.

The storm water drainage system is proposed to be installed below portions of Mullins Drive, Clairewood Drive, Rampart Street, Pine Street, Valerie Street, Flack Drive and Renwick Drive.

3.2 Project Alignment and Vicinity General Characteristics

The project alignment is situated in streets and right-of-way (ROW). Bordering land use consists of single-family residential, church, school, numerous car repair shops or vehicle-related shops, gasoline service station, convenience stores and other commercial uses (shopping center-retail and service-related businesses, office/warehouse facilities and other commercial uses).

3.3 Descriptions of Structures, Roads or Improvements on the Project Alignment

No structures are located on the project alignment. The project alignment is situated in existing street easements. The street's construction ranges from concrete and concrete curb with curb inlets and below surface storm sewers to asphalt paving and open drainage ditches and the open ditches and below surface storm sewers eventually outfall to a Harris County Flood Control District ditch/system. The site's topography is predominantly flat. Open ditches vary the elevation along the select roadsides. Bordering land vegetation consists of low-cut St. Augustine grass and landscaping. Some commercial properties along the alignment are predominantly paved or occupied by structures with little vegetation. Storm water run-off flows in all directions and generally toward curb inlets or open ditches located on Mullins Drive, Clairewood Drive, Rampart Street, Pine Street, Valerie Street, Flack Drive and Renwick Drive and other nearby streets. The curb inlets connect to an underground storm sewer system. The city of Houston or provides sanitary sewer service and drinking to the project alignment area.

3.4 Current Use(s) of the Project Alignment

The project alignment consists of streets and ROWs.

3.5 Past Uses of the Project Alignment

In the mid-1940s, the majority of project alignment was vacant land that may have been pasture or raw land with some scattered evidence of agricultural activity. Only an early Pine Street and small part of Rampart Street were present. Renwick Street was present in area, but not at the project alignment. The project alignment was situated in a rural area that had only initial signs of development. By 1953, additional portions of an early Rampart, Valerie and Flack Streets, and Renwick Drives were present. By 1962, all the project alignment streets were in-place. The streets may have had improvements over time. The streets would remain similar to observations made from a 1976 aerial photograph.

3.6 Current Uses of the Adjoining Properties

Single family residential borders the northern and the majority of southern portion of the project. Rampart Street is bordered by numerous vehicle repair shops, tire shops, gasoline service station, convenience stores, office/warehouse facilities, retail, other service-related facilities, church and Braeburn Elementary School.

3.7 Past Uses of the Adjoining Properties

In the 1940s and 1950s, the project alignment area was rural, lightly developed and populated. However, the Bellaire area to the east did have considerable development by the early 1950s and earlier. By 1962, single family residential was present along the northern and southern extents of the project alignment. Rampart Street was bordered by a blend of large lot residential, vacant tracts and scattered commercial uses. By 1976, the northern and southern parts of the project area remained the same (residential). Commercial, predominantly consisting of small office/warehouse facilities had developed along Rampart Street. The general area's land-use was now similar to its current appearance. Some redevelopment would occur along Rampart Street, but the area would remain mostly similar to its 1970s era development. Some residential lots in the area have been redeveloped with more expensive homes. These newer residence may also have occupied more the one original lot.

3.8 Location and Site Maps

A general location map is presented in *Appendix A*. A project alignment map is presented in *Appendix B*.

4.0 USER PROVIDED INFORMATION

4.1 Specialized Knowledge

Specialized knowledge may include actual historical knowledge the environmental professional has concerning the project alignment. Additionally, the education, training and experience level of the environmental professional tends to have a direct correlation with the quality of assessment and the ability to provide informed observation of the condition of the project alignment. Others that are familiar with the project alignment also may provide specialized knowledge. No specialized knowledge of the site was revealed during the completion of this assessment.

4.2 Commonly Known or Reasonably Ascertainable Information

Commonly known and reasonably ascertainable information concerning the project alignment as defined by the ASTM E1527-2005 was obtained and reviewed for this project. Reasonably identified data gaps or data failures will be reported, when the environmental professional determines the lack of information creates an unacceptable risk; and additional work is warranted. No significant data gaps occurred during the completion of this Phase I ESA.

4.3 Valuation Reduction for Environmental Issues

Due to the nature of this project, this task is not pertinent and was not completed for the project.

5.0 RECORDS REVIEW

5.1 Standard Environmental Record Sources, Federal and State

The number of listed regulatory facilities/sites identified within the ASTM designated minimum search distance from the Federal and state environmental records database listings specified in ASTM Standard E1527-2005 are summarized in the following table (Table 1). Detailed information for the facilities/sites identified within the search range is provided in the following text, along with an opinion about the significance of the listing to the analysis of recognized environmental conditions in connection with the project alignment. Copies of the research data and a description of the databases are included in *Appendix C-Regulatory Agency Information* of this report.

TABLE 1

Regulatory Database Reviewed	Number of Facilities/Sites And Search Distance					Comments
	On-Site Facilities/Sites	0.094-mile	0.25-mile	0.25-0.50-mile	1.0-mile	
NPL/TXSSF	0	0	0	0	0	-
CERCLIS	0	0	Not Applicable	Not Applicable	Not Applicable	-
RCRA TSD	0	1	0	0	0	-
RCRA CORRACT	0	0	0	0	1 @ 0.54-mile	-
RCRA GENERATOR	0	13	Not Applicable	Not Applicable	Not Applicable	-
PST (UST & AST)	0	10	Not Applicable	Not Applicable	Not Applicable	-
LPST	0	3	Not Applicable	Not Applicable	Not Applicable	-
ERNS	0	0	Not Applicable	Not Applicable	Not Applicable	1-Unmapped ERNS
TXLF or CLI	0	0	Not Applicable	Not Applicable	Not Applicable	-
TXVCP	0	2	Not Applicable	Not Applicable	Not Applicable	-
TXIOP	0	0	Not Applicable	Not Applicable	Not Applicable	-
DRY-CLEANING OR OTHER	0	2-DC / 14-HW	Not Applicable	Not Applicable	Not Applicable	-

KEY

NPL – National Priority List Facility/Site
 TXSSF – Texas State Superfund Facility/Site

CERCLIS – Comprehensive Environmental Response,

ERNS – Emergency Response Notification System
 FINDS – Facility Index System (Permits, Reports, Violations)
 RCRA (RCRIS) Notifiers – Resource, Conservation and

Compensation and Liability Act Information System under CERCLA
RCRA (RCRIS) TSD – RCRA Treatment, Storage, and Disposal Facility
TXSPILL – Texas Spill Listing
LPST – TCEQ Leaking Petroleum Storage Tank Facility
PST – TCEQ Registered Petroleum Storage Tank Facility
RCRA (RCRIS) Generator – Hazardous Waste Generator and/or Transporter
TXIOP – Texas Innocent/Owner Operator Program Facility
SSTS – Section Seven Tracking System Facility
CLI – Closed landfill Inventory (Grandfathered Landfills)

Recovery Information System Notification Listings and/or TCEQ IHW listings
TRI – Facilities that release substances or materials to the air and/or land and/or water, or transport material/substances off-site for disposal purposes
TXLF – Texas Landfill
TXVCP – Texas Voluntary Clean-Up Program Facility
CERCLA – Comprehensive Environmental Response, Compensation and Liability Act
RCRA – Resource, Conservation and Recovery Act
TSCA – Toxic Substance Control Act Facility
Dry Cleaning Related – Dry cleaning related registration facility

A review of regulatory agency site listings was conducted to determine the proximity of documented regulatory sites in reference to the tract being investigated. These agency-regulated sites may be facilities that store, transport, generate, or dispose of regulated waste materials. The listing of these facilities/sites does not imply that they impact the subject tract through undisclosed dumping, surface run-off, or subsurface migration, but are listed solely to show the proximity of the regulated sites to the project alignment. The locations of the facilities/sites are approximate, based on information filed with the respective agencies, and may have not been field verified. The following is a list of regulatory agencies from which data was reviewed.

5.1.1 National Priority List (NPL) Superfund Sites and State Equivalent Sites

The United States Environmental Protection Agency (USEPA) compiles a list of facilities/sites that may have significant environmental concerns and are listed as an NPL facility/site, if deemed appropriate and have a priority ranking system. These sites/facilities are often cross-referenced to a Comprehensive Environmental Response, Compensation and Liability Act (CERCLA) facility/site listing. Facilities that have been identified as CERCLA sites are assigned a Hazard Ranking after an assessment of the potential threats the site may pose to human health and the environment. Some of the facilities may require remedial action, but may have since been de-listed after an appropriate approved response (No Further Remedial Action Planned). Also, some facilities/sites may be determined not to have a significant environmental concern after the assessment phase of the facility or property.

No NPL Superfund sites are listed within a one-mile search radius of the project alignment. No state equivalent facilities/sites are listed within a one-mile search radius of the project alignment.

5.1.2 CERCLA Database (CERCLIS List)

One of the statutory features of the Comprehensive Environmental Response, Compensation and Liability Act (CERCLA) is the requirement and funding of remedial actions for release or threat of release of hazardous substances, pollutants, or contamination that may present imminent or substantial damage to public health and welfare.

This database is a compilation of those facilities, which the U.S. Environmental Protection Agency has identified as having known or suspected uncontrolled release of hazardous substances, contaminants, or pollutants. This list also encompasses all abandoned hazardous waste sites. These facilities/sites will be assessed and either a hazard ranking will be applied for possible NPL inclusion, or the facility will be de-listed. Some of the facilities may require remedial action, but may have since been de-listed after an appropriate approved response (No Further Remedial Action Planned). Also, some facilities/site may be determined not to have a significant environmental concern after the assessment phase of facility, or property.

No CERCLA facilities/sites are listed within a half-mile or 0.094-mile search radius of the project alignment.

5.1.3 RCRA Database (RCRIS List) and TCEQ IHW facilities/sites

The Resource Conservation and Recovery Act (RCRA) defines and regulates facilities that generate, transport, treat, store, or dispose of hazardous waste. Such facilities are listed in the RCRIS database, which identifies the following: treatment, storage, or disposal (TSD) facilities; corrective action (CORRACT) facilities; large quantity generators-LQG (>1000 kg/mo); and small quantity generators-SQG (between 100 and 1000 kg/mo). The database may also include conditionally exempt small quantity generators (CESQG), notifiers, transporters, listed violation(s) for a facility and/or enforcement actions. The TCEQ Hazardous Waste (HW) division employs a database that tracks the shipping of regulated waste (Facility ID and Waste Code).

One RCRA TSD facility is listed within a one-half mile search radius of the project alignment. The RCRA TSD facility, Logic Leasing & Finance Company (7330 Rampart Street, Suite 106) was reported be approximately 0.02-mile west of the project alignment (RCRA ID No. TXR000061614). The facility appears to be involved in recycling. Based on the information provided in the regulatory database, the RCRA TSD facility is not a recognized environmental condition to the project alignment.

One RCRA CORRACT facility is listed within a one-mile search radius of the project alignment. The RCRA CORRACT facility, AMF GS Corporation (5803 Glenmont) is approximately 0.54-mile from the project alignment (RCRA ID TXD008106809). The facility has had compliance evaluations and a few informal violations. The facility fabricates oil/gas equipment. The facility has generated 2-butanone and/or methyl ethyl ketone, corrosive waste (high or low pH), ethane 1,1,1-trichloro or methyl chloroform, other solvents and lead. Based on the distance the facility is located from the project, the RCRA CORRACT facility is not a recognized environmental condition to the project alignment.

Thirteen RCRA Generators and fourteen TCEQ HW are listed within 0.094-mile project alignment. Based on the regulatory database information, the RCRA Generators and/or TCEQ HW listings are not a recognized environmental concern to the project, unless noted by other regulatory database listings.

5.1.4 Registered, Petroleum Storage Tank (PST) List

Owners of registered Petroleum Storage Tanks (PSTs) are required to register the PSTs, along with construction information concerning the PST system, with the Texas Commission on Environmental Quality (TCEQ).

Ten registered Petroleum Storage Tank (PST) facilities are listed within 0.094-mile of the project alignment. Of the ten PST facilities, the following seven are adjoining or adjacent to the project:

The first PST facility, Former National Convenience Store/Stop-N-Go (6030 Dashwood Drive) adjoins the project alignment and is situated on the northeast corner of Rampart Street and Dashwood Drive (Facility ID No. 35335). Diamond Shamrock Refining & Marketing and Valero are the successors to the NCS. Three 10,000 gallon gasoline steel underground storage tanks (USTs) have been permanently removed the ground at the facility. The facility is still an active convenience store, but no longer markets fuel. The facility also has had a LPST event. Please refer to *Section 5.1.5* for additional details.

The second PST facility, GM Shell (6100 Bellaire Boulevard) adjoins the project alignment and is located on the northeast corner of Rampart and Bellaire Boulevard (Fac. ID No. 65565). The facility is an active gasoline service station/convenience store and lube center. Two 12,000 gallon gasoline and one 8,000 gallon fiberglass reinforced plastic (FRPs) USTs are active at the facility. One of the gasoline tanks is anticipated to be compartmentalized to allow three grades of gasoline to be present at the station (mid and premium grades). Based on the current status of the facility, the PST facility does not appear to be a recognized environmental condition to the project alignment.

The third PST facility, John William Overly (6211 Bellaire Boulevard) was reported to be approximately 0.06-mile west of the project alignment (Fac. ID No. 61662). One 3,000 gallon gasoline steel has been permanently filled- or abandoned-in-place at the facility. Based on the status and distance of the facility from the project, the PST facility is not recognized environmental condition to the project alignment.

The fourth PST facility, Jessamine SOC (6050 Jessamine Street) adjoins the project alignment and is situated on the northeast corner of Rampart and Jessamine Streets (Fac. ID No. 19186). One 10,000 gallon gasoline steel underground storage tanks (USTs) has been permanently removed the ground at the facility. The facility also has had a LPST event. Please refer to *Section 5.1.5* for additional details.

The fifth PST facility, Modern Pest Control (6121 Jessamine Street) was reported to be approximately 0.06-mile west of the project alignment (Fac. ID No. 47938). One 1,000 gallon and one 500 gallon gasoline steel have been permanently removed the ground at the facility. Based on the status and distance of the facility is located from the project, the PST facility is not recognized environmental condition to the project alignment.

The sixth PST facility, 6113 Aletha Lane (6113 Aletha Lane) was reported to be 0.06-mile west of the project alignment (Fac. ID No. 55382). One 1,200 gallon gasoline steel has been permanently removed the ground at the facility. Based on the status and distance of the facility to the project, the PST facility is not recognized environmental condition to the project alignment.

The seventh PST facility, Nine Stop / 9 Stop Food Store (6102-A Bissonnet Street) adjoins the project alignment (Fac. ID No. 64937). The facility is an active convenience store, but no longer markets fuel. Two 10,000 gallon steel gasoline USTs have been permanently removed the ground at the facility. The facility also has had a LPST event. Please refer to *Section 5.1.5* for additional details.

5.1.5 Leaking Petroleum Storage Tank (LPST) Facilities

Three Leaking Petroleum Storage Tank (LPST) facilities are listed within a 0.94-mile search radius of the project alignment. The first LPST facility, Former National Convenience Store/Stop-N-Go (6030 Dashwood Drive) was not reported to have groundwater impact. The facility has been issued a case closure concurrence by the TCEQ, stating, “no further action is necessary” based on the information they received. Due to the close proximity of the facility to the project alignment, additional evaluation is considered appropriate.

The second LPST facility, Jessamine SOC (6050 Jessamine Street) was not reported to have groundwater impact. The facility has since been issued a case closure concurrence by the TCEQ. The property is currently utilized by a church and was formerly occupied by a Southwestern Bell facility. Due to the close proximity of the facility to the project alignment, additional evaluation is considered appropriate.

The third LPST facility, Nine Stop / 9 Stop Food Store (6102 Bissonnet Street) was reported to have groundwater impact. The facility has since been issued a case closure concurrence by the TCEQ. Due to the close proximity of the facility to the project alignment, additional evaluation is considered appropriate.

5.1.6 Emergency Response Notification System (ERNS) and TxSpill Listings

The Emergency Response Notification System (ERNS) is a national computer database system that is used to store information on the sudden and/or accidental release of hazardous substances and petroleum products into the environment. The ERNS reporting system contains preliminary information on specific release, including the spill location, the substance released, and the responsible party. TxSpill listings are a state of Texas database that records spills requiring notification that occur in the state.

No ERNS releases are recorded on the project alignment. One unmapped ERNS listing was noted. On October 1, 1994 at ~7:10 AM, it appears a tractor-trailer tanker truck carrying fuel was involved in an accident. It appears there was a fatality in the other vehicle. The location of the incident was vague and refers to a corner of Bellaire Boulevard. The zip code information does not appear to be accurate. Gasoline was released. An area bordering the spill was evacuated. A response to the release occurred by HazMat. The unspecified intersection was cordoned off for 5 hours. The fuel affected concrete and possibly storm sewer. Due to the lack of adequate location information, the environmental risk of the ERNS spill incident/accident to the project is unknown, but appears to be low.

No TxSpill listings are recorded on the project alignment.

5.1.7 State Landfill List (TxLF) and/or Closed Landfill Inventory

The TCEQ Municipal Solid Waste Division maintains a landfill tracking system that identifies municipal solid waste (MSW) landfills in the state. The division regulates the disposal and treatment of MSW and special waste. The TCEQ also compiled a Closed Landfill Inventory (CLI) that is maintained by the Houston-Galveston Area Council. In general, this database provides as much information as

is available for unpermitted landfills whose operations pre-dated registration requirements.

No MSW landfill sites are listed within a one-half mile or 0.094-mile search radius of the project alignment. No CLI sites are listed within a one-half mile or 0.094-mile search radius of the project alignment.

5.1.8 State Equivalent CERCLIS and Brownfields

The Texas Commission on Environmental Quality maintains a database of sites that serve as a state equivalent to the US EPA CERCLIS database. Sites in this category include the Voluntary Cleanup Program (VCP) and the Innocent Owner/Operator Program (IOP). VCP sites are properties which are not under enforcement order, but which have a materials release that is being investigated and/or remediated by the property owner or their agents. IOP sites are properties on which a materials release from an unrelated off-site source has been identified; however, the owner and/or operator have applied to the state for release of liability and responsibility for the release. A Brownfield is a facility/site in which re-use of the property may be complicated by the presence or potential presence of contamination. Such facilities/sites may enter the EPA's Brownfields program and may apply for grants to be used for investigation and/or cleanup of impaired sites.

Three TxVCP facilities/sites are listed within a one-half mile radius of the project alignment. Two TxVCP facilities/sites are located within 0.094-mile mile of the subject site. The first TxVCP facility/site, Rampart Office Park (7207 Rampart Street) adjoins the project alignment and is situated at the southeast corner of Rampart Street and Jessamine Street (TxVCP ID No. 2123). The facility was reported to be in the investigation phase. On December 12, 2007, the facility applied to the TxVCP. The listing references 1.4 acres for deed recordation. A print shops appears to have been present at the location. Groundwater was reported to have been affected on a portion of the property by chlorinated solvents. In previous years, solvents were utilized to dilute the consistency of inks. Most inks now are water-based. Due to the close proximity of the facility, additional evaluation is considered to be appropriate.

The second TxVCP facility/site, Pilgrims Cleaners (7901 Hillcroft Avenue) was reported to be 0.04-mile or greater west of the subject site (TxVCP No. 118). On September 11, 1995, the facility applied to the TxVCP and the facility has since withdrawn from the program. Based on the information reported, the TxVCP listing is not a recognized environmental condition to the project alignment.

No TxIOP sites are listed within a one-half mile or 0.094-mile radius of the

project alignment.

No Brownfields are listed within a one-half mile or 0.094-mile radius of the project alignment.

5.1.9 Dry Cleaning-Related Sites and Tribal Facilities/Sites

The State of Texas has established the Dry Cleaner Remediation Program (DCRP) that is administered by TCEQ. The DCRP requires dry cleaning facilities to register and contribute to the Dry Cleaning Remediation Fund (DCRF). This fund may then be accessed to assist with remedial action at sites contaminated as the result of dry cleaning activities. The appearance of a facility as a DCRP registrant is not necessarily an indicator that dry cleaning is performed on-site, as drop-off/pick-up only facilities are also required to participate in the program.

Two dry cleaning-related facilities were reported to be within 0.094-mile of the project alignment. The first dry cleaning-related facility, TD Expert Cleaners (6102 Bissonnet Street, Ste. C) was reported to be approximately 0.04-mile west of the project alignment (TCEQ Reg. No. RN104425954). The facility was reported to be a drop-off-pick-up station only. Based on the nature of the facility, the dry cleaning-related facility is not a recognized environmental condition to the project alignment.

The second dry cleaning-related facility, Gregg's Cleaners (7848 Hillcroft Street) was reported to be approximately 0.090-mile west of the project alignment (TCEQ Reg. No. RN102333226). The facility appears to conduct dry cleaning on-site (plant). At this time, the dry cleaning facility is not a recognized environmental condition to the project alignment.

No Tribal or other regulatory facilities/sites were reported in the regulatory database.

Regulatory database files are included in the Regulatory Database Report presented in *Appendix C*.

5.2 Physical Setting Sources

5.2.1 Topography

The United States Geological Survey (USGS) 7.5-minute topographic maps of the Bellaire Quadrangle indicate the project alignment is approximately 59 feet to 62 feet above mean sea level. The topographic map depicts the project alignment streets and other nearby streets. The adjoining church and Braeburn School are

shown on the map.

A copy of the USGS 7.5-minute topographic map and other physical setting sources which includes the project alignment is presented in the Physical Setting in *Appendix D*.

5.2.2 Geology/Soils

The project alignment is situated on soils derived from the Beaumont geological formation and contains soils of the Lake Charles-Bernard soil association, as described in the Harris County U.S. Department of Agriculture (USDA) Soil Conservation Service (SCS)/Texas Agricultural Experiment Station soil survey (SCS, 1976). The on-site soils are reported to be Bernard-Urban land complex (Bg).

The Bernard-Urban land complex (Bg) is described as nearly level (low relief) to gently sloping located in broad areas on upland prairies. The areas range from forty (40) to several hundred acres in size. The slope is 0 to 1 percent, but average at 0.5 percent. The Bernard soil is considered to consist of thirty percent (30%) to eighty percent (80%) of the complex. The Urban soil consists of ten percent (10%) to seventy percent (70%) of the complex. The percentages are expected to be out-of-date (circa 1970s). Both soils are mixed and integrated and not easily mapped on a large scale. The Bernard soil is firm, friable, neutral, dark gray clay from surface to six (6") inches in depth with a granular structure, fine roots, fine pores, common worm casts and iron-manganese concretions. The next layer, six (6") inches to eighteen (18") inches is firm, neutral, very dark gray clay with a blocky structure, common roots/pores, some clay films and iron-manganese concretions. The next layer, eighteen (18") inches to thirty-four (34") inches is firm, moderately alkaline, very dark gray clay with a blocky structure, slickensides, sticky/plastic, very fine pores, clay films on ped surfaces and iron-manganese concretions. The next layer, thirty-four (34") inches to fifty-four (54") inches is firm, moderately alkaline, gray clay with a blocky structure, some slickensides, sticky/plastic, clay films on ped surfaces, iron-manganese concretions, pitted calcium carbonate concretions and yellowish-brown mottles. The next layer, fifty-four (54") inches to sixty-five (65") inches is firm, moderately alkaline, gray clay with a massive structure, sticky/plastic, iron-manganese concretions, five percent (5%) to seven percent (7%) pitted calcium carbonate concretions, dark gray streaks, and dark brown and yellowish-brown mottles. The soil is somewhat poorly drained. Surface run-off tends to be slow without adequate drainage systems. Permeability is very slow and the soil water-holding capacity is high. This soil group has high shrink-swell potential and corrosivity to un-protected metals. Soils are sticky when wet and are not recommended for septic drainage fields. The soil has been utilized for row crops,

improved and native pasture. The Urban soils are generally not classified due to extensive land-use activities have made soil classification impractical. The soils are described as soils with extensive impervious cover, structures, buildings, roads, trenching, thus making the soil disturbed and difficult to classify. A copy of the SCS soil survey for the project alignment is attached (Appendix D).

5.2.3 Surface Water Hydrology

The flow of surface water onto the project alignment appears to migrate from northwest direction towards the project alignment and directed to an westerly to easterly direction and northerly to southerly direction.

According to the Federal Emergency Management Agency (FEMA) map and USGS Topographic map of the area, the subject tract does not appear to lie within the 100-year or 500-year floodplain zones. The FEMA Floodplain Map is attached (Appendix D).

5.2.4 Hydrogeology

The project alignment is underlain by the two principal fresh water aquifers, the Chicot and the Evangeline. These ground water sources are encountered throughout much of the Texas Gulf Coast, including Harris County.

The Chicot Aquifer is broken into two productive units, designated the Upper and Lower Chicot Aquifers. The Upper Chicot unit, comprised of the water-bearing sands in the Beaumont and Upper Lissie Formations, extends to a depth of approximately 250 feet below surface. The Lower Chicot unit, comprised of the water-bearing sands in the Lower Lissie and the Willis Sand of the Willis Formation, occurs within the approximate depth interval of 250 feet to 600 feet below ground surface. The aquifers are noted for their high sand-clay ratio and abundance of water. Use of the Chicot Aquifer in the Houston area is limited, other than as a water source for domestic or light industrial water supply uses.

The Evangeline Aquifer, corresponding to the Goliad Sand of the Willis and Fleming Formations, represents the principal subsurface water supply source for the City of Houston and surrounding communities. The aquifer is noted for its abundance of good quality ground water and is considered one of the most prolific aquifers in the Texas Coastal Plain. Individual sand beds are characteristically tens of feet thick. Public water supply wells completed within the Evangeline Aquifer in this area are typically screened within a depth interval of 600 feet to 2400 feet below ground surface.

5.3 Historical Use Information for the Property

5.3.1 Chain-of-Title Records

Fifty-year chain-of-titles were not obtained for the numerous tracts and/or lots that border the project alignment(s). Obtaining title information for the numerous properties along the project alignment(s) is cost prohibitive. Additionally, since the project alignment(s) does not involve the purchase of land, but crosses properties owned by others and is a utility right-of-way (ROW), obtaining title information is not pertinent to environmental review for this project.

5.3.2 Historical Aerial Photographs

A review of historical aerial photography was made to evaluate present and past land use, structures, improvements, surface anomalies, and historical development of the project alignment and surrounding properties. Photographic coverage was obtained from national and local aerial survey firms for the following years:

Year	Source	Type	Approximate Scale
1944	ASCS	B & W	1"=1,500'
1953	ASCS	B & W	1"=1,500'
1962	USGS	B & W	1"=1,500'
1976	USGS	B & W	1"=1,500'
1989	TxDOT	B & W	1"=1,500'
1995	USGS	IR	1"=1,500'
2008	HGACOGs	COLOR	1"=1,250'
2010	NAIP	IR	1"=1,500'

Aerial photographs were obtained from TelAll of Austin, Texas. These aerial photographs were utilized to determine if visual evidence of potential environmental concern was apparent on the project alignment on the photographs. Evidence will often include: soil disturbance (barren areas) which may indicate on-site waste disposal, mining, soil/sand/gravel pit activities, or a previous use of the project alignment; visible pipeline right-of-way easements; historical changes of structures and/or oil and gas activity. BOA reviewed aerial photographs for the project alignment and adjoining properties and the following was noted:

On the 1944 aerial photograph, the project alignment and area were rural land. A section of Pine Street and a small portion of Rampart Street and Renwick Drive was present. Some scattered small ranch or farms were observed in the future road easement area. Bellaire to the east was more

developed. Road were likely stabilized surface at this time. The roads would be improved over time.

On the 1953 aerial photograph, additional parts of Rampart Street were present. Scattered residences and vacant tract were located along Rampart Street. Bellaire to the had significant development occur.

On the 1962 aerial photograph, all the project alignment streets were now in-place (Mullins Street, Clairewood Street, Rampart Street, Pine Street, Valerie Street, Flack Drive and Renwick Drive). Single family residential was present at the northern and predominantly at the southern portion of the project alignment. Scattered residential, some commercial and vacant tract were present along Rampart Street. Braeburn Elementary School appeared to be in-place. US. Highway 59 was present and developing the west/northwest. Some roads in the area were being upgraded to parkway (Hillcroft Avenue). A drive-in theater was visible to the west of the northern portion of the project alignment. Significant development had occurred in the area.

On the 1976 aerial photograph, the project alignment was similar to its current appearance. Rampart Streets was bordered by numerous small office/warehouse facilities.

On the 1989 aerial photograph, additional office/warehouse had developed along Rampart Street. Shopping centers were observed at the corners of Rampart and Bissonnet Streets. The drive-in theater was removed and redeveloped. The general area would be considered well-developed and urban.

On the 1995 aerial photograph, the church now appeared to occupy the old SWB property. No other significant observations were made

On the 2008/2010 aerial photographs, the southeast corner of Rampart Street and Jessamine now had an office/warehouse facility.

Copies of aerial photographs for the project alignment and surrounding area are presented in *Appendix F*.

5.3.3 Owner/Occupant Questionnaire

Since the project does not involve the acquisition of property, BOA did not complete this task. BOA had no legal authorization to discuss property issues with adjoining landowners. Additionally, BOA would need preauthorization of the client

by contacting the property owners/operators to obtain their permission to discuss such matters (right-of-access and right-of-entry).

5.4 Historical Use Information for the Property and/or Adjoining Properties

5.4.1 Sanborn Fire Insurance Maps and USGS Topographic Maps

Sanborn Fire Insurance Maps are an evaluation tool previously generated for older, commercial, and industrial portions of urban areas. These maps show construction details for building structures and descriptions of business types on the mapped properties. Fire insurance maps are useful documentation of past property use in urban areas. Sanborn Maps are generally hand-drafted maps that were prepared in previous years for various purposes, but were basically completed/utilized for fire-related information (location of hydrants, water lines and on-site fire equipment locations), but often show other features that may have associated environmental concerns. These maps, when available are often more appropriate than aerial photographs because they are similar to architectural site plans and may show features and equipment not apparent on aerial photography. Available maps were reviewed and obtained from the City of Houston Downtown Public Library - Texas Room.

No Sanborn Fire Insurance Map coverage is available for the project alignment (Appendix H).

BOA obtained a 1946, 1982 and 1995 USGS Topographic Map for the project alignment area. No significant additional information was discovered from a review of the topographic maps. Topographic Maps are presented in *Appendix H*.

5.4.2 Historical City Directories

Historical city directories provide a source for researching the previous use of the project alignment, and properties in the surrounding vicinity of the project alignment. TelAll, Inc. of Austin, Texas provided city directories. The project alignment is situated in a public utility right-of-way and utility easement that is owned by others. BOA reviewed city directories for the project alignment and adjoining properties, and the following was noted.

Several car repair, vehicle-related shops (tire, muffler, body shops), two printing shops were reported along Rampart Street. At this time, no significant evidence that the facilities have affected the project is indicated. A copy of the Historical City Directories covering the immediate project alignment area is presented in *Appendix I*.

5.5 Additional Records Sources

5.5.1 Tobin Research Regional Oil and Gas Survey

A review of Railroad Commission (RRC) of Texas records was conducted to determine if current or past oil and gas exploration or production was present on the project alignment. According to a regional oil and gas survey map, prepared by Tobin Research, Inc., data from the RRC indicates that there were/are no oil and/or gas well sites located on the project alignment.

A copy of the Tobin map showing oil and gas well sites in the vicinity of the project alignment is included in RRC Data section presented in *Appendix J*.

6.0 SITE RECONNAISSANCE

6.1 Methodology

A visit of the project alignment was performed by BOA. The site visit included a visual inspection of adjacent properties, as well. The purpose of the physical investigation was to attempt to visually identify the obvious presence of, or the potential for, contamination of the project alignment. Areas of environmental concern were investigated with particular interest to the potential presence of underground and/or above ground storage tanks, PCB-containing transformers, regulated substance storage and/or spillage, excavation of fill activities, stressed vegetation and other pertinent environmental observations at the project alignment. The following is a site checklist.

YES	NO	
	X	Hazardous Substances at the Project Alignment
	X	Petroleum Products at the Project Alignment
	X	Underground and/or Aboveground Storage Tanks (USTs/ASTs)
	X	Containers
	X	Electrical or Mechanical Equipment Likely to Contain PCBs
	X	Stained Soil or Pavement
	X	Stressed Vegetation
	X	Solid Waste Dumping, Landfills or Suspect Fill Material
	X	Drains or Sumps
	X	Wastewater Discharges
	X	Septic or Sewage Tanks
	X	Pits, Ponds or Lagoons
	X	Wells
	X	Other Conditions of Concern or Observations

6.1.1 Hazardous Substances or Petroleum Products

There were no findings of the storage, transportation, disposal or generation of hazardous substances on the project alignment. Facilities that handle or store hazardous substance or petroleum products are present along parts of the project alignment.

6.1.2 Storage Tanks, 55-Gallon Drums or Containers

The subject and adjoining properties were inspected for evidence of petroleum storage tanks, both above and below ground. One active and a few historical gasoline service stations are present along portions of the

project alignment. Please refer to *Section 5.1.4* for additional details.

6.1.3 Possible Presence of Poly Chlorinated Biphenyls (PCBs)

Electrical transformers present the most common potential source of PCBs or PCB-containing substances. In the past, it was common for transformers to use PCBs as heat dispersants in their lubricating oils. Therefore, transformers are the primary focus of site inspection for PCBs.

All transformers on or adjacent to the property were inspected for signs of deterioration or leakage, and none were observed. The ground below the transformers was inspected for signs of oily residue or stressed vegetation, and none were observed. No evidence of transformer oil leakage was observed.

Berg ♦ Oliver Associates, Inc. has contacted Reliant Energy in the past about its policy of PCB control, and Reliant Energy employees have stated that Reliant Energy is in compliance with the Toxic Substances Control Act (TSCA), which regulates PCBs. All transformers purchased by Reliant Energy were manufactured after July 1, 1979 and are of the "non-PCB" type. However, those transformers manufactured prior to this time are considered contaminated unless testing proves otherwise. Regulations do not require Reliant Energy to conduct testing. Testing and replacement of transformers are at the request and expense of the customer.

6.1.4 Indications of Solid Waste Disposal

No evidence of solid waste disposal was observed on the project alignment, other than minor amounts of non-hazardous nuisance debris.

6.1.5 Wastewater Disposal or Disposition

Sanitary wastewater is not generated from the project alignment. Storm water run-off does occur from the streets and adjoining land.

6.1.6 Other Conditions of Concern or Observations

None observed.

Site photographs documenting the conditions and structures described are presented in *Appendix K*.

7.0 INTERVIEWS

7.1 Owner/Occupant Questionnaire

Since the project does not involve the acquisition of property, BOA did not complete this task. BOA had no legal authorization to discuss property issues with adjoining landowners. Additionally, BOA would need preauthorization of the client by contacting the property owners/operators to obtain their permission to discuss such matters (right-of-access and right-of-entry).

7.2 Interview with Local Government Official or Similar Individuals

An inquiry was submitted to the City of Houston HazMat Response Team Marshall for information on hazardous materials response calls in the area of the subject tract. Results of the search are attached in *Appendix L*.

No evidence of spills or emergency responses that would be a potential environmental concern to the project was noted.

7.3 Interview with Others

BOA contacted Mr. Chris Trinkle with Valero related to the old Stop-N-Go/National Convenience Store (6030 Dashwood Drive), a former gasoline service station (Tel. 210-345-4666). The facility still serves as a convenience store. He indicated Valero no longer owns the facility/property and does not have information concerning the new owner. To the best of his knowledge, he was not aware of any environmental conditions at the former facility.

BOA contacted Mr. Matt Rohira, owner of GM Shell (6100 Bellaire Blvd.), an active gasoline service station (Tel. 713-666-7227). To the best of his knowledge, he was not aware of any environmental conditions at the former facility.

BOA attempted to contact Southwestern Bell Telephone related to their former facility (6050 Jessamine). A church now occupies the property. BOA left a voice message on October 17, 2012. Any pertinent information will be forwarded, if and when received (Tel. 215-464-7046).

BOA contacted Omar with Nine Stop (6102A Bissonnet), a former gasoline service station (Tel. 713-271-5680). The facility still serves as a convenience store. To the best of his knowledge, he was not aware of any environmental conditions at the former facility. Please refer to *Appendix L* for additional details.


8.0 FINDINGS AND CONCLUSIONS

We have performed a Phase I Environmental Site Assessment in conformance with the scope and limitations of ASTM Practice E1527-2005 as modified by Chapter 11 of the City's Infrastructure Design Manual of the Storm Water Improvements to Rampart Street, located in Harris County, Texas. Any exceptions to, or deletions from, this practice are described in *Section 2.4* of this report. This assessment has revealed no evidence of recognized environmental conditions in connection with the property with the exception of the following:

1. Phase II ESA activities are considered appropriate for three locations at the project alignment as follows:
 - Former National Convenience Store/Stop-N-Go (6030 Dashwood Drive). Three soil borings are recommended for the location.
 - Jessamine SOC (6050 Jessamine Street) and Rampart Office Park (7027 Rampart Street). Since the facilities are present at the northeast and southeast corners Rampart and Jessamine Streets, the facilities can be handled as one location. Three soil borings are recommended for the location.
 - Nine Stop/a.k.a. 9 Stop Food Store (6102-A Bissonnet Street). Three soil borings are recommended for the location.

9.0 SIGNATURES OF ENVIRONMENTAL PROFESSIONALS

This Phase I Environmental Site Assessment was prepared for, and submitted to, Klotz Associates by Berg ♦ Oliver Associates, Inc., on this, the 20th day of December 2012. We declare that, to the best of our professional knowledge and belief meet the definition of Environmental Professional(s) as defined in 312.10 of this part. We have the specific qualifications based on education, training, and experience to assess a property of the nature, history, and setting of the project alignment. We have developed and performed all appropriate inquiries in conformance with the standards and practices set forth in 40 CFR Part 312. The following personnel of Berg ♦ Oliver Associates, Inc. were involved in the preparation of this study, as witnessed by the signatures below.



Tom Murphy
Project Manager



Ben Price
Vice President

If there are any questions regarding this report, or any of the information, conclusions, or recommendations contained herein, they may be addressed to either of us at the following location:

Berg ♦ Oliver Associates, Inc.
14701 St. Mary's Lane, Suite 400
Houston, Texas 77079
281-589-0898

10.0 SPECIAL TERMS

For purposes of conducting a Phase I Environmental Site Assessment pursuant to ASTM Practice 1527-2005, the following definitions were used for *hazardous substance*, *hazardous waste*, and *petroleum products* in this report:

Hazardous Substance - A substance defined as hazardous, pursuant to CERCLA 42 USC 9601(14), as interpreted by EPA regulations and the courts: "(A) any substance designated pursuant to section 1321(b)(2)(A) of Title 33; (B) any element, compound, mixture, solution, or substance designated pursuant to section 9602 of this title; (C) any hazardous waste having the characteristics identified under or listed pursuant to section 3001 of the Solid Waste Disposal Act (42 USC 6921) (but not including any waste the regulation of which under the Solid Waste Disposal Act (42 USC 6901 *et seq.*) has been suspended by Act of Congress); (D) any toxic pollutant listed under section 1317(a) of Title 33; (E) any hazardous air pollutant listed under section 112 of the Clean Air Act (42 USC 7412); and (F) any imminently hazardous chemical substance or mixture with respect to which the Administrator (of EPA) has taken action pursuant to section 2606 of Title 15. The term does not include petroleum, including crude oil or any fraction thereof, which is not otherwise specifically listed or designated as a hazardous substance under subparagraphs (A) through (F) of this paragraph, and the term does not include natural gas, natural gas liquids, liquefied natural gas, or synthetic gas usable for fuel (or mixtures of natural gas and such synthetic gas)".

Hazardous Waste - Any hazardous waste having the characteristics identified under or listed pursuant to section 3001 of the Solid Waste Disposal Act (42 USC 6921) (but not including any waste the regulation of which under the Solid Waste Disposal Act (42 USC 6901 *et seq.*) has been suspended by Act of Congress). The Solid Waste Disposal Act of 1980 amended RCRA. RCRA defines hazardous waste, in 42 USC 6903, as: "a solid waste, or combination of solid wastes, which because of its quantity, concentration or physical, chemical, or infectious characteristics may--(A) cause, or significantly contribute to, an increase in mortality or an increase in serious irreversible, or incapacitating in reversible illness; or (B) pose a substantial present or potential hazard to human health or the environment when improperly treated, stored, transported, or disposed of, or otherwise managed".

Petroleum Products - Those substances included within the meaning of the *petroleum exclusion* to CERCLA, 42 USC 9601(14), as interpreted by the courts and EPA, that is: petroleum, including crude oil or any fraction thereof, which is not otherwise specifically listed or designated as a hazardous substance under Subparagraphs (A) through (F) of 42 USC 9601(14), natural gas, natural gas liquids, liquefied natural gas, and synthetic gas usable for fuel (or mixtures of natural gas and such synthetic gas). The word fraction refers to certain distillates of crude oil, including gasoline, kerosene, diesel oil, jet fuels, and fuel oil, pursuant to *Standard Definitions of Petroleum Statistics, American Petroleum Institute*.

11.0 DEFINITIONS

Abandoned property – Is a property that can be presumed to be deserted, or an intent to relinquish possession or control can be inferred from the general disrepair or lack of activity thereon such that a reasonable person could believe that there was an intent on the part of the current owner to surrender the rights of the property. However, this should not be confused with a property that may merely be in-active.

Actual Knowledge – The knowledge actually possessed by an individual who is a real person, rather than an entity. It should be noted that select issues of knowledge is subjective and based on perspective, notions and opinions that will affect or may come from a specific or particular point-of-view.

Adjoining properties – In this document, an adjoining property is defined as a property that has a property line that abuts the “subject” property’s property line.

Adjacent property – In this document, an adjacent property is separated by any right-of-way easement and other feature from the project alignment’s property line.

Aerial photograph – Photographs taken from an aerial platform, typically a small aircraft with photographic equipment capable of providing a media with adequate resolution and scale to permit an adequate level of identification of development and/or activities occurring on-site and in the near vicinity of the project alignment.

All appropriate inquiry – Is defined as an inquiry constituting “all appropriate inquiry” into the previous ownership and uses of property consistent with good commercial or customary practice as defined in CERCLA, 42 U.S.C. §9601(35)(B), that will qualify a party to a commercial *real estate transaction* for one of the threshold criteria for satisfying the landowner liability protections (LLPs) to CERCLA liability (42 U.S.C. §9601(35)(A) & (B), §9607(b)(3), §9607(q); and §9607(r)). It should be noted that this is not static, subject to interpretation and may change due to technology improvements, the addition of additional information and knowledge concerning a specific property or land-use.

Commercial real estate – Any real property, except a dwelling (typically a single family residential lot) or property with no more than 4 dwelling units exclusively for residential use, except a dwelling or property with no more than four units exclusively for residential use is included in this term when it has a commercial function, as in the building of such dwellings for profit. Commercial real estate includes, but is not limited to industrial facilities/sites, service-related facilities, retail and retail center, office and office building, and institutional (medical or similar facilities, college/university, all schools) and may include agricultural land and undeveloped real property proposed for commercial development.

Construction or demolition debris – Concrete, brick, asphalt and other such building material(s) discarded as part of the construction of a building or similar improvement or demolition of the same.

Contaminant – A property or feature related to a property has been affected by a hazardous substance (contaminant), petroleum product or an on-site constituent exceeds a regulatory response “action” level. A contaminant may also be referred to as a constituent of concern (COC).

Data failure – A lack or inability to obtain complete information despite *good faith* efforts by the EP to gather information. Typical examples are the lack of city directory information for a site (property) despite its development, limited regulatory database plotting or the fact that very limited resources are available for a property’s area.

Data gap – A lack or inability to obtain complete information despite *good faith* efforts by the EP to

gather information. A data gap is tends to be a temporal issue like not having a representative aerial photograph for a specific decade, the site being developed prior to the earliest aerial photograph, incomplete title instrument, the inability to interview knowledgeable persons. Often, this does not hinder or limit the completion of the Phase I ESA due to other available sources to reconcile the information.

Drum – A container, typically steel or plastic that typically contains up to 55-gallons of liquid (or less), but may contain powder, pellets, waste or other material by a different measurement. This should not be confused with a barrel (bbl) that varies depending on the contents of the barrel (e.g. a barrel of crude oil = 42 US gallons).

Dry Well – An underground or subsurface area were soil has been removed and replace with pea gravel and/or rocks and/or course sand and a utilized for drainage, storm water run-off control or the collection of spilled liquids and wastewater disposal.

Due diligence – A process of inquiring into the environmental and other characteristics of a tract or parcel of land of *commercial real estate* usually in connection with a commercial real estate transaction.

Environmental lien – A charge, security or encumbrance upon the title to a property to secure the payment of a cost, debt, obligation, or duty arising out of response actions, cleanup, or other remediation of hazardous substances or petroleum products.

Environmental professional (EP) – A person whom meets the education and/or training and/or experience requirements as set forth in 40 CFR §312.10(b).

Federal Register (FR) – A daily publication of the U.S. government, except Federal holidays and weekends containing all proposed and final regulations and some other activities of the Federal government. When the rules, regulations and related issues are finalized, they are included in the Code of Federal Regulations (CFR) and the FR.

Fill dirt – Dirt: sand, clay, silt (soil) that has been obtained from an off-site source that is typically utilized to fill depressions, create mounds or berms or the increase the land surface elevation of a property. The environmental concern typically is the origination of the fill material and its condition, if of any concern.

innocent landowner defense – A person or affected party may qualify as one of 3 types of innocent landowners: (i) a person who “did not know and had no reason to know” that contamination existed on a property at the time the purchaser acquired the property; (ii) a government entity that acquired the property by escheat or through any other involuntary transfer or acquisition or through the exercise of eminent domain authority by purchase or condemnation, and (iii) a person who “acquired the facility by inheritance or bequest.” To qualify for the first type (i) of innocent landowner LLP, such person/party must have made *all appropriate inquiry* on or before the date of purchase. Furthermore, the *all appropriate inquiry* must have not resulted in knowledge of the contamination. If it does, then such person/party did “know” or “had reason to know” of contamination and would not be eligible for the innocent landowner defense.

Material safety data sheets – Printed or written material prepared to provide information concerning a hazardous substance or material which is generally prepared by chemical manufactures, importers, and employers (Occupational Safety & Health Administration, Hazardous Communications Standard, 29 C.F.R. §1910.1200).

Petroleum exclusion – The exclusion from CERCLA liability protection as detailed in 42 U.S.C. §9601(14), as interpreted by the courts and the U.S. EPA, that is: petroleum, including crude oil or any fraction thereof which is not otherwise specifically listed or designated as a *hazardous substance* under

Subparagraphs (A) through (F) of 42 U.S.C. §9601(14), natural gas, natural gas liquids and condensate, liquefied natural gas and synthetic gas. However, this does not mean that petroleum substance impact to the property may not be of concern. Nor does this indicate that petroleum products do not have hazardous characteristics.

Physical setting sources – Printed or written sources, maps, figures, cross sections or similar media that provide information concerning the geologic, hydrogeologic, hydrologic, topographic characteristics, soil characteristics, possible flood-related characteristics or related features of a project alignment or property.

Pits, ponds or lagoons – Typically man-made or natural depressions in the ground surface that were either constructed or likely made to contain liquids, sludge that may have hazardous waste characteristics or be a petroleum substance.

Practically reviewable – Information that is practically reviewable means the information is provided by the source in a manner and in a format that, upon examination, yields information relevant to the property without the need for extraordinary analysis or the review of irrelevant data. The form of the information shall be such that the user can review the records for a limited geographic area. Records that cannot be feasibly retrieved by reference to the location of the property or a geographic area in which the property is located are not generally practically reviewable. Most databases of public records are practically reviewable if they can be obtained from the source agency by the physical address, county, city or zip code, global position or other geographic area of the facilities listed in the record system. Records that are sorted, filed, organized or maintained by the source agency only chronologically are generally not practically reviewable, unless a database details their location (e.g. file number, etc.).

Publicly available – Information that is publicly available indicates that the source of the information is permitted to most anyone upon request.

Reasonably ascertainable – Information that is (1) *publicly available*, (2) obtainable from its source within a reasonable time-frame and by reasonable cost constraints and (3) *practically reviewable*.

Recognized environmental condition – A current or historical condition that may affect the value of a property or may have a cost of response associated with the property. In some instances, the cost of response may exceed the value of a property in a specific time.

Sump – a pit, cistern, cesspool or similar receptacle where liquids drain, collected or are stored. Sumps typically have a pump system associated with the receptacle that pumps the material contained, when the level reaches at certain height within the receptacle.

12.0 REFERENCES

<u>DATA</u>	<u>SOURCE</u>
• Location Maps	Key Maps, Inc. 1411 W. Alabama, Houston, Texas 77006 713.522.7949
• Regulatory Database	Banks Environmental Data 1601 Rio Grande-Suite 500, Austin, Texas 78701 512.478.0059
• Topography	USGS 7.5-Minute Maps, Indicated Quads
• Geology	US Soil Conservation Service (SCS)/USDA/B of E Geology
• Hydrogeology	Federal Emergency Management Association (FEMA) FIRM Maps
• Historical Photography 1930s – 1950s	Tobin International PO Box 708902, San Antonio, Texas
• Historical Photography 1960s – 1970s	Adams Aerial 1415 College, S. Houston, Texas 77587
• Historical Photography 1980s	MPSI Maps, Inc.
• Aerial Photography 1990s	Landiscor 3411 Richmond Avenue, Suite 150 Houston, Texas 77046
• Aerial Photography 1940s-2000s	Banks or TelAll Corp. (Various Sources) 1300 Guadalupe Street, Suite 203 Austin, Texas 78701
• Hazardous Materials Report	Area Fire Marshal, Captain or HazMat Response Team
• City Directories	Banks Environmental Data 1601 Rio Grande-Suite 500, Austin, Texas 78701
• Sanborn Maps	Banks Environmental Data 1601 Rio Grande-Suite 500, Austin, Texas 78701
• Railroad Commission Data	Via Tobin International, from Railroad Commission of Texas P.O. Box 13087, Austin, Texas 78711-3087

**13.0 QUALIFICATIONS OF ENVIRONMENTAL PROFESSIONALS PARTICIPATING
IN THE PHASE I ENVIRONMENTAL SITE ASSESSMENT**

See attached resumes of Environmental Professionals

EDUCATION

Southwest Texas State University: B. S., Geography-Resource and Environmental Studies/Biology, 1993

REGISTRATION/TRAINING

40/8-Hour CFR 1910.120, OSHA Training and Refreshers (HazWop)
40 CFR 265.16, Hazardous Waste Management Certification
49 CFR 172 & 173, DOT Hazardous Materials Training
29 CFR 1919.134, Respirator Fit Test/Training
RRC Rule 36 & API-RP 49, Hydrogen Sulfide Training
ExxonMobil LPS and OIMS Training
Facility, Client or Site-Specific Safety Training and Protocol

PROFESSIONAL EXPERIENCE

Project Manager
Project Geologist/Scientist/Manager
Field Geologist
Bioremedial Field Engineer
Specialization:
Spill response and assessment/remediation to closure
Environmental site assessments
Remediation systems installation and system design
General construction experience
Regulatory and data interpretation
Surveying/mapping/site plans

PROFESSIONAL HISTORY

Berg-Oliver Associates, Inc., Project Manager, December 2004 to present
BNC Environmental Services, Inc., Project Geologist/Scientist/Manager, October 2001 to December 2004.
Eco-Systems, Inc., Project Scientist, March 2001 to October 2001.
Self-Employed, Environmental Consultant/Scientist, November 2000 to March 2001.
Associated Environmental Consultants, Inc., Project Manager, August 1995 to November 2000.
Self-Employed, Environmental Consultant, April 1995 to August 1995.
Sybron Chemicals, Inc., Bioremedial Field Engineer, October 1993 to April 1995.

REPRESENTATIVE EXPERIENCE

Mr. Murphy is a mid to senior-level project manager with over 15 years of diverse environmental experience. His responsibilities have included: conducting surface and/or subsurface soil and groundwater investigations, Affected Property Assessment Reports (APARs), Phase II ESAs, Phase IIIs, spill response and environmental management, project management, conducting over two thousand Phase I ESAs/due diligence, and transaction screens. Experience and preparation of cost proposals, project coordination, health and safety plans and supervisory duties of sub-contractors, bioremedial equipment project design/set-up, various remediation technology projects, equipment and design for treating petroleum-contaminated soil and groundwater, equipment set-up/construction, QA/QC, monitor well advancement, supervision of sampling discharge effluents and storm water, groundwater monitoring, EPA/TCEQ & RRC protocol, expediting projects, treatability studies and contaminant plume mapping. He has project experience in field assessments and remediation projects for banks, developers, brokers, institutions, companies, corporations and the Texas Commission on Environmental Quality Leaking Petroleum Storage Tank (LPST) RPR Division. Mr. Murphy excels in the application of technical knowledge, site-specific factors, data analysis, report preparation to existing and potential clients. Knowledgeable in government environmental acts and regulations. Representative projects include:

- Performed numerous Subsurface Investigations and Phase II-Environmental Site Assessments for various clients to determine the presence of adverse environmental conditions.
- Conducting spill response activities and delineations predominantly for pipeline-related enterprises and bulk storage facilities inclusive of: air monitoring, subcontractor supervision, excavation and over-excavation, sampling, waste disposal (waste profiling/characterization, transportation and disposal) and closure under Railroad Commission of Texas or TCEQ. Representative clients:
 - ExxonMobil Pipeline Co. (EMPCo.)
 - BP Pipelines North America (NA), Inc.
 - Valero Logistics Operations, L.P.
 - Kinder Morgan
 - Shell Oil Products US, Motiva and Equilon
 - TEPPCO
- Prepared a pilot project leading to a contracted waste water line build-up treatment plan, technical documents, cost proposal for the City of Houston (waste water line bioremediation).
- LPST remediation equipment set-up and design, petroleum contaminant reduction, TCEQ approved closure of several LPST sites and supervision of LPST sites
- Experience in all phases of construction including bioremediation equipment installation, sampling protocol of water and/or soils, and closure of site. Field Engineer for numerous site assessments throughout the Gulf Coast region. Construction of bioremediation systems to convert pump and treat contaminated ground water including recovery/treatment/microbe and nutrient injection systems. Projects:
 - Houston Lighting & Power-Spring Branch, Houston, bioreactor system; and
 - Wilburforce Road, Houston-First Interstate (successor Wells Fargo Bank), bioreactor.
- Field experience with soil injection, bioreactors, air strippers, and vacuum heaps and air sparging to treat soil/groundwater contaminants. Field Engineer for various remediation projects of oil and petroleum-contaminated soils. Field experience in soil vapor extraction equipment (SVE) including a specially designed bio-treated fluid separator. Constructed a vapor extraction system with a biological scrubber to extend carbon polishing efficiency and/or the potential for breakthrough or fugitive releases, and reduction of overall total emissions. System also included method to remove groundwater from vapor extraction wells, which tended to accumulate due to excessive rainfall and shallow groundwater effects. Constructed, maintained and operated landfarms for various clients. Provided technical and consulting services during the operation of the landfarm, including biological health analyses sampling, data interpretation, report presentation and closure. Other Environmental Projects:
 - Numerous due diligence assessments and affected property assessments for various clients
 - Non-producing "old oilfield" asset assessments (Chevron Environmental Management Company and Chevron Business and Real Estate Services)
 - Several States, Monitoring and assessments of natural gas compressor stations (El Paso Energy Corporation-Tennessee Gas Pipeline and Southern Natural Gas)
 - Texas – Hydrostatic water treatment projects
 - Texas – Wastewater permitting and discharge analyses (Williams Energy-Williams Gas Pipeline and EMPCo.)
 - Numerous crude oil and refined product spill delineations
 - Texas City, Texas – BP-Amoco pipeline release assessment affecting sanitary sewer system
 - Texas – Assessments of Shell Oil Products US and related enterprises-Equiva, Motiva and Equilon
 - Pasadena, Texas – Kinder Morgan Texas Pipeline, Assessment to evaluate off-site source of corrosion to pipeline

- Remediation and landfarms (Chevron Environmental Management Co., First Interstate (successor Wells Fargo Bank), Kinder Morgan, Genesis Crude Oil, L.P., Valero Logistics Operations, L.P., TEPPCO, Specialty Lubricants and Commercial Metals)
 - Angleton, Texas – First Interstate (successor Wells Fargo Bank), specialty soil vapor extraction system
 - Rockport and Marshall, Texas-First Interstate (successor Wells Fargo Bank), vacuum heap/augmented with automated microbial/nutrient additive system
- Administrative duties, supervision, cost proposals, report preparation, regulatory document preparation, client project status reports. Supervision and field experience in soil boring/monitor well drilling advancement, logging, decommissioning and soil sampling criteria. Installation of numerous soil borings and groundwater monitoring wells at various sites.
 - Field experience in groundwater monitoring, low flow sampling, flow interpretation, and contaminant plume mapping. Experience in a variety of mapping, site plan creation/surveying, geographic information systems, regulatory databases and land-use planning.
 - Performed over sixteen hundred Phase I Site Assessments for various clients including oil companies (Chevron Environmental Management Co., ChevronTexaco Business and Real Estate Services, Shell Oil Products US, Weatherford International, Inc., EMPCo., etc.) banks, lending agencies, private individuals and/or businesses and corporations. Performed site assessments on all types of properties and facilities including vacant and developing properties, office buildings, office/warehouses, machine shops, and industrial properties. Performed PCS PrimeCo., Sprint, NEXTEL, and American Tower Company pad site assessments. Project Budgets \$2,500-\$5,500: Locations: Texas, Louisiana, North Carolina, Ohio, Virginia, West Virginia
 - Performed and managed various site clean-ups (hazardous and non-hazardous materials/items). Sampling events of abandoned drums and containers with unidentified substances, laboratory supervision, obtaining waste codes, arranging pick-up by certified waste hauling enterprises and appropriate final disposal activities.

ASSOCIATIONS AND ORGANIZATIONS

The Society of Texas Environmental Professionals

National Association of Environmental Professionals (in-active)



**BENJAMIN M. PRICE, GEOLOGIST
VICE PRESIDENT AND PROJECT MANAGER
HAZARDOUS AND TOXIC WASTE DEPARTMENT**

EDUCATION

Master of Science, Geology
Texas A&M University (1991)

Bachelor of Science, Geology
Florida Atlantic University (1981)

CERTIFICATIONS/AFFILIATIONS

Professional Geoscientist (TX #3423)
Certified Wetland Delineator 1997
Certified Environmental Auditor, 1997
Registered Environmental Manager (R.E.M. #10916)
Federal Energy Regulatory Commission (FERC) Training and Certification
National Environmental Policy Act (NEPA) Training and Certification
Society of Wetland Scientists
Texas Association of Environmental Professionals
National Registry of Environmental Professional
Texas Department of Transportation Certification No. 6550
TxDOT precertified in 2.3.1, 2.4.1, 2.6.1, 2.13.1

EXPERIENCE

Mr. Price is an environmental scientist with diverse experience in both business and technical aspects of the environmental industry. Utilizing his extensive background in geological and biological disciplines, he has developed expertise in environmental regulations, property assessments, hazardous waste testing and evaluation, wetland evaluation, endangered species audits, health and safety issues, and silviculture activities. Mr. Price specializes in site investigations relating to hazardous material and petroleum product contamination. His experience with the petroleum industry and contaminated site remediation allows him to effectively consult on cost efficient solutions to environmental impairment concerns. Mr. Price is involved with problem solving related to environmental and ecological issues, especially those that may hinder property transfer, land development activities, or oil and gas activities. He has developed a unique working relationship with many federal and state resource agencies responsible for project permitting and approval.

REPRESENTATIVE PROJECTS

- ***Andrau Industrial and Airpark Environmental Site Assessments***, Private Development Project, Houston, Texas: Project Manager for the development and implementation of a work plan to assess the environmental risks posed by potential hazardous materials at the site. Tasks included sampling analytical methods, review of laboratory data for completeness and accuracy, interpretation of results, and preparation of final report.
- ***Pearland Manvel Dump Site***, Brazoria County District Attorney: Project Manager responsible for the Phase I Environmental Site Assessment and Phase II Testing. The project involved identifying portions of the site containing hazardous and radioactive liquids within the dumpsite. Groundwater monitoring and testing was conducted to evaluate potential off site transport of contaminants. Groundwater flow directions were determined for purposes of site closure. Recommendations to the PRP were made for future remediation goals to obtain state closure.

- **Alamo Lumber Company**, Subsurface Investigation and Remediation, City of Houston, Texas: Project Manager for the Phase I, Phase II, and Phase III investigations and remediation of soil and groundwater. Contaminates of concern included Pentachlorophenol (PCP) and various Dioxins. The project required agency supervision and approvals. Closure was obtained through TCEQ.
- **The Sprint Companies Landfill Expansion Environmental Assessment and Permitting Services**, Fort Bend County, Texas: Project Manager for the preparation of the Phase I Environmental Site Assessment for a 365-acre landfill site proposed to be expanded. The project was approved by the USACE, TCEQ, USFWS, and TPWD under a Clean Water Act Section 404 Permit with off-site mitigation banking.
- **Houston Comprehensive Bikeway Program Environmental Assessment**, City of Houston, all locations, Environmental Assessment. Project Coordinator for the preparation of an Environmental Assessment (EA) for the comprehensive bikeways program covering 100 lineal miles and involving a TxDOT EA for ISTEA funding. The project involved the preparation of NEPA documentation and assessments of environmental issues, such as wetlands, hazardous waste, historic preservation, threatened and endangered species, air quality, noise, water quality, hydrology, and flood plains.
 - **Little White Oak Bayou Hike & Bikeway Trail**: The proposed 0.6-mile trail begins southwest of the intersection of IH 45 and Loop 610 at Calvalcade Road and terminates along the IH 45 frontage road approximately 240 feet north of the intersection of Sylvester Road with the frontage road, in Harris County, Texas. Environmental clearance from TxDOT has been granted.
 - **Keegans Bayou Hike & Bike Trail**: The proposed 3.9-mile trail begins on the north bank of Keegans Bayou at Kirkwood Drive and terminates on the south bank of Brays Bayou at S. Gessner Drive in southwestern Harris County, Texas.
 - **Houston Heritage Corridor Bayou Trails (East Segment III)**: The proposed trail extends entirely on the southside of the bayou between North York Street and Lockwood Drive. The project is one segment of the multi-segment Houston Heritage Corridor System adopted by the City of Houston.
 - **Westchase District Hike and Bike Trail**: The proposed trail would begin on Riverview Way, on the west side of the Harris County Flood Control District drainage ditch W157-00-00, and terminate at Richmond Avenue in southwestern Harris County, Texas. Environmental clearance from TxDOT has been granted.
 - **Columbia Tap Hike and Bike Trail**: The proposed trail will begin at the on-street bicycle lane on Polk Street at the crossing of the abandoned Union Pacific (formerly Missouri-Pacific) Railroad tracks and terminate at the intersection of Bastrop Street and Texas Street in central Harris County, Texas. Environmental clearance from TxDOT has been granted.
 - **Halls Bayou Hike and Bike Trail**: The proposed trail will begin on the north bank of Halls Bayou at Hirsch Road and terminate on the north bank of the bayou at Bretshire Road, west of the Union Pacific Railroad in central Harris County, Texas.

- ***Stafford-Staffordshire Road Expansion Environmental Assessment***, City of Stafford, east Fort Bend County: Project Coordinator for the preparation of a TxDOT Environmental Assessment (EA) for the expansion of Stafford-Staffordshire Road through three jurisdictions (Harris County, City of Stafford, and City of Missouri City). The project involved preparation of a NEPA environmental assessment, including wetlands, hazardous waste, historic preservation, threatened and endangered species, air quality, water quality, hydrology, and flood plains.
- ***Sienna Plantation Environmental Assessment and Planning***, Private Client, east Fort Bend County, Texas: Project Coordinator for an approximate 11,000-acre project involving current and long range environmental planning. The project involved assessment, permitting, and mitigation for many different tracts and sections of the development. Specific tasks included evaluation of existing wetlands, creation of constructed wetlands, overall project planning, and hazardous waste assessments. The project also included historic, cultural, and archaeological preservation; threatened and endangered species, coordination, land management, and contractor supervision.
- ***US 59 and Grand Parkway Limited Environmental Assessment***, Private Development Project, Fort Bend County, Texas: Project Hazards Manager for the preparation of a Limited Environmental Assessment (EA) for a 500-acre land development between the Brazos River and US 59, bisected by the Grand Parkway. The project involved assessment and documentation of environmental issues, such as wetlands, hazardous waste, historic/archaeological investigation and preservation, threatened and endangered species, surface hydrology, and flood plains.
- ***Independence Boulevard, Murphy Road Detention and Drainage Facilities Environmental Assessments***, City of Missouri City, east Fort Bend County, Texas: Project Coordinator for the preparation of an Environmental Assessment for the extension of Murphy Road, the Environmental Assessment for the Murphy Road Detention and Drainage Improvements, and other environmental evaluations for the City of Missouri City, Texas. Projects involved preparation of Section 404 permit documentation, and assessment of environmental issues, such as wetlands, hazardous waste, historic/archaeological investigation and preservation, and threatened and endangered species.
- ***Sugarland Oil and Gas Field Assessment and Compliance Review***, Private Oil Company, northeast Fort Bend County: Project Coordinator for the environmental assessment and compliance review of a large oil field located around a salt dome structure. The property contained over 125 known oil and gas wells. Environmental evaluation included the evaluation of each currently producing and non-producing historic well site for hazardous material, toxic material, and petroleum products. Phase II site investigation and characterization is still ongoing.
- ***Dayton Rice Milling Environmental Services***, Harris County, Texas: Evaluation of agricultural pump house on Lake Houston. The project involved responding to citizen complaint of hydrocarbon contamination in Lake Houston, placing booms in lake to contain discharge, remediation of impacted soils to eliminate the source of hydrocarbon leaks and coordinate with TCEQ, COH to receive NFA from agencies.
- ***Farias Ranch Environmental Site Assessment and Phase II Testing***, PW Park 10, Inc., Maverick County, Texas: Conducted environmental site assessment and testing at a 100,000-acre ranch. The project involved performing Phase II Testing to identify potential impacts related to livestock dipping facilities located on the ranch property. The testing identified COC's, concentrations exceeding the TCEQ Texas specific background levels for certain metals and arsenic impacted soil at 3 historical cattle dipping vats. The project also involved remediation of the soils at each location, and submitting an Affected Property Assessment Report to the TCEQ and obtained state closure for these sites.


- ***Harris County Sports Authority Environmental Site Assessment and Phase II Testing***, Harris County, Texas: Conducted Environmental site assessment Phase I, Phase II Testing and Phase III of future Reliant Stadium site. Identify onsite LPST sites and ACM containing structures. Remediate and obtain closure for LPST sites through TCEQ. Perform ACM abatement of several structures and historic onsite pipeline. Perform demolition at structures. Conduct all projects simultaneously to be completed within tight time constraints for Reliant Stadium construction.
- ***AFG Properties Environmental Site Assessment and Phase II Testing***, Fort Bend County, Texas: Perform Phase I Environmental Site Assessment and Phase II Testing of the 3,000-acre historic sugarcane plantation. Discover impacted soil at two cattle dipping vat locations and oil and gas well site. Perform site clean up to residential standards for future master planned community.
- ***FM 1960 Roadway Widening, Harris County, Texas***: Performed environmental site assessment for TxDOT to identify potential constraints related to the widening of FM 1960. Identify multiple adjoining properties, which could impact alignment.
- ***Gosling Road***, Harris County, Texas: Project Coordinator for a Phase I Environmental Site Assessment for this TxDOT EA and Public Involvement for a 0.5-mile extension of Gosling Road, and its associated easements, located in northern Harris County. Project activities included a Phase I Environmental Site Assessment in conformance with the scope and limitations of ASTM Practice E 1527-00 for the proposed project. Along with a visual survey of the project area, sources reviewed include the USGS Tomball quadrangle, NRCS soil surveys, FEMA maps, city directories, historical aerial photographs, reviews of standard environmental record sources (including selected agency files), and a Tobin Oil and Gas Survey Map.

APPENDIX A
LOCATION MAP(S)


HARRIS COUNTY TEXAS

KEY MAP

0 1 2 3 4 5
Scale: 1" = 5.2 Miles



APPENDIX B
SITE MAP(S)



HARRIS COUNTY KEY MAP

PAGE 531

APPROXIMATE SCALE 1" = 1/2 MILE = 2,640'

APPENDIX C
REGULATORY DATABASE SEARCH

Tuesday, September 25, 2012

Client

BERG-OLIVER ASSOCIATES, INC.

14701 St. Mary's Lane

Ste 400

Houston, TX 77079

Target Property

Klotz Associates

Beechnut


Houston, TX Harris County

ES#: 102227

PO#: 8635

Database Review Summary	3
Maps	
0.25 Mile Buffer Summary Map	4
0.5 Mile Buffer Summary Map	5
1 Mile Buffer Summary Map	6
Topographic Overlay Map - 1 Mile Buffer	7
1996 Aerial Overlay Map - 0.5 Mile Buffer	8
2004 Aerial Overlay Map - 0.5 Mile Buffer	9
Soil Survey Map	10
Geographic/Geologic Summary for Target Property	11
Water & Oil/Gas Wells	13
Mapped Sites Summary	15
Unmapped Sites Summary	19
Site Details	
Mapped Sites Details	20
Unmapped Sites Details	210
Federal & State Database Definitions and Sources	211
Disclaimer	214


Databases Searched	Distance Searched	# Mapped	# Not Mapped	Total
Federal - ASTM 1527-05/AAI Required				
National Priority List (NPL)	1.000	0	0	0
Delisted National Priority List (DNPL)	0.500	0	0	0
CERCLIS (CER)	0.500	0	0	0
CERCLIS NFRAP (CER NFRAP)	0.500	0	0	0
RCRA CORRACTS (RCRA COR)	1.000	1	0	1
RCRA non-CORRACTS TSD (RCRA TSD)	0.500	1	0	1
RCRA Generators (RCRA GEN)	0.250	4	0	4
Federal Brownfields (FED BWN)	0.500	0	0	0
Federal Institutional Control (FED IC)	0.500	0	0	0
Federal Engineering Control (FED EC)	0.500	0	0	0
ERNS List (ERNS)	0.250	0	1	1
State - ASTM 1527-05/AAI Required				
State/Tribal Equivalent NPL (ST NPL)	1.000	0	0	0
State/Tribal Equivalent CERCLIS (ST CER)	0.500	0	0	0
State/Tribal Disposal or Landfill (SWLF)	0.500	0	0	0
State/Tribal Leaking Storage Tank (LPST)	0.500	21	0	21
State/Tribal Storage Tank (PST)	0.250	22	0	22
State/Tribal Institutional Control (ST IC)	0.250	0	0	0
State/Tribal Engineering Control (ST EC)	0.500	0	0	0
State/Tribal Voluntary Cleanup (VCP)	0.500	3	0	3
State/Tribal Brownfield (ST BWN)	0.500	0	0	0
State/Tribal Hazardous Waste (HW)	0.250	29	0	29
Non-ASTM/AAI Required Databases				
RCRA (RCRA)	0.250	19	0	19
Dry Cleaners (DRYC)	0.250	3	0	3
Total Sites Found		103	1	104



★ Target Site	⚡ Limited Access Hwy	🚂 Railroad
● Single Site	🛣️ Primary Highway	🏠 County
⊙ Cluster Site	🛣️ Secondary Highway	🏡 State
📦 Large Tract	🛣️ Roads	🏙️ Urban Area
📦 Cluster Site with Large Tract	🛣️ Ramps	💧 Water Bodies
⊙ Single Site		
⊙ Cluster Site		
📦 Large Tract		
📦 Cluster Site with Large Tract		
ERNS, IHV, RCRA, DRYC, AIRS		
RCRA COR, RCRA TSD, CER, LPST, NPL, ST NPL, SVLF		
RCRA GEN, ST & FED BWN, ST & FED EC, ST & FED IC, DNPL, CER NFRAP, PST, VCP, ST CER		

One inch = 0.36 miles

Banks Environmental Data
 1601 Rio Grande St., Suite 500
 Austin, Texas 78701
 PH 512-478-0059
 FAX 512-478-1433
 banks@banksinfo.com
 www.banksinfo.com
 Page 4




★ Target Site	○ Single Site	● Cluster Site	■ Large Tract	■ Cluster Site with Large Tract
○ Single Site	● Cluster Site	■ Large Tract	■ Cluster Site with Large Tract	
○ Single Site	● Cluster Site	■ Large Tract	■ Cluster Site with Large Tract	
○ Single Site	● Cluster Site	■ Large Tract	■ Cluster Site with Large Tract	
○ Single Site	● Cluster Site	■ Large Tract	■ Cluster Site with Large Tract	

RCRA COR, RCRA TSD, CER, LPST, NPL, ST NPL, SVLF
 RCRA GEN, ST & FED BWN, ST & FED EC, ST & FED IC, DNPL, CER NFRAP, PST, VCP, ST CER
 ERNS, IHW, RCRA, DRYC, AIRS

— Limited Access Hwy	— Railroad
— Primary Highway	— County
— Secondary Highway	— State
— Roads	— Urban Area
— Ramps	— Water Bodies

One inch = 0.44 miles

Banks Environmental Data
 1601 Rio Grande St., Suite 500
 Austin, Texas 78701
 PH 512-478-0059
 FAX 512-478-1433
 banks@banksinfo.com
 www.banksinfo.com
 Page 5



★ Target Site

- Single Site
- Cluster Site
- Large Tract
- Cluster Site with Large Tract
- Single Site
- Cluster Site
- Large Tract
- Cluster Site with Large Tract
- Single Site
- Cluster Site
- Large Tract
- Cluster Site with Large Tract


RCRA COR, RCRA TSD, CER, LPST, NPL, ST NPL, SWLF
 RCRA GEN, ST & FED BWN, ST & FED EC, ST & FED IC, DNPL, CER NFRAP, PST, VCP, ST CER
 ERNS, IHW, RCRA, DRYC, AIRS

- Limited Access Hwy
- Primary Highway
- Secondary Highway
- Roads
- Ramps
- Railroad
- County
- State
- Urban Area
- Water Bodies

One inch = 0.61 miles

Banks Environmental Data
 1601 Rio Grande St., Suite 500
 Austin, Texas 78701
 PH 512-478-0059
 FAX 512-478-1433
 banks@banksinfo.com
 www.banksinfo.com
 Page 6





One inch = 0.61 miles

Bellaire (1982)

- ★ Subject Site
- Site
- ⊙ Cluster
- Large Tract
- Cluster Site
- ⊞ In Large Tract
- Existing Road
- Stage Line
- - - County Line
- ~ Unimproved Road

Banks Environmental Data

1601 Rio Grande St., Suite 500
 Austin, Texas 78701
 PH 512-478-0059
 FAX 512-478-1433
 banks@banksinfo.com
 www.banksinfo.com
 Page 7





	Subject Site		Primary Highway
	Site		State Line
	Cluster		County Line
	Large Tract		Roads & Ramps
	Cluster Site with Large Tract		Railroad
			Limited Access Hwy

One inch = 0.44 miles

Banks Environmental Data
 1601 Rio Grande St., Suite 500
 Austin, Texas 78701
 PH 512-478-0059
 FAX 512-478-1433
 banks@banksinfo.com
 www.banksinfo.com
 Page 8






One inch = 0.44 miles

- | | |
|---|--|
|  Subject Site |  Primary Highway |
|  Site |  State Line |
|  Cluster |  County Line |
|  Large Tract |  Roads & Ramps |
|  Cluster Site with Large Tract |  Railroad |
| |  Limited Access Hwy |

Banks Environmental Data

1601 Rio Grande St., Suite 500
 Austin, Texas 78701
 PH 512-478-0059
 FAX 512-478-1433
 banks@banksinfo.com
 www.banksinfo.com
 Page 9





★ Target Site

- Single Site
- ⊙ Cluster Site
- Large Tract
- ⊠ Cluster Site with Large Tract
- Single Site
- ⊙ Cluster Site
- Large Tract
- ⊠ Cluster Site with Large Tract
- Single Site
- ⊙ Cluster Site
- Large Tract
- ⊠ Cluster Site with Large Tract

RCRA COR, RCRA TSD, CER, LPST, NPL, ST NPL, SWLF
 RCRA GEN, ST & FED BWN, ST & FED EC, ST & FED IC, DNPL, CER NFRAP, PST, VCR, ST CER
 ERNS, IHW, RCRA, DRYC, AIRS

- ⚡ Limited Access Hwy
- ⚡ Primary Highway
- ⚡ Secondary Highway
- ⚡ Roads
- ⚡ Ramps
- ⚡ Railroad
- County
- State
- Urban Area
- Water Bodies
- Soils Boundary

One inch = 0.36 miles

Banks Environmental Data
 1601 Rio Grande St., Suite 500
 Austin, Texas 78701
 PH 512-478-0059
 FAX 512-478-1433
 banks@banksinfo.com
 www.banksinfo.com
 Page 10

Coordinates	
Longitude & Latitude in Degrees Minutes Seconds	NA
Longitude & Latitude in Decimal Degrees	NA
X and Y in UTM	NA

Elevation	
NA	

Zip Codes Searched	
Search Distance	Zip Codes
0.25 miles	77074, 77081, 77096, 77401
0.5 miles	77074, 77081, 77096, 77401
1 miles	77036, 77056, 77057, 77074, 77081, 77096, 77401

Soil Types Found	
Target Property	Bg
Within 0.25 miles of Target Property	Bg, Lu

Soil Type Descriptions

Bg - Bernard-Urban land complex	
Hydric Status	All components are not hydric and no components are unranked.
Minimum Depth to Bedrock	

Bernard (55 percent)	
Hydrologic Group	High ruoff potential
Soil Drainage Class	Somewhat poorly drained
Corrosion Potential - Uncoated Steel	High
Depth to Restrictive Feature	

Horizon	Soil Texture	Upper Boundary	Lower Boundary	AASHTO	Unified
H1	clay loam	0 cm	15 cm	A-6, A-7	CL
H2	clay	15 cm	86 cm	A-7-6	CH, CL
H3	clay	86 cm	165 cm	A-7-6	CH, CL

Urban land (35 percent)					
Horizon	Soil Texture	Upper Boundary	Lower Boundary	AASHTO	Unified
H1	variable	0 cm	102 cm		

Unnamed, minor components (10 percent)

Lu - Lake Charles-Urban land complex	
Hydric Status	All components are not hydric and no components are unranked.
Minimum Depth to Bedrock	

Lake Charles (50 percent)	
Hydrologic Group	High ruoff potential
Soil Drainage Class	Moderately well drained
Corrosion Potential - Uncoated Steel	High
Depth to Restrictive Feature	

Horizon	Soil Texture	Upper Boundary	Lower Boundary	AASHTO	Unified
H1	clay	0 cm	25 cm	A-7-6	CH

H2	clay	25 cm	56 cm	A-7-6	CH
H3	clay	56 cm	188 cm	A-7-6	CH
H4	clay	188 cm	203 cm	A-7-6	CH

Urban land (35 percent)



Horizon	Soil Texture	Upper Boundary	Lower Boundary	AASHTO	Unified
H1	variable	0 cm	102 cm		

Unnamed, minor components (15 percent)

AASHTO Classification Definitions	
A-1, A-1-a, A-1-b	Granular materials (35% or less passing No. 200 sieve), some fragments, gravel and sand
A-2, A-2-4, A-2-5, A-2-6, A-2-7	Granular materials (35% or less passing No. 200 sieve), silty or clayey gravel and sand
A-3	Granular materials (35% or less passing No. 200 sieve), fine sand
A-4	Silt-Clay materials (more than 35% passing No. 200 sieve), silty soils
A-5	Silt-Clay materials (more than 35% passing No. 200 sieve), silty soils
A-6	Silt-Clay materials (more than 35% passing No. 200 sieve), clayey soils
A-7, A-7-5, A-7-6	Silt-Clay materials (more than 35% passing No. 200 sieve), clayey soils
A-8	Silt-Clay materials (more than 35% passing No. 200 sieve), clayey soils

Unified Classification Definitions	
CH	Fine-grained soils, silts and clays (liquid limit is 50% or more), Fat Clay
CL, CL-A (proposed), CL-K (proposed), CL-ML, CL-O (proposed), CL-T (proposed)	Fine-grained soils, silts and clays (liquid limit is less than 50%), Lean Clay
GC, GC-GM	Coarse-grained soils, Gravels, gravel with fines, Clayey Gravel
GM	Coarse-grained soils, Gravels, gravel with fines, Silty Gravel
GP, GP-GC, GP-GM	Coarse-grained soils, Gravels, clean gravels, Poorly Graded Gravel
GW, GW-GC, GW-GM	Coarse-grained soils, Gravels, clean gravels, Well-Graded Gravel
MH, MH-A, MH-K, MH-O, MH-T	Fine-grained soils, silts and clays (liquid limit is 50% or more), Elastic Silt
ML, ML-A (proposed), ML-K (proposed), ML-O (proposed), ML-T (proposed)	Fine-grained soils, silts and clays (liquid limit is less than 50%), Silt
OH, OH-T (proposed)	Fine-grained soils, silts and clays (liquid limit is 50% or more), Organic Clay or Organic Silt
OL	Fine-grained soils, silts and clays (liquid limit is less than 50%), Organic Clay or Organic Silt
PT	Highly organic soils, Peat
SC, SC-SM	Coarse-grained soils, Sands, sands with fines, Clayey Sand
SM	Coarse-grained soils, Sands, sands with fines, Silty Sand
SP, SP-SC, SP-SM	Coarse-grained soils, Sands, clean sands, Poorly Graded Sand
SW, SW-SC, SW-SM	Coarse-grained soils, Sands, clean sands, Well-Graded Sand

Source
Natural Resources Conservation Service, Soil Survey Geographic (SSURGO) Database.
Disclaimer
This SSURGO Soils Survey from Banks Environmental Data, Inc. has searched Natural Resources Conservation Service (NRCS) Soil Survey Geographic (SSURGO) Database. All soil data presented on the map and in the details section are based on information obtained from NRCS. Although Banks performs quality assurance and quality control on all data, inaccuracies of the data and mapped locations could possibly be traced to the source. Banks Environmental Data, Inc. cannot fully guarantee the accuracy of the SSURGO database maintained by NRCS.



One inch = 0.36 miles

Banks Environmental Data
 1601 Rio Grande St., Suite 500
 Austin, Texas 78701
 PH 512-478-0059
 FAX 512-478-1433
 banks@banksinfo.com
 www.banksinfo.com
 Page 13

Map ID	Well ID	Owner	Well Type	Elevation
1	65-21-416	City of Bellaire well #6	Water: Public Supply	61 ft
2	G1010013PF	CITY OF HOUSTON	Water: Public Supply	65 ft
3	65-21-111	City of Houston Shenandoa	Water: Unused	65 ft
4	HGSDHG3098	Bellaire, City of	Water: Public Supply	60 ft
5	G1010004D	CITY OF BELLAIRE	Water: Public Supply	61 ft
6	G1010013KE	CITY OF HOUSTON	Water: Public Supply	65 ft
7	65-21-405	City of Houston Braeburn Terrace	Water: Public Supply	65 ft

Source

U.S. Geological Survey, Texas Water Development Board (GW and Submitted Driller's Report), Texas Commission of Environmental Quality (PWS), Railroad Commission of Texas (Production Data)

Disclaimer

This well scan from Banks Environmental Data, Inc. has included a digital search of state and federal wells currently digitized in our geospatial database. Since this scan includes only well data that is currently mapped in our geospatial database, more wells could exist within the search area. For a complete well search or to locate more details, please contact Banks to obtain a full Water Well Report or Oil & Gas Well/Pipeline Search Report. More detailed individual well records can also be obtained from Banks for an additional cost, please reference a well ID # from this well scan.

All well locations are based on information obtained from state and federal sources. Although Banks performs quality assurance and quality control on all data, inaccuracies of the records and mapped locations could possibly be traced to the specific regulatory authority or individual well driller. Banks Environmental Data, Inc. cannot fully guarantee the accuracy of the data or well location(s) of the maps and records maintained by the state and federal agencies.

Database	Distance from Target Property	Map ID	Facility Site Name	Facility Site Address	Site Details Page #
----------	-------------------------------	--------	--------------------	-----------------------	---------------------

*Sites are sorted by database tier, database, and distance from the target site.

RCRA COR	0.54 miles N	64	AMF GS CORPORATION	5803 GLENMONT DR, HOUSTON, TX 77081	20
RCRA TSD	0.02 miles W	8	LOGIC LEASING & FINANCE CO	7330 RAMPART ST STE 106, HOUSTON, TX 77081	22
RCRA GEN	0.02 miles W	8	LOGIC LEASING & FINANCE CO	7330 RAMPART ST STE 106, HOUSTON, TX 77081	24
RCRA GEN	0.1 miles NW	24	STEVE LUCKEYS AUTO PAINTING	7607 HILLCROFT, HOUSTON, TX 77081	26
RCRA GEN	0.18 miles E	40	CNC MANUFACTURING	5904 JESSAMINE ST STE A 12, HOUSTON, TX 77081	28
RCRA GEN	0.2 miles E	43	TELEDYNE WATER PIK HOUSTON	5919 JESSAMINE, HOUSTON, TX 77236	30
LPST	0.01 miles E	1	FORMER NCS	6030 DASHWOOD, HOUSTON, TX 77081	32
LPST	0.01 miles E	3	JESSAMINE SOC	6050 JESSAMINE, HOUSTON, TX 77081	35
LPST	0.04 miles W	14	NINE STOP	6102A BISSONNET, HOUSTON, TX 77081	37
LPST	0.14 miles W	33	WAREHOUSE PROPERTY	7400 ASHCROFT DRIVE, HOUSTON, TX 77081	39
LPST	0.16 miles W	38	FIESTA FOOD MART	6200 BELLAIRE BLVD 6200 BELLAIRE AND HILLCROFT, HOUSTON, TX 77000	41
LPST	0.2 miles W	45	BAYLAND PARK	6400 BISSONNET, HOUSTON, TX 77074	43
LPST	0.21 miles W	46	MARCUS JONES BUICK	6901 HILLCROFT, HOUSTON, TX 77801	45
LPST	0.23 miles W	49	PHILLIPS 66 19414 HILLCROFT	7411 HILLCROFT, HOUSTON, TX 77081	47
LPST	0.24 miles W	51	CHEVRON FAC 107982	6237 BELLAIRE, HOUSTON, TX 77081	51
LPST	0.27 miles E	52	CIRCLE K 2156	5720 CLAREWOOD CIRCLE K 2156, HOUSTON, TX 77081	54
LPST	0.29 miles S	53	STOP N GO 2604	5699 BEECHNUT, HOUSTON, TX 77096	56
LPST	0.31 miles S	54	HILLCROFT TEXACO	8402 HILLCROFT, HOUSTON, TX 77096	60
LPST	0.35 miles NW	55	HILLCROFT CONOCO	6475 HILLCROFT ST, HOUSTON, TX 77081	64
LPST	0.35 miles N	56	DIAMOND SHAMROCK STOP N GO 2118	5902 GULFTON, HOUSTON, TX 77081	66
LPST	0.35 miles SE	57	BELLAIRE CAR WASH	5803 BELLAIRE BLVD, HOUSTON, TX 77081	70
LPST	0.35 miles SE	58	HOUSTON CONVENIENCE 713	5720 BELLAIRE BLVD, HOUSTON, TX 77081	73
LPST	0.35 miles SE	58	DIAMOND SHAMROCK 907	5720 BELLAIRE BLVD, HOUSTON, TX 77081	78
LPST	0.36 miles NW	60	STOP N GO FORMER 7 11 24740	6116 GULFTON AND RAMPART, HOUSTON, TX 77081	83
LPST	0.39 miles S	61	FORMER EXXON SERVICE STATION	8510 HILLCROFT, HOUSTON, TX 77096	86
LPST	0.48 miles SE	62	WESTERN AUTO	11698 BELLAIRE BLVD, HOUSTON, TX 77072	87
LPST	0.5 miles W	63	STOP N GO 2485	6436 BELLAIRE, HOUSTON, TX 77081	89
PST	0.01 miles E	1	STOP N GO MARKETS 6030 DASHWOOD	6030 DASHWOOD, HOUSTON, TX 77081	92
PST	0.01 miles E	3	JESSAMINE SOC	6050 JESSAMINE, HOUSTON, TX 77081	95
PST	0.02 miles W	9	GM SHELL	6100 BELLAIRE BLVD, HOUSTON, TX 77081	96

Database	Distance from Target Property	Map ID	Facility Site Name	Facility Site Address	Site Details Page #
----------	-------------------------------	--------	--------------------	-----------------------	---------------------

*Sites are sorted by database tier, database, and distance from the target site.

PST	0.04 miles W	14	9 STOP FOOD STORE	6102 BISSONNET ST, HOUSTON, TX 77081	99
PST	0.04 miles W	15	ENZO LUSO AUTOMOTIVE	6105 CLAREWOOD, HOUSTON, TX 77081	101
PST	0.05 miles W	18	CAR CLINIC OF HOUSTON	7805 HILLCROFT ST, HOUSTON, TX 77081	102
PST	0.06 miles W	19	MODERN PEST CONTROL	6121 JESSAMINE, HOUSTON, TX 77036	103
PST	0.06 miles W	20	6113 ALETHA LANE	6113 ALETHA LN, HOUSTON, TX 77081	105
PST	0.06 miles W	21	JOHN WILLIAM OVERLY	6211 BELLAIRE BLVD, HOUSTON, TX 77081	106
PST	0.09 miles W	22	HILLCROFT MOBIL	7802 HILLCROFT ST, HOUSTON, TX 77081	107
PST	0.1 miles E	26	UNITED TRANSMISSIONS	6002 BELLAIRE, HOUSTON, TX 77081	109
PST	0.13 miles N	30	GRAND AUTOMOTIVE	6210 BISSONNET ST, HOUSTON, TX 77081	112
PST	0.13 miles NW	31	LEASE CENTER	6507 ASHCROFT, HOUSTON, TX 77000	113
PST	0.14 miles W	33	WAREHOUSE	7400 ASHCROFT DR, HOUSTON, TX 77081	115
PST	0.14 miles E	34	FIESTA EXPRESS INSPECTION	5930 BELLAIRE BLVD, HOUSTON, TX 77081	116
PST	0.16 miles W	38	FIESTA MART	6200 A BELLAIRE, HOUSTON, TX 77081	120
PST	0.19 miles W	42	HILTON RENTALS	6401 BISSONNET ST, HOUSTON, TX 77074	122
PST	0.2 miles W	44	TURK JACK J	6230 EVERGREEN ST, HOUSTON, TX 77081	125
PST	0.2 miles W	45	BAYLAND PARK	6400 BISSONNET ST, HOUSTON, TX 77074	126
PST	0.23 miles W	48	MARCUS JONES BUICK	6909 HILLCROFT ST, HOUSTON, TX 77081	128
PST	0.23 miles W	49	HILLCROFT 19414	7411 HILLCROFT, HOUSTON, TX 77081	130
PST	0.24 miles W	51	4452 BELLAIRE	6237 BELLAIRE, HOUSTON, TX 77081	134

VCP	0.01 miles E	2	Rampart Office Park	7207 Rampart, Houston, TX 77081	137
VCP	0.04 miles W	17	Pilgrim Cleaners - Hillcroft	7901 Hillcroft, Houston, TX	138
VCP	0.36 miles N	59	Orchard Green - New Way Cleaners	5980 Renwick, Houston, TX 77081	139

HW	0.01 miles W	4	SILVER SCREEN	6630 Rampart St, Houston, TX 77081	140
HW	0.02 miles W	5	BIG 10 PRODUCTIONS	7206 RAMPART ST, HOUSTON, TX 77081	141
HW	0.02 miles W	5	ART STYLE PRINTING	7208 Rampart St, Houston, TX 77081	142
HW	0.02 miles W	6	SCALDIS GRAPHICS	6620 RAMPART ST, HOUSTON, TX 77081	143
HW	0.02 miles W	7	RV SERVICES OF HOUSTON	6128 ALETHA LN, HOUSTON, TX 77081	144
HW	0.02 miles W	8	LOGIC	7330 RAMPART ST STE 106, HOUSTON, TX 77081	145
HW	0.03 miles E	10	NEWBART INDUSTRIES	6025 EDGEMOOR DR, HOUSTON, TX 77081	146
HW	0.03 miles E	11	FRAZIER INC	7219 Rampart St, Houston, TX 77081	147
HW	0.04 miles E	12	R B AUTO SERVICE	6034 BELLAIRE BLVD, HOUSTON, TX 77081	148

Database	Distance from Target Property	Map ID	Facility Site Name	Facility Site Address	Site Details Page #
----------	-------------------------------	--------	--------------------	-----------------------	---------------------

*Sites are sorted by database tier, database, and distance from the target site.

HW	0.04 miles W	13	CONDUCTIVE CIRCUIT CORP	6119 JESSAMINE ST, HOUSTON, TX 77081	149
HW	0.04 miles W	15	ENZO LUSSO AUTO	6105 CLAREWOOD DR, HOUSTON, TX 77081	150
HW	0.04 miles W	16	APOLLO PAINT & BODY SHOP	7933 HILLCROFT ST, HOUSTON, TX 77081	151
HW	0.04 miles W	17	PILGRIM CLEANERS 7	7901 HILLCROFT ST, HOUSTON, TX 77081	152
HW	0.09 miles W	23	GREGS CLEANERS	7848 HILLCROFT ST, HOUSTON, TX 77081	153
HW	0.1 miles W	25	HILLCROFT PAINT AND BODY	6322 BISSONNET ST, HOUSTON, TX 77074	154
HW	0.11 miles W	27	SOUTHWEST SILK SCREENING	7327 ASHCROFT DR, HOUSTON, TX 77081	155
HW	0.11 miles W	28	SERVICE REBUILDERS	7347 ASHCROFT DR, HOUSTON, TX 77081	156
HW	0.11 miles W	29	E S I	7333 ASHCROFT DR, HOUSTON, TX 77081	157
HW	0.11 miles W	29	ACCU PRESS	7337 ASHCROFT DR, HOUSTON, TX 77081	158
HW	0.14 miles N	32	ART STYLE PRINTING	7570 Renwick Dr, Houston, TX 77081	159
HW	0.14 miles E	35	GREENFIELD MACHINE WORKS	7001 MULLINS DR, HOUSTON, TX 77081	160
HW	0.14 miles W	36	FOUR STAR PRINTING	6916 ASHCROFT DR, HOUSTON, TX 77081	161
HW	0.14 miles W	37	WATERMARK PRINTING	6206 EVERGREEN ST, HOUSTON, TX 77081	162
HW	0.16 miles W	39	ANCHOR MACHINE	6211 EVERGREEN ST, HOUSTON, TX 77081	163
HW	0.18 miles E	40	CNC MANUFACTURING	5904 JESSAMINE ST STE A12, HOUSTON, TX 77081	164
HW	0.19 miles SW	41	SARANDOS DEODERANT CO	8209 DUNLAP ST, HOUSTON, TX 77074	165
HW	0.22 miles W	47	NATIONAL HEALTH ENTERPRISES	6601 HILLCROFT ST, HOUSTON, TX 77081	166
HW	0.23 miles W	48	DAVID TAYLOR CADILLAC	6909 HILLCROFT ST, HOUSTON, TX 77081	167
HW	0.24 miles W	51	CHEVORN FAC 107982	6237 BELLAIRE BLVD, HOUSTON, TX 77081	168

RCRA	0.02 miles W	5	ART STYLE PRINTING INC	7208 RAMPART ST, HOUSTON, TX 77081	169
RCRA	0.02 miles W	5	BIG 10 PRODUCTIONS INC	7206 RAMPART, HOUSTON, TX 77081	171
RCRA	0.02 miles W	7	RV SERVICES OF HOUSTON	6128 ALETHA LANE, HOUSTON, TX 77081	173
RCRA	0.03 miles E	10	NEWBART INDUSTRIES	6025 EDGEMOORE, HOUSTON, TX 77274	175
RCRA	0.03 miles E	11	FRAZIER INC	7219 RAMPART ST, HOUSTON, TX 77081	177
RCRA	0.04 miles E	12	R B AUTO SERVICE	6034 BELLAIRE BLVD., HOUSTON, TX 77081	179
RCRA	0.04 miles W	13	CONDUCTIVE CIRCUIT CORP	6119 JESSAMINE, HOUSTON, TX 77081	181
RCRA	0.04 miles W	14	TD EXPERT	6102 BISSONNET ST SUITE C, HOUSTON, TX 77081	183
RCRA	0.04 miles W	15	ENZO LUSSO AUTOMOTIVE INC	6105 CLAREWOOD, HOUSTON, TX 77081	185
RCRA	0.04 miles W	16	APOLLO PAINT & BODY SHOP INC	7933 HILLCROFT, HOUSTON, TX 77081	187
RCRA	0.04 miles W	17	PILGRIM CLEANERS INC	7901 HILLCROFT, HOUSTON, TX 77081	189

Database	Distance from Target Property	Map ID	Facility Site Name	Facility Site Address	Site Details Page #
----------	-------------------------------	--------	--------------------	-----------------------	---------------------

*Sites are sorted by database tier, database, and distance from the target site.

RCRA	0.09 miles W	23	GREGS CLEANERS	7848 HILLCROFT, HOUSTON, TX 77081	191
RCRA	0.11 miles W	29	ACCU PRESS INC	7337 ASHCROFT, HOUSTON, TX 77081	193
RCRA	0.14 miles N	32	ART STYLE PRINTING INC	7570 RENWICK DR, HOUSTON, TX 77081	195
RCRA	0.14 miles W	37	WATERMARK PRINTING INC	6206 EVERGREEN, HOUSTON, TX 77081	197
RCRA	0.19 miles SW	41	SARANDOS DEODERANT CO	8209 DUNLOP, HOUSTON, TX 77074	199
RCRA	0.22 miles W	47	NATIONAL HEALTH ENTERPRISES	6601 HILLCROFT, HOUSTON, TX 77081	201
RCRA	0.23 miles W	48	DAVID TAYLOR CADILLAC CO	6909 HILLCROFT, HOUSTON, TX 77081	203
RCRA	0.24 miles W	51	CHEVRON USA INC	6237 BELLAIRE, HOUSTON, TX 77081	205

DRYC	0.04 miles W	14	T D EXPERT CLEANERS	6102 BISSONNET ST STE C, HOUSTON, TX 77081	207
DRYC	0.09 miles W	23	GREGS CLEANERS	7848 HILLCROFT ST, HOUSTON, TX 77081	208
DRYC	0.23 miles W	50	SOUTHWEST WASHATERIA	7203 HILLCROFT ST, HOUSTON, TX 77081	209

End of Mapped Sites Summary Section



Unmapped Sites Summary

Klotz Associates: Beechnut

Database	Facility Site Name	Facility Site Address	Site Details Page #
----------	--------------------	-----------------------	---------------------

*Sites are sorted by database tier and database.

ERNS	CORNER OF BELLAIRE BLVD, HOUSTON, TX 77051	210
------	--	-----

End of Unmapped Sites Summary Section



Mapped Sites Details

Klotz Associates: Beechnut

RCRA COR - RCRA CORRACTS

Map ID #64 **Source: EPA**

EPA Handler ID: TXD008106809 **Handler Sequence Number: 2** **Banks ID: TXD008106809**

AMF GS CORPORATION Rel. Loc.: 0.54 miles N
 5803 GLENMONT DR, HOUSTON, TX 77081 Elevation: 63 feet (+63)
 Contact: JAMES WELCH

Owner Name:	
Number of Owners:	0
Operator Name:	
Number of Operators:	0
Mailing Address:	PO BOX 36374, HOUSTON, TX 77036
Contact Name:	JAMES WELCH
Contact Address:	PO BOX 36374, HOUSTON, TX 77036
Contact Phone:	713-666-1611
Contact Email Address:	
Government Performance and Results Act (GPRA) Permit:	The facility does not exist on the Operating/Post-Closure Permit Baseline.
Government Performance and Results Act (GPRA) Corrective Action:	No

Workload Legend: L=Land Disposal I=Incineration B=Boiler/Industrial Furnace S=Storage T=Treatment

Permit Workload:	-----
Closure Workload:	-----
Post-Closure Workload:	-----
Subject to Corrective Action:	Yes
Subject to Corrective Action 3004:	No
Subject to Corrective Action Non-TSDF:	No
Corrective Action Workload:	No
Generator Status:	Not a Generator
Nuclear Mixed Waste Handler:	No
Onsite Burner Exemption:	No
Furnace Exemption:	No
Underground Injection Activity:	No
NAIC Description 1:	Oil and Gas Field Machinery and Equipment Manufacturing
NAIC Description 2:	
NAIC Description 3:	
NAIC Description 4:	
Federal Generator Class:	Not a Generator, Verified
State Generator Class:	
Environmental Controls in Place:	No
Institutional Controls in Place:	No
Groundwater Controls in Place:	No
Significant Non-Compliance:	No
Unaddressed Significant Non-Complier:	No
Addressed Significant Non-Complier:	No
Significant Non-Complier with Compliance Schedule:	No

Enforcement Description	Responsible Enforcement Agency	Enforcement Date	Penalty Description
-------------------------	--------------------------------	------------------	---------------------

Continued from Previous Page

WRITTEN INFORMAL	State	1/15/1985		
WRITTEN INFORMAL	State	1/10/1985		
WRITTEN INFORMAL	State	12/13/1985		
Evaluation Description		Responsible Agency	Evaluation Date	Violation Found
COMPLIANCE EVALUATION INSPECTION ON-SITE		State	12/12/1984	Yes
COMPLIANCE EVALUATION INSPECTION ON-SITE		State	11/14/1985	Yes
COMPLIANCE EVALUATION INSPECTION ON-SITE		State	11/9/1988	
Violation Description	Violation Determined By	Violation Date	Actual Resolution Date	Scheduled Resolution Date
Generators - General	State	12/12/1984	3/1/1985	2/8/1985
Generators - General	State	12/12/1984	3/7/1985	2/8/1985
Generators - General	State	11/14/1985	1/17/1986	1/17/1986
Generators - Manifest	State	12/12/1984	3/1/1985	2/8/1985
Generators - Manifest	State	11/14/1985	1/17/1986	1/17/1986
Hazardous Waste Description				
2-BUTANONE (I,T) (OR) METHYL ETHYL KETONE (MEK) (I,T)				
CORROSIVE WASTE				
DESCRIPTION				
ETHANE, 1,1,1-TRICHLORO- (OR) METHYL CHLOROFORM				
LEAD				
THE FOLLOWING SPENT HALOGENATED SOLVENTS USED IN DEGREASING: TETRACHLOROETHYLENE, TRICHLOROETHYLENE, METHYLENE CHLORIDE, 1,1,1-TRICHLOROETHANE, CARBON TETRACHLORIDE AND CHLORINATED FLUOROCARBONS; ALL SPENT SOLVENT MIXTURES/BLEND S USED IN DEGREASING CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F002, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.				

End of RCRA COR Sites Section



Mapped Sites Details

Klotz Associates: Beechnut

RCRA TSD - RCRA non-CORRACTS TSD

Map ID #8 **Source: EPA**

EPA Handler ID: TXR000061614 **Handler Sequence Number: 1** **Banks ID: TXR000061614**

LOGIC LEASING & FINANCE CO Rel. Loc.: 0.02 miles W
 7330 RAMPART ST STE 106, HOUSTON, TX 77081 Elevation: 65 feet (+65)
 Contact: DON RICHARDSON

Owner Name:	LOGIC LEASING & FINANCE CO
Number of Owners:	1
Operator Name:	LOGIC LEASING & FINANCE CO
Number of Operators:	1
Mailing Address:	5518 SYLMAR ST, HOUSTON, TX 77081
Contact Name:	DON RICHARDSON
Contact Address:	5518 SYLMAR ST, HOUSTON, TX 77081
Contact Phone:	713-668-0558
Contact Email Address:	
Government Performance and Results Act (GPRA) Permit:	The facility does not exist on the Operating/Post-Closure Permit Baseline.
Government Performance and Results Act (GPRA) Corrective Action:	No

Workload Legend: L=Land Disposal I=Incineration B=Boiler/Industrial Furnace S=Storage T=Treatment

Permit Workload:	-----
Closure Workload:	-----
Post-Closure Workload:	-----
Subject to Corrective Action:	No
Subject to Corrective Action 3004:	No
Subject to Corrective Action Non-TSDF:	No
Corrective Action Workload:	No
Generator Status:	Not a Generator
Nuclear Mixed Waste Handler:	No
Onsite Burner Exemption:	No
Furnace Exemption:	No
Underground Injection Activity:	No
NAIC Description 1:	
NAIC Description 2:	
NAIC Description 3:	
NAIC Description 4:	
Federal Generator Class:	Not a Generator, Verified
State Generator Class:	
Environmental Controls in Place:	No
Institutional Controls in Place:	No
Groundwater Controls in Place:	No
Significant Non-Compliance:	No
Unaddressed Significant Non-Complier:	No
Addressed Significant Non-Complier:	No
Significant Non-Complier with Compliance Schedule:	No

Enforcement Description	Responsible Enforcement Agency	Enforcement Date	Penalty Description
-------------------------	--------------------------------	------------------	---------------------

Continued from Previous Page

Evaluation Description	Responsible Agency	Evaluation Date	Violation Found	
Violation Description	Violation Determined By	Violation Date	Actual Resolution Date	Scheduled Resolution Date

End of RCRA TSD Sites Section

RCRA GEN - RCRA Generators

Map ID #8 **Source: EPA**

EPA Handler ID: TXR000061614 **Handler Sequence Number: 1** **Banks ID: TXR000061614**

LOGIC LEASING & FINANCE CO Rel. Loc.: 0.02 miles W
 7330 RAMPART ST STE 106, HOUSTON, TX 77081 Elevation: 65 feet (+65)
 Contact: DON RICHARDSON

Owner Name:	LOGIC LEASING & FINANCE CO
Number of Owners:	1
Operator Name:	LOGIC LEASING & FINANCE CO
Number of Operators:	1
Mailing Address:	5518 SYLMAR ST, HOUSTON, TX 77081
Contact Name:	DON RICHARDSON
Contact Address:	5518 SYLMAR ST, HOUSTON, TX 77081
Contact Phone:	713-668-0558
Contact Email Address:	
Government Performance and Results Act (GPRA) Permit:	The facility does not exist on the Operating/Post-Closure Permit Baseline.
Government Performance and Results Act (GPRA) Corrective Action:	No

Workload Legend: L=Land Disposal I=Incineration B=Boiler/Industrial Furnace S=Storage T=Treatment

Permit Workload:	-----
Closure Workload:	-----
Post-Closure Workload:	-----
Subject to Corrective Action:	No
Subject to Corrective Action 3004:	No
Subject to Corrective Action Non-TSDF:	No
Corrective Action Workload:	No
Generator Status:	Not a Generator
Nuclear Mixed Waste Handler:	No
Onsite Burner Exemption:	No
Furnace Exemption:	No
Underground Injection Activity:	No
NAIC Description 1:	
NAIC Description 2:	
NAIC Description 3:	
NAIC Description 4:	
Federal Generator Class:	Not a Generator, Verified
State Generator Class:	
Environmental Controls in Place:	No
Institutional Controls in Place:	No
Groundwater Controls in Place:	No
Significant Non-Compliance:	No
Unaddressed Significant Non-Complier:	No
Addressed Significant Non-Complier:	No
Significant Non-Complier with Compliance Schedule:	No

Enforcement Description	Responsible Enforcement Agency	Enforcement Date	Penalty Description
-------------------------	--------------------------------	------------------	---------------------

Continued from Previous Page

Evaluation Description	Responsible Agency	Evaluation Date	Violation Found	
Violation Description	Violation Determined By	Violation Date	Actual Resolution Date	Scheduled Resolution Date



Mapped Sites Details

Klotz Associates: Beechnut

Map ID #24

Source: EPA

EPA Handler ID: TX0000932905

Handler Sequence Number: 1

Banks ID: TX0000932905

STEVE LUCKEYS AUTO PAINTING

Rel. Loc.: 0.1 miles NW

7607 HILLCROFT, HOUSTON, TX 77081

Elevation: 75 feet (+75)

Contact: RENE NAZARIO

Owner Name:	RICHARD ULSH
Number of Owners:	1
Operator Name:	
Number of Operators:	0
Mailing Address:	8500 STEMMONS FRWY STE 6035, DALLAS, TX 75247
Contact Name:	RENE NAZARIO
Contact Address:	8500 STEMMONS FRWY STE 6035, DALLAS, TX 75247
Contact Phone:	7132720241
Contact Email Address:	
Government Performance and Results Act (GPRA) Permit:	The facility does not exist on the Operating/Post-Closure Permit Baseline.
Government Performance and Results Act (GPRA) Corrective Action:	No

Workload Legend: L=Land Disposal I=Incineration B=Boiler/Industrial Furnace S=Storage T=Treatment

Permit Workload:	-----
Closure Workload:	-----
Post-Closure Workload:	-----
Subject to Corrective Action:	No
Subject to Corrective Action 3004:	No
Subject to Corrective Action Non-TSDF:	No
Corrective Action Workload:	No
Generator Status:	Conditionally Exempt Small Quantity Generator
Nuclear Mixed Waste Handler:	No
Onsite Burner Exemption:	No
Furnace Exemption:	No
Underground Injection Activity:	No
NAIC Description 1:	
NAIC Description 2:	
NAIC Description 3:	
NAIC Description 4:	
Federal Generator Class:	Conditionally Exempt Small Quantity Generator
State Generator Class:	
Environmental Controls in Place:	No
Institutional Controls in Place:	No
Groundwater Controls in Place:	No
Significant Non-Compliance:	No
Unaddressed Significant Non-Complier:	No
Addressed Significant Non-Complier:	No
Significant Non-Complier with Compliance Schedule:	No

Enforcement Description	Responsible Enforcement Agency	Enforcement Date	Penalty Description
Evaluation Description	Responsible Agency	Evaluation Date	Violation Found

Continued from Previous Page

Violation Description	Violation Determined By	Violation Date	Actual Resolution Date	Scheduled Resolution Date
Hazardous Waste Description				
IGNITABLE WASTE THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE, 2-ETHOXYETHANOL, AND 2-NITROPROPANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, OR F004; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES. THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NONHALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS, AND A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.				



Mapped Sites Details

Klotz Associates: Beechnut

Map ID #40 **Source: EPA**

EPA Handler ID: TXD980811897 **Handler Sequence Number: 2** **Banks ID: TXD980811897**

CNC MANUFACTURING Rel. Loc.: 0.18 miles E
 5904 JESSAMINE ST STE A 12, HOUSTON, TX 77081 Elevation: 74 feet (+74)
 Contact: STEVE WOODWARD

Owner Name:	CNC MANUFACTURING
Number of Owners:	1
Operator Name:	CNC MANUFACTURING
Number of Operators:	1
Mailing Address:	5904 JESSAMINE ST STE A 12, HOUSTON, TX 77081
Contact Name:	STEVE WOODWARD
Contact Address:	5904 JESSAMINE ST STE A 12, HOUSTON, TX 77081
Contact Phone:	713-667-8021
Contact Email Address:	
Government Performance and Results Act (GPRA) Permit:	The facility does not exist on the Operating/Post-Closure Permit Baseline.
Government Performance and Results Act (GPRA) Corrective Action:	No

Workload Legend: L=Land Disposal I=Incineration B=Boiler/Industrial Furnace S=Storage T=Treatment

Permit Workload:	-----
Closure Workload:	-----
Post-Closure Workload:	-----
Subject to Corrective Action:	No
Subject to Corrective Action 3004:	No
Subject to Corrective Action Non-TSDF:	No
Corrective Action Workload:	No
Generator Status:	Small Quantity Generator
Nuclear Mixed Waste Handler:	No
Onsite Burner Exemption:	No
Furnace Exemption:	No
Underground Injection Activity:	No
NAIC Description 1:	
NAIC Description 2:	
NAIC Description 3:	
NAIC Description 4:	
Federal Generator Class:	Small Quantity Generator
State Generator Class:	
Environmental Controls in Place:	No
Institutional Controls in Place:	No
Groundwater Controls in Place:	No
Significant Non-Compliance:	No
Unaddressed Significant Non-Complier:	No
Addressed Significant Non-Complier:	No
Significant Non-Complier with Compliance Schedule:	No

Enforcement Description	Responsible Enforcement Agency	Enforcement Date	Penalty Description
Evaluation Description	Responsible Agency	Evaluation Date	Violation Found

Continued from Previous Page

Violation Description	Violation Determined By	Violation Date	Actual Resolution Date	Scheduled Resolution Date
Hazardous Waste Description				
IGNITABLE WASTE				



Mapped Sites Details

Klotz Associates: Beechnut

Map ID #43 **Source: EPA**

EPA Handler ID: TXR000012096 **Handler Sequence Number: 1** **Banks ID: TXR000012096**

TELEDYNE WATER PIK HOUSTON Rel. Loc.: 0.2 miles E
 5919 JESSAMINE, HOUSTON, TX 77236 Elevation: 62 feet (+62)
 Contact: LEWIS WALTERS

Owner Name:	TELEDYNE INC
Number of Owners:	1
Operator Name:	
Number of Operators:	0
Mailing Address:	5919 JESSAMINE, HOUSTON, TX 77236
Contact Name:	LEWIS WALTERS
Contact Address:	5919 JESSAMINE, HOUSTON, TX 77236
Contact Phone:	7137722811
Contact Email Address:	
Government Performance and Results Act (GPRA) Permit:	The facility does not exist on the Operating/Post-Closure Permit Baseline.
Government Performance and Results Act (GPRA) Corrective Action:	No

Workload Legend: L=Land Disposal I=Incineration B=Boiler/Industrial Furnace S=Storage T=Treatment

Permit Workload:	-----
Closure Workload:	-----
Post-Closure Workload:	-----
Subject to Corrective Action:	No
Subject to Corrective Action 3004:	No
Subject to Corrective Action Non-TSDF:	No
Corrective Action Workload:	No
Generator Status:	Small Quantity Generator
Nuclear Mixed Waste Handler:	No
Onsite Burner Exemption:	No
Furnace Exemption:	No
Underground Injection Activity:	No
NAIC Description 1:	
NAIC Description 2:	
NAIC Description 3:	
NAIC Description 4:	
Federal Generator Class:	Small Quantity Generator
State Generator Class:	
Environmental Controls in Place:	No
Institutional Controls in Place:	No
Groundwater Controls in Place:	No
Significant Non-Compliance:	No
Unaddressed Significant Non-Complier:	No
Addressed Significant Non-Complier:	No
Significant Non-Complier with Compliance Schedule:	No

Enforcement Description	Responsible Enforcement Agency	Enforcement Date	Penalty Description

Evaluation Description	Responsible Agency	Evaluation Date	Violation Found

Continued from Previous Page

Violation Description	Violation Determined By	Violation Date	Actual Resolution Date	Scheduled Resolution Date
Hazardous Waste Description				
<p>SILVER</p> <p>THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE, 2-ETHOXYETHANOL, AND 2-NITROPROPANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, OR F004; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.</p> <p>THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NONHALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS, AND A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.</p>				

End of RCRA GEN Sites Section

LPST - State/Tribal Leaking Storage Tank

Map ID #1		Source: TCEQ
LPST ID: 112479	Facility ID: 0035335	Banks ID: 112479
FORMER NCS		Rel. Loc.: 0.01 miles E
6030 DASHWOOD, HOUSTON, TX 77081		Elevation: 65 feet (+65)
Contact: CATHY RASHIN		
Status:	Final concurrence issued, case close	
Leak Discovery Date:	6/17/1997	
Leak Discovery Method:		
Leak Cause:		
Damage Description:	no gw impacted, no apparent threats or impacts to receptors	
Leak Closure Date:		
Priority Score:		
Owner Name:	DIAMOND SHAMROCK REFINING AND MARKETING COMPANY	
Owner Phone:		
Contact Name:	KENT HAMEL	
Contact Phone:	210-345-4670	
Comments:		
Leak Substance		
Diesel:		
Gasoline:		
Jet Fuel:		
Kerosene:		
New Oil:		
Used Oil:		
Unknown:		
CERCLA Substance:		
Tank #1		
Status:	Removed from Ground	
Status Date:	5/30/1991	
Capacity:	10000	
Comments:		
Install Date:	1/1/1976	
Last Used Date:		
Closure Certification Date:		
Removed:		
Gallons Remaining:		
Above or Below Ground Tank:	below	
Assessment Date:		
Assessment Leak Check:		
Tank Contents are Hazardous:	No	
Tank Count:		
Unit ID:		
Construction Type:		
Construction Material:	Steel	

Continued from Previous Page

Other Construction Material Description:	
Construction Material Repair Date:	
Piping Material:	Steel
Other Piping Material Description:	
Piping Release Detection:	
Tank Contents:	Gasoline
Other Tank Contents Description:	
Tank Contents Mixture Information:	
Tank Release Detection:	
Automatic Tank Gauge:	
Inventory Control:	
Pressure Testing:	
Tank #2	
Status:	Removed from Ground
Status Date:	5/30/1991
Capacity:	10000
Comments:	
Install Date:	1/1/1976
Last Used Date:	
Closure Certification Date:	
Removed:	
Gallons Remaining:	
Above or Below Ground Tank:	below
Assessment Date:	
Assessment Leak Check:	
Tank Contents are Hazardous:	No
Tank Count:	
Unit ID:	
Construction Type:	
Construction Material:	Steel
Other Construction Material Description:	
Construction Material Repair Date:	
Piping Material:	Steel
Other Piping Material Description:	
Piping Release Detection:	
Tank Contents:	Gasoline
Other Tank Contents Description:	
Tank Contents Mixture Information:	
Tank Release Detection:	
Automatic Tank Gauge:	
Inventory Control:	
Pressure Testing:	
Tank #3	
Status:	Removed from Ground
Status Date:	5/30/1991
Capacity:	10000

Continued from Previous Page

Comments:	
Install Date:	1/1/1976
Last Used Date:	
Closure Certification Date:	
Removed:	
Gallons Remaining:	
Above or Below Ground Tank:	below
Assessment Date:	
Assessment Leak Check:	
Tank Contents are Hazardous:	No
Tank Count:	
Unit ID:	
Construction Type:	
Construction Material:	Steel
Other Construction Material Description:	
Construction Material Repair Date:	
Piping Material:	Steel
Other Piping Material Description:	
Piping Release Detection:	
Tank Contents:	Gasoline
Other Tank Contents Description:	
Tank Contents Mixture Information:	
Tank Release Detection:	
Automatic Tank Gauge:	
Inventory Control:	
Pressure Testing:	

Map ID #3		Source: TCEQ
LPST ID: 109190	Facility ID: 0019186	Banks ID: 109190
JESSAMINE SOC		Rel. Loc.: 0.01 miles E
6050 JESSAMINE, HOUSTON, TX 77081		Elevation: 65 feet (+65)
Contact: HARRY HIXSON		
Status:	Final concurrence issued, case close	
Leak Discovery Date:	10/3/1994	
Leak Discovery Method:		
Leak Cause:		
Damage Description:	no gw impacted, no apparent threats or impacts to receptors	
Leak Closure Date:		
Priority Score:		
Owner Name:	SOUTHWESTERN BELL TELEPHONE LP	
Owner Phone:		
Contact Name:	MARK DINUBILA	
Contact Phone:	214-464-7046	
Comments:		
Leak Substance		
Diesel:		
Gasoline:		
Jet Fuel:		
Kerosene:		
New Oil:		
Used Oil:		
Unknown:		
CERCLA Substance:		
Tank #1		
Status:	Removed from Ground	
Status Date:	9/28/1994	
Capacity:	10000	
Comments:		
Install Date:	1/1/1956	
Last Used Date:		
Closure Certification Date:		
Removed:		
Gallons Remaining:		
Above or Below Ground Tank:	below	
Assessment Date:		
Assessment Leak Check:		
Tank Contents are Hazardous:	No	
Tank Count:		
Unit ID:		
Construction Type:		
Construction Material:	Steel	
Other Construction Material Description:		
Construction Material Repair Date:		

Continued from Previous Page

Piping Material:	Steel
Other Piping Material Description:	
Piping Release Detection:	Auto. Line Leak Detector (3.0gph for pressure piping)
Tank Contents:	Gasoline
Other Tank Contents Description:	
Tank Contents Mixture Information:	
Tank Release Detection:	
Automatic Tank Gauge:	
Inventory Control:	
Pressure Testing:	

Map ID #14	Source: TCEQ
LPST ID: 110263	Facility ID: 0064937
Banks ID: 110263	
NINE STOP 6102A BISSONNET, HOUSTON, TX 77081 Contact: CINDY DANG	Rel. Loc.: 0.04 miles W Elevation: 69 feet (+69)
Status:	Final concurrence issued, case close
Leak Discovery Date:	1/11/1996
Leak Discovery Method:	
Leak Cause:	
Damage Description:	gw impacted, no apparent threats or impacts to receptors
Leak Closure Date:	
Priority Score:	
Owner Name:	CINDY L DANG
Owner Phone:	
Contact Name:	CINDY DANG
Contact Phone:	713-271-5680
Comments:	
Leak Substance	
Diesel:	
Gasoline:	
Jet Fuel:	
Kerosene:	
New Oil:	
Used Oil:	
Unknown:	
CERCLA Substance:	
Tank #1	
Status:	Removed from Ground
Status Date:	1/8/1996
Capacity:	10000
Comments:	
Install Date:	7/1/1991
Last Used Date:	
Closure Certification Date:	
Removed:	
Gallons Remaining:	
Above or Below Ground Tank:	below
Assessment Date:	
Assessment Leak Check:	
Tank Contents are Hazardous:	No
Tank Count:	
Unit ID:	
Construction Type:	
Construction Material:	Steel
Other Construction Material Description:	
Construction Material Repair Date:	

Continued from Previous Page

Piping Material:	
Other Piping Material Description:	
Piping Release Detection:	
Tank Contents:	
Other Tank Contents Description:	Empty
Tank Contents Mixture Information:	
Tank Release Detection:	
Automatic Tank Gauge:	
Inventory Control:	
Pressure Testing:	
Tank #2	
Status:	Removed from Ground
Status Date:	1/8/1996
Capacity:	10000
Comments:	
Install Date:	8/31/1987
Last Used Date:	
Closure Certification Date:	
Removed:	
Gallons Remaining:	
Above or Below Ground Tank:	below
Assessment Date:	
Assessment Leak Check:	
Tank Contents are Hazardous:	No
Tank Count:	
Unit ID:	
Construction Type:	
Construction Material:	
Other Construction Material Description:	
Construction Material Repair Date:	
Piping Material:	
Other Piping Material Description:	
Piping Release Detection:	
Tank Contents:	
Other Tank Contents Description:	Unknown
Tank Contents Mixture Information:	
Tank Release Detection:	
Automatic Tank Gauge:	
Inventory Control:	
Pressure Testing:	

Map ID #33		Source: TCEQ
LPST ID: 117904	Facility ID: 0079335	Banks ID: 117904
WAREHOUSE PROPERTY 7400 ASHCROFT DRIVE, HOUSTON, TX 77081 Contact: WILMA L MCKUIN		Rel. Loc.: 0.14 miles W Elevation: 73 feet (+73)
Status:	Site assessment	
Leak Discovery Date:	9/26/2008	
Leak Discovery Method:		
Leak Cause:		
Damage Description:	gw impact, pub/dom water supply well w/in .25 - .5mi	
Leak Closure Date:		
Priority Score:		
Owner Name:	THE DONALD G MCKUIN SR AND WILMA L MCKUIN TRUST	
Owner Phone:		
Contact Name:	WILMA MCKUIN	
Contact Phone:	573-785-7844	
Comments:		
Leak Substance		
Diesel:		
Gasoline:		
Jet Fuel:		
Kerosene:		
New Oil:		
Used Oil:		
Unknown:		
CERCLA Substance:		
Tank #1		
Status:	Removed from Ground	
Status Date:	8/14/2008	
Capacity:	1000	
Comments:		
Install Date:	1/1/1975	
Last Used Date:		
Closure Certification Date:		
Removed:		
Gallons Remaining:		
Above or Below Ground Tank:	below	
Assessment Date:		
Assessment Leak Check:		
Tank Contents are Hazardous:	No	
Tank Count:		
Unit ID:		
Construction Type:		
Construction Material:	Steel	
Other Construction Material Description:		
Construction Material Repair Date:		

Continued from Previous Page

Piping Material:	Steel
Other Piping Material Description:	
Piping Release Detection:	
Tank Contents:	Gasoline
Other Tank Contents Description:	
Tank Contents Mixture Information:	
Tank Release Detection:	
Automatic Tank Gauge:	
Inventory Control:	
Pressure Testing:	

Map ID #38	Source: TCEQ
LPST ID: 096407	Facility ID: 0001505
Banks ID: 096407	
FIESTA FOOD MART 6200 BELLAIRE BLVD 6200 BELLAIRE AND HILLCROFT, HOUSTON, TX 77000 Contact: LANA COBLE	
Rel. Loc.: 0.16 miles W Elevation: 65 feet (+65)	
Status:	Final concurrence issued, case close
Leak Discovery Date:	7/17/1990
Leak Discovery Method:	
Leak Cause:	
Damage Description:	gw impacted, no apparent threats or impacts to receptors
Leak Closure Date:	
Priority Score:	
Owner Name:	FIESTA MART INC
Owner Phone:	
Contact Name:	CHARLES CARMOUCHE
Contact Phone:	713-869-5060
Comments:	
Leak Substance	
Diesel:	
Gasoline:	
Jet Fuel:	
Kerosene:	
New Oil:	
Used Oil:	
Unknown:	
CERCLA Substance:	
Tank #1	
Status:	Removed from Ground
Status Date:	7/9/1990
Capacity:	10000
Comments:	
Install Date:	1/1/1971
Last Used Date:	
Closure Certification Date:	
Removed:	
Gallons Remaining:	
Above or Below Ground Tank:	below
Assessment Date:	
Assessment Leak Check:	
Tank Contents are Hazardous:	No
Tank Count:	
Unit ID:	
Construction Type:	
Construction Material:	Steel
Other Construction Material Description:	
Construction Material Repair Date:	

Continued from Previous Page

Piping Material:	
Other Piping Material Description:	COPPER PIPING
Piping Release Detection:	
Tank Contents:	Gasoline
Other Tank Contents Description:	
Tank Contents Mixture Information:	
Tank Release Detection:	
Automatic Tank Gauge:	
Inventory Control:	
Pressure Testing:	
Tank #2	
Status:	Removed from Ground
Status Date:	7/9/1990
Capacity:	10000
Comments:	
Install Date:	1/1/1971
Last Used Date:	
Closure Certification Date:	
Removed:	
Gallons Remaining:	
Above or Below Ground Tank:	below
Assessment Date:	
Assessment Leak Check:	
Tank Contents are Hazardous:	No
Tank Count:	
Unit ID:	
Construction Type:	
Construction Material:	Steel
Other Construction Material Description:	
Construction Material Repair Date:	
Piping Material:	
Other Piping Material Description:	COPPER PIPING
Piping Release Detection:	
Tank Contents:	Gasoline
Other Tank Contents Description:	
Tank Contents Mixture Information:	
Tank Release Detection:	
Automatic Tank Gauge:	
Inventory Control:	
Pressure Testing:	

Map ID #45	Source: TCEQ
LPST ID: 107998	Facility ID: 0045545
Banks ID: 107998	
BAYLAND PARK Rel. Loc.: 0.2 miles W 6400 BISSONNET, HOUSTON, TX 77074 Elevation: 72 feet (+72) Contact: JACK PEPAS	
Status:	Final concurrence issued, case close
Leak Discovery Date:	4/1/1994
Leak Discovery Method:	
Leak Cause:	
Damage Description:	minor soil contamination - does not require a rap
Leak Closure Date:	
Priority Score:	
Owner Name:	HARRIS COUNTY
Owner Phone:	
Contact Name:	DEBORAH M VAUGHN
Contact Phone:	713-755-1156
Comments:	
Leak Substance	
Diesel:	
Gasoline:	
Jet Fuel:	
Kerosene:	
New Oil:	
Used Oil:	
Unknown:	
CERCLA Substance:	
Tank #1	
Status:	In Use
Status Date:	
Capacity:	4000
Comments:	
Install Date:	1/1/1976
Last Used Date:	
Closure Certification Date:	
Removed:	
Gallons Remaining:	
Above or Below Ground Tank:	below
Assessment Date:	
Assessment Leak Check:	
Tank Contents are Hazardous:	No
Tank Count:	
Unit ID:	
Construction Type:	
Construction Material:	Steel
Other Construction Material Description:	
Construction Material Repair Date:	

Continued from Previous Page

Piping Material:	FRP (fiberglass-reinforced plastic)
Other Piping Material Description:	
Piping Release Detection:	Interstitial Monitoring within secondary wall/jacket, Auto. Line Leak Detector (3.0gph for pressure piping)
Tank Contents:	Gasoline
Other Tank Contents Description:	
Tank Contents Mixture Information:	
Tank Release Detection:	Automatic Tank Gauge Test & Inventory Cntrl
Automatic Tank Gauge:	
Inventory Control:	
Pressure Testing:	
Tank #2	
Status:	In Use
Status Date:	
Capacity:	4000
Comments:	
Install Date:	1/1/1976
Last Used Date:	
Closure Certification Date:	
Removed:	
Gallons Remaining:	
Above or Below Ground Tank:	below
Assessment Date:	
Assessment Leak Check:	
Tank Contents are Hazardous:	No
Tank Count:	
Unit ID:	
Construction Type:	
Construction Material:	Steel
Other Construction Material Description:	
Construction Material Repair Date:	
Piping Material:	FRP (fiberglass-reinforced plastic)
Other Piping Material Description:	
Piping Release Detection:	Interstitial Monitoring within secondary wall/jacket, Auto. Line Leak Detector (3.0gph for pressure piping)
Tank Contents:	Diesel
Other Tank Contents Description:	
Tank Contents Mixture Information:	
Tank Release Detection:	Automatic Tank Gauge Test & Inventory Cntrl
Automatic Tank Gauge:	
Inventory Control:	
Pressure Testing:	

Map ID #46		Source: TCEQ
LPST ID: 105681	Facility ID: 0027986	Banks ID: 105681
MARCUS JONES BUICK 6901 HILLCROFT, HOUSTON, TX 77801 Contact: MARCUS JONES		Rel. Loc.: 0.21 miles W Elevation: 65 feet (+65)
Status:	Final concurrence issued, case close	
Leak Discovery Date:	1/5/1993	
Leak Discovery Method:		
Leak Cause:		
Damage Description:	minor soil contamination - no remedial action required	
Leak Closure Date:		
Priority Score:		
Owner Name:	MARCUS JONES BUICK INC	
Owner Phone:		
Contact Name:		
Contact Phone:	7137764711	
Comments:		
Leak Substance		
Diesel:		
Gasoline:		
Jet Fuel:		
Kerosene:		
New Oil:		
Used Oil:		
Unknown:		
CERCLA Substance:		
Tank #1		
Status:	Removed from Ground	
Status Date:	11/30/1992	
Capacity:	500	
Comments:		
Install Date:	1/1/1969	
Last Used Date:		
Closure Certification Date:		
Removed:		
Gallons Remaining:		
Above or Below Ground Tank:	below	
Assessment Date:		
Assessment Leak Check:		
Tank Contents are Hazardous:	No	
Tank Count:		
Unit ID:		
Construction Type:		
Construction Material:	Steel	
Other Construction Material Description:		
Construction Material Repair Date:		

Continued from Previous Page

Piping Material:	Steel
Other Piping Material Description:	
Piping Release Detection:	
Tank Contents:	Diesel
Other Tank Contents Description:	
Tank Contents Mixture Information:	
Tank Release Detection:	
Automatic Tank Gauge:	
Inventory Control:	
Pressure Testing:	
Tank #2	
Status:	Removed from Ground
Status Date:	12/31/1992
Capacity:	10000
Comments:	
Install Date:	1/1/1978
Last Used Date:	
Closure Certification Date:	
Removed:	
Gallons Remaining:	
Above or Below Ground Tank:	below
Assessment Date:	
Assessment Leak Check:	
Tank Contents are Hazardous:	No
Tank Count:	
Unit ID:	
Construction Type:	
Construction Material:	FRP (fiberglass-reinforced plastic)
Other Construction Material Description:	
Construction Material Repair Date:	
Piping Material:	FRP (fiberglass-reinforced plastic)
Other Piping Material Description:	
Piping Release Detection:	
Tank Contents:	Gasoline
Other Tank Contents Description:	
Tank Contents Mixture Information:	
Tank Release Detection:	
Automatic Tank Gauge:	
Inventory Control:	
Pressure Testing:	

Map ID #49	Source: TCEQ
LPST ID: 099587	Facility ID: 0010906
Banks ID: 099587	
PHILLIPS 66 19414 HILLCROFT 7411 HILLCROFT, HOUSTON, TX 77081 Contact: THOMAS KOSEL	Rel. Loc.: 0.23 miles W Elevation: 74 feet (+74)
Status:	Final concurrence issued, case close
Leak Discovery Date:	5/23/1991
Leak Discovery Method:	
Leak Cause:	
Damage Description:	gw impact, public/domestic water supply well w/in 0.25mi
Leak Closure Date:	
Priority Score:	
Owner Name:	CONOCOPHILLIPS COMPANY
Owner Phone:	
Contact Name:	RUTH BULMER
Contact Phone:	602-728-3217
Comments:	
Leak Substance	
Diesel:	
Gasoline:	
Jet Fuel:	
Kerosene:	
New Oil:	
Used Oil:	
Unknown:	
CERCLA Substance:	
Tank #1	
Status:	Removed from Ground
Status Date:	11/30/1989
Capacity:	4000
Comments:	
Install Date:	1/1/1964
Last Used Date:	
Closure Certification Date:	
Removed:	
Gallons Remaining:	
Above or Below Ground Tank:	below
Assessment Date:	
Assessment Leak Check:	
Tank Contents are Hazardous:	No
Tank Count:	
Unit ID:	
Construction Type:	
Construction Material:	Steel
Other Construction Material Description:	
Construction Material Repair Date:	

Continued from Previous Page

Piping Material:	FRP (fiberglass-reinforced plastic)
Other Piping Material Description:	
Piping Release Detection:	
Tank Contents:	Gasoline
Other Tank Contents Description:	
Tank Contents Mixture Information:	
Tank Release Detection:	
Automatic Tank Gauge:	
Inventory Control:	
Pressure Testing:	
Tank #2	
Status:	Removed from Ground
Status Date:	11/30/1989
Capacity:	4000
Comments:	
Install Date:	1/1/1964
Last Used Date:	
Closure Certification Date:	
Removed:	
Gallons Remaining:	
Above or Below Ground Tank:	below
Assessment Date:	
Assessment Leak Check:	
Tank Contents are Hazardous:	No
Tank Count:	
Unit ID:	
Construction Type:	
Construction Material:	Steel
Other Construction Material Description:	
Construction Material Repair Date:	
Piping Material:	FRP (fiberglass-reinforced plastic)
Other Piping Material Description:	
Piping Release Detection:	
Tank Contents:	Gasoline
Other Tank Contents Description:	
Tank Contents Mixture Information:	
Tank Release Detection:	
Automatic Tank Gauge:	
Inventory Control:	
Pressure Testing:	
Tank #3	
Status:	Removed from Ground
Status Date:	11/30/1989
Capacity:	0
Comments:	
Install Date:	

Continued from Previous Page

Last Used Date:	
Closure Certification Date:	
Removed:	
Gallons Remaining:	
Above or Below Ground Tank:	below
Assessment Date:	
Assessment Leak Check:	
Tank Contents are Hazardous:	No
Tank Count:	
Unit ID:	
Construction Type:	
Construction Material:	
Other Construction Material Description:	
Construction Material Repair Date:	
Piping Material:	
Other Piping Material Description:	
Piping Release Detection:	
Tank Contents:	
Other Tank Contents Description:	Unknown
Tank Contents Mixture Information:	
Tank Release Detection:	
Automatic Tank Gauge:	
Inventory Control:	
Pressure Testing:	
Tank #4	
Status:	Removed from Ground
Status Date:	11/30/1989
Capacity:	0
Comments:	
Install Date:	
Last Used Date:	
Closure Certification Date:	
Removed:	
Gallons Remaining:	
Above or Below Ground Tank:	below
Assessment Date:	
Assessment Leak Check:	
Tank Contents are Hazardous:	No
Tank Count:	
Unit ID:	
Construction Type:	
Construction Material:	
Other Construction Material Description:	
Construction Material Repair Date:	
Piping Material:	
Other Piping Material Description:	

Continued from Previous Page

Piping Release Detection:	
Tank Contents:	
Other Tank Contents Description:	Unknown
Tank Contents Mixture Information:	
Tank Release Detection:	
Automatic Tank Gauge:	
Inventory Control:	
Pressure Testing:	
Tank #5	
Status:	Removed from Ground
Status Date:	11/30/1989
Capacity:	0
Comments:	
Install Date:	
Last Used Date:	
Closure Certification Date:	
Removed:	
Gallons Remaining:	
Above or Below Ground Tank:	below
Assessment Date:	
Assessment Leak Check:	
Tank Contents are Hazardous:	No
Tank Count:	
Unit ID:	
Construction Type:	
Construction Material:	
Other Construction Material Description:	
Construction Material Repair Date:	
Piping Material:	
Other Piping Material Description:	
Piping Release Detection:	
Tank Contents:	
Other Tank Contents Description:	Unknown
Tank Contents Mixture Information:	
Tank Release Detection:	
Automatic Tank Gauge:	
Inventory Control:	
Pressure Testing:	

Map ID #51		Source: TCEQ
LPST ID: 106489	Facility ID: 0029179	Banks ID: 106489
CHEVRON FAC 107982		Rel. Loc.: 0.24 miles W
6237 BELLAIRE, HOUSTON, TX 77081		Elevation: 65 feet (+65)
Contact: ADRIANNE ROBINSON		
Status:	Final concurrence issued, case close	
Leak Discovery Date:	4/8/1993	
Leak Discovery Method:		
Leak Cause:		
Damage Description:	gw impact, public/domestic water supply well w/in 0.25mi	
Leak Closure Date:		
Priority Score:		
Owner Name:	SUSSE PETROLEUM COMPANY LLC	
Owner Phone:		
Contact Name:	CRAIG SCOTTON	
Contact Phone:	361-884-2463	
Comments:		
Leak Substance		
Diesel:		
Gasoline:		
Jet Fuel:		
Kerosene:		
New Oil:		
Used Oil:		
Unknown:		
CERCLA Substance:		
Tank #1		
Status:	Removed from Ground	
Status Date:	2/5/2003	
Capacity:	9564	
Comments:		
Install Date:	1/1/1975	
Last Used Date:		
Closure Certification Date:		
Removed:		
Gallons Remaining:		
Above or Below Ground Tank:	below	
Assessment Date:		
Assessment Leak Check:		
Tank Contents are Hazardous:	No	
Tank Count:		
Unit ID:		
Construction Type:		
Construction Material:	FRP (fiberglass-reinforced plastic)	
Other Construction Material Description:		
Construction Material Repair Date:		

Continued from Previous Page

Piping Material:	FRP (fiberglass-reinforced plastic)
Other Piping Material Description:	
Piping Release Detection:	Auto. Line Leak Detector (3.0gph for pressure piping), SIR (Stat. Inventory Reconciliation) & Inventory Cntrl
Tank Contents:	Gasoline
Other Tank Contents Description:	
Tank Contents Mixture Information:	
Tank Release Detection:	Automatic Tank Gauge Test & Inventory Cntrl, SIR (Stat. Inventory Reconciliation) & Inventory Cntrl
Automatic Tank Gauge:	
Inventory Control:	
Pressure Testing:	
Tank #2	
Status:	Removed from Ground
Status Date:	2/5/2003
Capacity:	9564
Comments:	
Install Date:	1/1/1975
Last Used Date:	
Closure Certification Date:	
Removed:	
Gallons Remaining:	
Above or Below Ground Tank:	below
Assessment Date:	
Assessment Leak Check:	
Tank Contents are Hazardous:	No
Tank Count:	
Unit ID:	
Construction Type:	
Construction Material:	FRP (fiberglass-reinforced plastic)
Other Construction Material Description:	
Construction Material Repair Date:	
Piping Material:	FRP (fiberglass-reinforced plastic)
Other Piping Material Description:	
Piping Release Detection:	Auto. Line Leak Detector (3.0gph for pressure piping), SIR (Stat. Inventory Reconciliation) & Inventory Cntrl
Tank Contents:	Gasoline
Other Tank Contents Description:	
Tank Contents Mixture Information:	
Tank Release Detection:	Automatic Tank Gauge Test & Inventory Cntrl, SIR (Stat. Inventory Reconciliation) & Inventory Cntrl
Automatic Tank Gauge:	
Inventory Control:	
Pressure Testing:	
Tank #3	
Status:	Removed from Ground
Status Date:	2/5/2003
Capacity:	9564
Comments:	
Install Date:	1/1/1975

Continued from Previous Page

Last Used Date:	
Closure Certification Date:	
Removed:	
Gallons Remaining:	
Above or Below Ground Tank:	below
Assessment Date:	
Assessment Leak Check:	
Tank Contents are Hazardous:	No
Tank Count:	
Unit ID:	
Construction Type:	
Construction Material:	FRP (fiberglass-reinforced plastic)
Other Construction Material Description:	
Construction Material Repair Date:	
Piping Material:	FRP (fiberglass-reinforced plastic)
Other Piping Material Description:	
Piping Release Detection:	Auto. Line Leak Detector (3.0gph for pressure piping), SIR (Stat. Inventory Reconciliation) & Inventory Cntrl
Tank Contents:	Gasoline
Other Tank Contents Description:	
Tank Contents Mixture Information:	
Tank Release Detection:	Automatic Tank Gauge Test & Inventory Cntrl, SIR (Stat. Inventory Reconciliation) & Inventory Cntrl
Automatic Tank Gauge:	
Inventory Control:	
Pressure Testing:	

Map ID #52		Source: TCEQ
LPST ID: 091235	Facility ID: 0005492	Banks ID: 091235
CIRCLE K 2156		Rel. Loc.: 0.27 miles E
5720 CLAREWOOD CIRCLE K 2156, HOUSTON, TX 77081		Elevation: 61 feet (+61)
Contact: MYRON SMITH		
Status:	Final concurrence issued, case close	
Leak Discovery Date:	2/13/1987	
Leak Discovery Method:		
Leak Cause:		
Damage Description:	gw impacted, no apparent threats or impacts to receptors	
Leak Closure Date:		
Priority Score:		
Owner Name:	CIRCLE K STORES INC	
Owner Phone:		
Contact Name:	RUTH BULMER	
Contact Phone:	602-728-3217	
Comments:		
Leak Substance		
Diesel:		
Gasoline:		
Jet Fuel:		
Kerosene:		
New Oil:		
Used Oil:		
Unknown:		
CERCLA Substance:		
Tank #1		
Status:	Perm. Filled in Place	
Status Date:	8/31/1987	
Capacity:	6000	
Comments:		
Install Date:	1/1/1976	
Last Used Date:		
Closure Certification Date:		
Removed:		
Gallons Remaining:		
Above or Below Ground Tank:	below	
Assessment Date:		
Assessment Leak Check:		
Tank Contents are Hazardous:	No	
Tank Count:		
Unit ID:		
Construction Type:		
Construction Material:	Steel	
Other Construction Material Description:		
Construction Material Repair Date:		

Continued from Previous Page

Piping Material:	Steel
Other Piping Material Description:	
Piping Release Detection:	
Tank Contents:	Gasoline
Other Tank Contents Description:	
Tank Contents Mixture Information:	
Tank Release Detection:	
Automatic Tank Gauge:	
Inventory Control:	
Pressure Testing:	
Tank #2	
Status:	Perm. Filled in Place
Status Date:	8/31/1987
Capacity:	6000
Comments:	
Install Date:	1/1/1976
Last Used Date:	
Closure Certification Date:	
Removed:	
Gallons Remaining:	
Above or Below Ground Tank:	below
Assessment Date:	
Assessment Leak Check:	
Tank Contents are Hazardous:	No
Tank Count:	
Unit ID:	
Construction Type:	
Construction Material:	Steel
Other Construction Material Description:	
Construction Material Repair Date:	
Piping Material:	Steel
Other Piping Material Description:	
Piping Release Detection:	
Tank Contents:	Gasoline
Other Tank Contents Description:	
Tank Contents Mixture Information:	
Tank Release Detection:	
Automatic Tank Gauge:	
Inventory Control:	
Pressure Testing:	

Map ID #53	Source: TCEQ
LPST ID: 113177	Facility ID: 0035396
Banks ID: 113177	
STOP N GO 2604	Rel. Loc.: 0.29 miles S
5699 BEECHNUT, HOUSTON, TX 77096	Elevation: 72 feet (+72)
Contact: DANNY AMERSON	
Status:	Final concurrence issued, case close
Leak Discovery Date:	5/7/1998
Leak Discovery Method:	
Leak Cause:	
Damage Description:	no gw impacted, no apparent threats or impacts to receptors
Leak Closure Date:	
Priority Score:	
Owner Name:	PALL FOOD INC
Owner Phone:	
Contact Name:	NIZAR ALI
Contact Phone:	713-774-4552
Comments:	
Leak Substance	
Diesel:	
Gasoline:	
Jet Fuel:	
Kerosene:	
New Oil:	
Used Oil:	
Unknown:	
CERCLA Substance:	
Tank #1	
Status:	In Use
Status Date:	
Capacity:	12000
Comments:	
Install Date:	12/8/1998
Last Used Date:	
Closure Certification Date:	
Removed:	
Gallons Remaining:	
Above or Below Ground Tank:	below
Assessment Date:	
Assessment Leak Check:	
Tank Contents are Hazardous:	No
Tank Count:	
Unit ID:	
Construction Type:	
Construction Material:	Composite (steel w/external FRP cladding)
Other Construction Material Description:	
Construction Material Repair Date:	

Continued from Previous Page

Piping Material:	FRP (fiberglass-reinforced plastic)
Other Piping Material Description:	
Piping Release Detection:	SIR (Stat. Inventory Reconciliation) & Inventory Cntrl, Auto. Line Leak Detector (3.0gph for pressure piping), Annual Piping Tightness Test (@0.1 gph)
Tank Contents:	Gasoline
Other Tank Contents Description:	
Tank Contents Mixture Information:	
Tank Release Detection:	SIR (Stat. Inventory Reconciliation) & Inventory Cntrl, Weekly Manual Tank Gauging(tanks <=1000 gal)
Automatic Tank Gauge:	
Inventory Control:	
Pressure Testing:	
Tank #1	
Status:	Removed from Ground
Status Date:	4/30/1998
Capacity:	12000
Comments:	
Install Date:	1/1/1983
Last Used Date:	
Closure Certification Date:	
Removed:	
Gallons Remaining:	
Above or Below Ground Tank:	below
Assessment Date:	
Assessment Leak Check:	
Tank Contents are Hazardous:	No
Tank Count:	
Unit ID:	
Construction Type:	
Construction Material:	FRP (fiberglass-reinforced plastic)
Other Construction Material Description:	
Construction Material Repair Date:	
Piping Material:	FRP (fiberglass-reinforced plastic)
Other Piping Material Description:	
Piping Release Detection:	SIR (Stat. Inventory Reconciliation) & Inventory Cntrl, Auto. Line Leak Detector (3.0gph for pressure piping), Annual Piping Tightness Test (@0.1 gph)
Tank Contents:	Gasoline
Other Tank Contents Description:	
Tank Contents Mixture Information:	
Tank Release Detection:	SIR (Stat. Inventory Reconciliation) & Inventory Cntrl, Weekly Manual Tank Gauging(tanks <=1000 gal)
Automatic Tank Gauge:	
Inventory Control:	
Pressure Testing:	
Tank #2	
Status:	Removed from Ground
Status Date:	4/30/1998
Capacity:	12000
Comments:	
Install Date:	1/1/1983

Continued from Previous Page

Last Used Date:	
Closure Certification Date:	
Removed:	
Gallons Remaining:	
Above or Below Ground Tank:	below
Assessment Date:	
Assessment Leak Check:	
Tank Contents are Hazardous:	No
Tank Count:	
Unit ID:	
Construction Type:	
Construction Material:	FRP (fiberglass-reinforced plastic)
Other Construction Material Description:	
Construction Material Repair Date:	
Piping Material:	FRP (fiberglass-reinforced plastic)
Other Piping Material Description:	
Piping Release Detection:	SIR (Stat. Inventory Reconciliation) & Inventory Cntrl, Auto. Line Leak Detector (3.0gph for pressure piping), Annual Piping Tightness Test (@0.1 gph)
Tank Contents:	Gasoline
Other Tank Contents Description:	
Tank Contents Mixture Information:	
Tank Release Detection:	SIR (Stat. Inventory Reconciliation) & Inventory Cntrl, Weekly Manual Tank Gauging(tanks <=1000 gal)
Automatic Tank Gauge:	
Inventory Control:	
Pressure Testing:	
Tank #2	
Status:	In Use
Status Date:	
Capacity:	12000
Comments:	
Install Date:	12/8/1998
Last Used Date:	
Closure Certification Date:	
Removed:	
Gallons Remaining:	
Above or Below Ground Tank:	below
Assessment Date:	
Assessment Leak Check:	
Tank Contents are Hazardous:	No
Tank Count:	
Unit ID:	
Construction Type:	
Construction Material:	Composite (steel w/external FRP cladding)
Other Construction Material Description:	
Construction Material Repair Date:	
Piping Material:	FRP (fiberglass-reinforced plastic)
Other Piping Material Description:	

Continued from Previous Page

Piping Release Detection:	SIR (Stat. Inventory Reconciliation) & Inventory Cntrl, Auto. Line Leak Detector (3.0gph for pressure piping), Annual Piping Tightness Test (@0.1 gph)
Tank Contents:	Gasoline
Other Tank Contents Description:	
Tank Contents Mixture Information:	
Tank Release Detection:	SIR (Stat. Inventory Reconciliation) & Inventory Cntrl, Weekly Manual Tank Gauging(tanks <=1000 gal)
Automatic Tank Gauge:	
Inventory Control:	
Pressure Testing:	
Tank #3	
Status:	Removed from Ground
Status Date:	4/30/1998
Capacity:	12000
Comments:	
Install Date:	1/1/1983
Last Used Date:	
Closure Certification Date:	
Removed:	
Gallons Remaining:	
Above or Below Ground Tank:	below
Assessment Date:	
Assessment Leak Check:	
Tank Contents are Hazardous:	No
Tank Count:	
Unit ID:	
Construction Type:	
Construction Material:	FRP (fiberglass-reinforced plastic)
Other Construction Material Description:	
Construction Material Repair Date:	
Piping Material:	FRP (fiberglass-reinforced plastic)
Other Piping Material Description:	
Piping Release Detection:	Auto. Line Leak Detector (3.0gph for pressure piping)
Tank Contents:	Gasoline
Other Tank Contents Description:	
Tank Contents Mixture Information:	
Tank Release Detection:	SIR (Stat. Inventory Reconciliation) & Inventory Cntrl, Weekly Manual Tank Gauging(tanks <=1000 gal)
Automatic Tank Gauge:	
Inventory Control:	
Pressure Testing:	

Map ID #54	Source: TCEQ
LPST ID: 111001	Facility ID: 0023142
Banks ID: 111001	
HILLCROFT TEXACO	Rel. Loc.: 0.31 miles S
8402 HILLCROFT, HOUSTON, TX 77096	Elevation: 75 feet (+75)
Contact: KYLE LANDRENEAU	
Status:	Final concurrence issued, case close
Leak Discovery Date:	4/16/1996
Leak Discovery Method:	
Leak Cause:	
Damage Description:	gw impacted, no apparent threats or impacts to receptors
Leak Closure Date:	
Priority Score:	
Owner Name:	LEEMAK BEECHNUT LLC
Owner Phone:	
Contact Name:	LARRY ELLISOR
Contact Phone:	832-605-5512
Comments:	
Leak Substance	
Diesel:	
Gasoline:	
Jet Fuel:	
Kerosene:	
New Oil:	
Used Oil:	
Unknown:	
CERCLA Substance:	
Tank #1	
Status:	In Use
Status Date:	
Capacity:	10000
Comments:	
Install Date:	1/1/1984
Last Used Date:	
Closure Certification Date:	
Removed:	
Gallons Remaining:	
Above or Below Ground Tank:	below
Assessment Date:	
Assessment Leak Check:	
Tank Contents are Hazardous:	No
Tank Count:	
Unit ID:	
Construction Type:	
Construction Material:	FRP (fiberglass-reinforced plastic)
Other Construction Material Description:	
Construction Material Repair Date:	

Continued from Previous Page

Piping Material:	FRP (fiberglass-reinforced plastic)
Other Piping Material Description:	
Piping Release Detection:	Auto. Line Leak Detector (3.0gph for pressure piping), Vapor Monitoring
Tank Contents:	Gasoline
Other Tank Contents Description:	
Tank Contents Mixture Information:	
Tank Release Detection:	Automatic Tank Gauge Test & Inventory Cntrl, Vapor Monitoring
Automatic Tank Gauge:	
Inventory Control:	
Pressure Testing:	
Tank #2	
Status:	In Use
Status Date:	
Capacity:	10000
Comments:	
Install Date:	1/1/1984
Last Used Date:	
Closure Certification Date:	
Removed:	
Gallons Remaining:	
Above or Below Ground Tank:	below
Assessment Date:	
Assessment Leak Check:	
Tank Contents are Hazardous:	No
Tank Count:	
Unit ID:	
Construction Type:	
Construction Material:	FRP (fiberglass-reinforced plastic)
Other Construction Material Description:	
Construction Material Repair Date:	
Piping Material:	FRP (fiberglass-reinforced plastic)
Other Piping Material Description:	
Piping Release Detection:	Auto. Line Leak Detector (3.0gph for pressure piping), Vapor Monitoring
Tank Contents:	Gasoline
Other Tank Contents Description:	
Tank Contents Mixture Information:	
Tank Release Detection:	Automatic Tank Gauge Test & Inventory Cntrl, Vapor Monitoring
Automatic Tank Gauge:	
Inventory Control:	
Pressure Testing:	
Tank #3	
Status:	In Use
Status Date:	
Capacity:	10000
Comments:	
Install Date:	1/1/1984

Continued from Previous Page

Last Used Date:	
Closure Certification Date:	
Removed:	
Gallons Remaining:	
Above or Below Ground Tank:	below
Assessment Date:	
Assessment Leak Check:	
Tank Contents are Hazardous:	No
Tank Count:	
Unit ID:	
Construction Type:	
Construction Material:	FRP (fiberglass-reinforced plastic)
Other Construction Material Description:	
Construction Material Repair Date:	
Piping Material:	FRP (fiberglass-reinforced plastic)
Other Piping Material Description:	
Piping Release Detection:	Auto. Line Leak Detector (3.0gph for pressure piping), Vapor Monitoring
Tank Contents:	Gasoline
Other Tank Contents Description:	
Tank Contents Mixture Information:	
Tank Release Detection:	Automatic Tank Gauge Test & Inventory Cntrl, Vapor Monitoring
Automatic Tank Gauge:	
Inventory Control:	
Pressure Testing:	
Tank #4	
Status:	In Use
Status Date:	
Capacity:	10000
Comments:	
Install Date:	1/1/1984
Last Used Date:	
Closure Certification Date:	
Removed:	
Gallons Remaining:	
Above or Below Ground Tank:	below
Assessment Date:	
Assessment Leak Check:	
Tank Contents are Hazardous:	No
Tank Count:	
Unit ID:	
Construction Type:	
Construction Material:	FRP (fiberglass-reinforced plastic)
Other Construction Material Description:	
Construction Material Repair Date:	
Piping Material:	FRP (fiberglass-reinforced plastic)
Other Piping Material Description:	

Continued from Previous Page

Piping Release Detection:	Auto. Line Leak Detector (3.0gph for pressure piping), Vapor Monitoring
Tank Contents:	Diesel
Other Tank Contents Description:	
Tank Contents Mixture Information:	
Tank Release Detection:	Vapor Monitoring
Automatic Tank Gauge:	
Inventory Control:	
Pressure Testing:	

Map ID #55	Source: TCEQ
LPST ID: 115284	Facility ID: 0068571
Banks ID: 115284	
HILLCROFT CONOCO 6475 HILLCROFT ST, HOUSTON, TX 77081 Contact: PYAR ALI MANSIA	Rel. Loc.: 0.35 miles NW Elevation: 65 feet (+65)
Status:	Final concurrence issued, case close
Leak Discovery Date:	9/12/2001
Leak Discovery Method:	
Leak Cause:	
Damage Description:	gw impact, public/domestic water supply well w/in 0.25mi
Leak Closure Date:	
Priority Score:	
Owner Name:	HILLCROFT GROCERS LLC
Owner Phone:	
Contact Name:	NOORDIN JHAVER
Contact Phone:	713-771-6475
Comments:	
Leak Substance	
Diesel:	
Gasoline:	
Jet Fuel:	
Kerosene:	
New Oil:	
Used Oil:	
Unknown:	
CERCLA Substance:	
Tank #1	
Status:	In Use
Status Date:	
Capacity:	12000
Comments:	
Install Date:	5/1/1996
Last Used Date:	
Closure Certification Date:	
Removed:	
Gallons Remaining:	
Above or Below Ground Tank:	below
Assessment Date:	
Assessment Leak Check:	
Tank Contents are Hazardous:	No
Tank Count:	
Unit ID:	
Construction Type:	
Construction Material:	Composite (steel w/external FRP cladding)
Other Construction Material Description:	
Construction Material Repair Date:	

Continued from Previous Page

Piping Material:	FRP (fiberglass-reinforced plastic)
Other Piping Material Description:	
Piping Release Detection:	Auto. Line Leak Detector (3.0gph for pressure piping), Annual Piping Tightness Test (@0.1 gph)
Tank Contents:	Gasoline
Other Tank Contents Description:	
Tank Contents Mixture Information:	
Tank Release Detection:	Automatic Tank Gauge Test & Inventory Cntrl
Automatic Tank Gauge:	
Inventory Control:	
Pressure Testing:	
Tank #2	
Status:	In Use
Status Date:	
Capacity:	0
Comments:	
Install Date:	5/1/1996
Last Used Date:	
Closure Certification Date:	
Removed:	
Gallons Remaining:	
Above or Below Ground Tank:	below
Assessment Date:	
Assessment Leak Check:	
Tank Contents are Hazardous:	No
Tank Count:	
Unit ID:	
Construction Type:	
Construction Material:	Composite (steel w/external FRP cladding)
Other Construction Material Description:	
Construction Material Repair Date:	
Piping Material:	FRP (fiberglass-reinforced plastic)
Other Piping Material Description:	
Piping Release Detection:	Auto. Line Leak Detector (3.0gph for pressure piping), Annual Piping Tightness Test (@0.1 gph)
Tank Contents:	Gasoline
Other Tank Contents Description:	
Tank Contents Mixture Information:	
Tank Release Detection:	Automatic Tank Gauge Test & Inventory Cntrl
Automatic Tank Gauge:	
Inventory Control:	
Pressure Testing:	

Map ID #56		Source: TCEQ
LPST ID: 111517	Facility ID: 0039749	Banks ID: 111517
DIAMOND SHAMROCK STOP N GO 2118		Rel. Loc.: 0.35 miles N
5902 GULFTON, HOUSTON, TX 77081		Elevation: 64 feet (+64)
Contact: SHAY WIDEMAN		
Status:	Final concurrence issued, case close	
Leak Discovery Date:	8/15/1996	
Leak Discovery Method:		
Leak Cause:		
Damage Description:	gw impacted, no apparent threats or impacts to receptors	
Leak Closure Date:		
Priority Score:		
Owner Name:	NHAJ LLC DBA BESTOP 4	
Owner Phone:		
Contact Name:	Jeries Jasser	
Contact Phone:	713-665-8424	
Comments:		
Leak Substance		
Diesel:		
Gasoline:		
Jet Fuel:		
Kerosene:		
New Oil:		
Used Oil:		
Unknown:		
CERCLA Substance:		
Tank #1		
Status:	In Use	
Status Date:		
Capacity:	16000	
Comments:		
Install Date:	9/2/2000	
Last Used Date:		
Closure Certification Date:		
Removed:		
Gallons Remaining:		
Above or Below Ground Tank:	below	
Assessment Date:		
Assessment Leak Check:		
Tank Contents are Hazardous:	No	
Tank Count:		
Unit ID:		
Construction Type:		
Construction Material:	Composite (steel w/external FRP cladding)	
Other Construction Material Description:		
Construction Material Repair Date:		

Continued from Previous Page

Piping Material:	FRP (fiberglass-reinforced plastic)
Other Piping Material Description:	
Piping Release Detection:	Annual Piping Tightness Test (@0.1 gph), Auto. Line Leak Detector (3.0gph for pressure piping)
Tank Contents:	Gasoline
Other Tank Contents Description:	
Tank Contents Mixture Information:	
Tank Release Detection:	Automatic Tank Gauge Test & Inventory Cntrl, Weekly Manual Tank Gauging(tanks <=1000 gal)
Automatic Tank Gauge:	
Inventory Control:	
Pressure Testing:	
Tank #1	
Status:	Removed from Ground
Status Date:	8/31/2000
Capacity:	8000
Comments:	
Install Date:	1/1/1971
Last Used Date:	
Closure Certification Date:	
Removed:	
Gallons Remaining:	
Above or Below Ground Tank:	below
Assessment Date:	
Assessment Leak Check:	
Tank Contents are Hazardous:	No
Tank Count:	
Unit ID:	
Construction Type:	
Construction Material:	Steel
Other Construction Material Description:	
Construction Material Repair Date:	
Piping Material:	FRP (fiberglass-reinforced plastic)
Other Piping Material Description:	
Piping Release Detection:	Annual Piping Tightness Test (@0.1 gph), Auto. Line Leak Detector (3.0gph for pressure piping)
Tank Contents:	Gasoline
Other Tank Contents Description:	
Tank Contents Mixture Information:	
Tank Release Detection:	Automatic Tank Gauge Test & Inventory Cntrl, Weekly Manual Tank Gauging(tanks <=1000 gal)
Automatic Tank Gauge:	
Inventory Control:	
Pressure Testing:	
Tank #2	
Status:	Removed from Ground
Status Date:	8/31/2000
Capacity:	8000
Comments:	
Install Date:	1/1/1971

Continued from Previous Page

Last Used Date:	
Closure Certification Date:	
Removed:	
Gallons Remaining:	
Above or Below Ground Tank:	below
Assessment Date:	
Assessment Leak Check:	
Tank Contents are Hazardous:	No
Tank Count:	
Unit ID:	
Construction Type:	
Construction Material:	Steel
Other Construction Material Description:	
Construction Material Repair Date:	
Piping Material:	FRP (fiberglass-reinforced plastic)
Other Piping Material Description:	
Piping Release Detection:	SIR (Stat. Inventory Reconciliation) & Inventory Cntrl, Auto. Line Leak Detector (3.0gph for pressure piping)
Tank Contents:	Gasoline
Other Tank Contents Description:	
Tank Contents Mixture Information:	
Tank Release Detection:	SIR (Stat. Inventory Reconciliation) & Inventory Cntrl, Weekly Manual Tank Gauging(tanks <=1000 gal)
Automatic Tank Gauge:	
Inventory Control:	
Pressure Testing:	
Tank #3	
Status:	Removed from Ground
Status Date:	8/31/2000
Capacity:	8000
Comments:	
Install Date:	1/1/1971
Last Used Date:	
Closure Certification Date:	
Removed:	
Gallons Remaining:	
Above or Below Ground Tank:	below
Assessment Date:	
Assessment Leak Check:	
Tank Contents are Hazardous:	No
Tank Count:	
Unit ID:	
Construction Type:	
Construction Material:	Steel
Other Construction Material Description:	
Construction Material Repair Date:	
Piping Material:	FRP (fiberglass-reinforced plastic)
Other Piping Material Description:	

Continued from Previous Page

Piping Release Detection:	SIR (Stat. Inventory Reconciliation) & Inventory Cntrl, Auto. Line Leak Detector (3.0gph for pressure piping)
Tank Contents:	Gasoline
Other Tank Contents Description:	
Tank Contents Mixture Information:	
Tank Release Detection:	SIR (Stat. Inventory Reconciliation) & Inventory Cntrl, Weekly Manual Tank Gauging(tanks <=1000 gal)
Automatic Tank Gauge:	
Inventory Control:	
Pressure Testing:	

Map ID #57		Source: TCEQ
LPST ID: 115095	Facility ID: 0006964	Banks ID: 115095
BELLAIRE CAR WASH 5803 BELLAIRE BLVD, HOUSTON, TX 77081 Contact: KEVIN JENKINS		Rel. Loc.: 0.35 miles SE Elevation: 61 feet (+61)
Status:	Final concurrence issued, case close	
Leak Discovery Date:		
Leak Discovery Method:		
Leak Cause:		
Damage Description:	gw impacted, no apparent threats or impacts to receptors	
Leak Closure Date:		
Priority Score:		
Owner Name:	ARAR FOUZAN	
Owner Phone:		
Contact Name:	ARFAN CHABAN	
Contact Phone:	7136661200	
Comments:		
Leak Substance		
Diesel:		
Gasoline:		
Jet Fuel:		
Kerosene:		
New Oil:		
Used Oil:		
Unknown:		
CERCLA Substance:		
Tank #1		
Status:	Removed from Ground	
Status Date:	6/17/1997	
Capacity:	10000	
Comments:		
Install Date:	1/1/1984	
Last Used Date:		
Closure Certification Date:		
Removed:		
Gallons Remaining:		
Above or Below Ground Tank:	below	
Assessment Date:		
Assessment Leak Check:		
Tank Contents are Hazardous:	No	
Tank Count:		
Unit ID:		
Construction Type:		
Construction Material:	Steel	
Other Construction Material Description:		
Construction Material Repair Date:		

Continued from Previous Page

Piping Material:	FRP (fiberglass-reinforced plastic)
Other Piping Material Description:	
Piping Release Detection:	Auto. Line Leak Detector (3.0gph for pressure piping)
Tank Contents:	Gasoline
Other Tank Contents Description:	
Tank Contents Mixture Information:	
Tank Release Detection:	
Automatic Tank Gauge:	
Inventory Control:	
Pressure Testing:	
Tank #2	
Status:	Removed from Ground
Status Date:	6/17/1997
Capacity:	10000
Comments:	
Install Date:	1/1/1984
Last Used Date:	
Closure Certification Date:	
Removed:	
Gallons Remaining:	
Above or Below Ground Tank:	below
Assessment Date:	
Assessment Leak Check:	
Tank Contents are Hazardous:	No
Tank Count:	
Unit ID:	
Construction Type:	
Construction Material:	Steel
Other Construction Material Description:	
Construction Material Repair Date:	
Piping Material:	FRP (fiberglass-reinforced plastic)
Other Piping Material Description:	
Piping Release Detection:	Auto. Line Leak Detector (3.0gph for pressure piping)
Tank Contents:	Gasoline
Other Tank Contents Description:	
Tank Contents Mixture Information:	
Tank Release Detection:	
Automatic Tank Gauge:	
Inventory Control:	
Pressure Testing:	
Tank #3	
Status:	Removed from Ground
Status Date:	6/17/1997
Capacity:	10000
Comments:	
Install Date:	1/1/1984

Continued from Previous Page

Last Used Date:	
Closure Certification Date:	
Removed:	
Gallons Remaining:	
Above or Below Ground Tank:	below
Assessment Date:	
Assessment Leak Check:	
Tank Contents are Hazardous:	No
Tank Count:	
Unit ID:	
Construction Type:	
Construction Material:	Steel
Other Construction Material Description:	
Construction Material Repair Date:	
Piping Material:	FRP (fiberglass-reinforced plastic)
Other Piping Material Description:	
Piping Release Detection:	Auto. Line Leak Detector (3.0gph for pressure piping)
Tank Contents:	Diesel
Other Tank Contents Description:	
Tank Contents Mixture Information:	
Tank Release Detection:	
Automatic Tank Gauge:	
Inventory Control:	
Pressure Testing:	

Map ID #58	Source: TCEQ
LPST ID: 115225	Facility ID: 0040193
Banks ID: 115225	
HOUSTON CONVENIENCE 713	Rel. Loc.: 0.35 miles SE
5720 BELLAIRE BLVD, HOUSTON, TX 77081	Elevation: 60 feet (+60)
Contact: PETER OTTO	
Status:	Final concurrence issued, case close
Leak Discovery Date:	5/29/2001
Leak Discovery Method:	
Leak Cause:	
Damage Description:	gw impacted, no apparent threats or impacts to receptors
Leak Closure Date:	
Priority Score:	
Owner Name:	JOANA TAGARPULOS
Owner Phone:	
Contact Name:	
Contact Phone:	
Comments:	
Leak Substance	
Diesel:	
Gasoline:	
Jet Fuel:	
Kerosene:	
New Oil:	
Used Oil:	
Unknown:	
CERCLA Substance:	
Tank #1	
Status:	Removed from Ground
Status Date:	9/30/1987
Capacity:	10000
Comments:	
Install Date:	
Last Used Date:	
Closure Certification Date:	
Removed:	
Gallons Remaining:	
Above or Below Ground Tank:	below
Assessment Date:	
Assessment Leak Check:	
Tank Contents are Hazardous:	No
Tank Count:	
Unit ID:	
Construction Type:	
Construction Material:	Steel
Other Construction Material Description:	
Construction Material Repair Date:	

Continued from Previous Page

Piping Material:	FRP (fiberglass-reinforced plastic)
Other Piping Material Description:	
Piping Release Detection:	SIR (Stat. Inventory Reconciliation) & Inventory Cntrl
Tank Contents:	Gasoline
Other Tank Contents Description:	
Tank Contents Mixture Information:	
Tank Release Detection:	SIR (Stat. Inventory Reconciliation) & Inventory Cntrl
Automatic Tank Gauge:	
Inventory Control:	
Pressure Testing:	
Tank #1	
Status:	Removed from Ground
Status Date:	11/4/2003
Capacity:	12000
Comments:	
Install Date:	9/1/1987
Last Used Date:	
Closure Certification Date:	
Removed:	
Gallons Remaining:	
Above or Below Ground Tank:	below
Assessment Date:	
Assessment Leak Check:	
Tank Contents are Hazardous:	No
Tank Count:	
Unit ID:	
Construction Type:	
Construction Material:	Steel
Other Construction Material Description:	
Construction Material Repair Date:	
Piping Material:	FRP (fiberglass-reinforced plastic)
Other Piping Material Description:	
Piping Release Detection:	SIR (Stat. Inventory Reconciliation) & Inventory Cntrl
Tank Contents:	Gasoline
Other Tank Contents Description:	
Tank Contents Mixture Information:	
Tank Release Detection:	SIR (Stat. Inventory Reconciliation) & Inventory Cntrl
Automatic Tank Gauge:	
Inventory Control:	
Pressure Testing:	
Tank #2	
Status:	Removed from Ground
Status Date:	9/30/1987
Capacity:	10000
Comments:	
Install Date:	

Continued from Previous Page

Last Used Date:	
Closure Certification Date:	
Removed:	
Gallons Remaining:	
Above or Below Ground Tank:	below
Assessment Date:	
Assessment Leak Check:	
Tank Contents are Hazardous:	No
Tank Count:	
Unit ID:	
Construction Type:	
Construction Material:	Steel
Other Construction Material Description:	
Construction Material Repair Date:	
Piping Material:	FRP (fiberglass-reinforced plastic)
Other Piping Material Description:	
Piping Release Detection:	SIR (Stat. Inventory Reconciliation) & Inventory Cntrl
Tank Contents:	Gasoline
Other Tank Contents Description:	
Tank Contents Mixture Information:	
Tank Release Detection:	SIR (Stat. Inventory Reconciliation) & Inventory Cntrl
Automatic Tank Gauge:	
Inventory Control:	
Pressure Testing:	
Tank #2	
Status:	Removed from Ground
Status Date:	11/4/2003
Capacity:	12000
Comments:	
Install Date:	9/1/1987
Last Used Date:	
Closure Certification Date:	
Removed:	
Gallons Remaining:	
Above or Below Ground Tank:	below
Assessment Date:	
Assessment Leak Check:	
Tank Contents are Hazardous:	No
Tank Count:	
Unit ID:	
Construction Type:	
Construction Material:	Steel
Other Construction Material Description:	
Construction Material Repair Date:	
Piping Material:	FRP (fiberglass-reinforced plastic)
Other Piping Material Description:	

Continued from Previous Page

Piping Release Detection:	SIR (Stat. Inventory Reconciliation) & Inventory Cntrl
Tank Contents:	Gasoline
Other Tank Contents Description:	
Tank Contents Mixture Information:	
Tank Release Detection:	SIR (Stat. Inventory Reconciliation) & Inventory Cntrl
Automatic Tank Gauge:	
Inventory Control:	
Pressure Testing:	
Tank #3	
Status:	Removed from Ground
Status Date:	9/30/1987
Capacity:	10000
Comments:	
Install Date:	
Last Used Date:	
Closure Certification Date:	
Removed:	
Gallons Remaining:	
Above or Below Ground Tank:	below
Assessment Date:	
Assessment Leak Check:	
Tank Contents are Hazardous:	No
Tank Count:	
Unit ID:	
Construction Type:	
Construction Material:	Steel
Other Construction Material Description:	
Construction Material Repair Date:	
Piping Material:	FRP (fiberglass-reinforced plastic)
Other Piping Material Description:	
Piping Release Detection:	SIR (Stat. Inventory Reconciliation) & Inventory Cntrl
Tank Contents:	Gasoline
Other Tank Contents Description:	
Tank Contents Mixture Information:	
Tank Release Detection:	SIR (Stat. Inventory Reconciliation) & Inventory Cntrl
Automatic Tank Gauge:	
Inventory Control:	
Pressure Testing:	
Tank #3	
Status:	Removed from Ground
Status Date:	11/4/2003
Capacity:	12000
Comments:	
Install Date:	9/1/1987
Last Used Date:	
Closure Certification Date:	

Continued from Previous Page

Removed:	
Gallons Remaining:	
Above or Below Ground Tank:	below
Assessment Date:	
Assessment Leak Check:	
Tank Contents are Hazardous:	No
Tank Count:	
Unit ID:	
Construction Type:	
Construction Material:	Steel
Other Construction Material Description:	
Construction Material Repair Date:	
Piping Material:	FRP (fiberglass-reinforced plastic)
Other Piping Material Description:	
Piping Release Detection:	SIR (Stat. Inventory Reconciliation) & Inventory Cntrl
Tank Contents:	Gasoline
Other Tank Contents Description:	
Tank Contents Mixture Information:	
Tank Release Detection:	SIR (Stat. Inventory Reconciliation) & Inventory Cntrl
Automatic Tank Gauge:	
Inventory Control:	
Pressure Testing:	

Map ID #58		Source: TCEQ
LPST ID: 091330	Facility ID: 0040193	Banks ID: 091330
DIAMOND SHAMROCK 907		Rel. Loc.: 0.35 miles SE
5720 BELLAIRE BLVD, HOUSTON, TX 77081		Elevation: 60 feet (+60)
Contact: GERALD A STAUFFER		
Status:	Final concurrence issued, case close	
Leak Discovery Date:	4/16/1987	
Leak Discovery Method:		
Leak Cause:		
Damage Description:	gw impacted, no apparent threats or impacts to receptors	
Leak Closure Date:		
Priority Score:		
Owner Name:	JOANA TAGARPULOS	
Owner Phone:		
Contact Name:		
Contact Phone:		
Comments:		
Leak Substance		
Diesel:		
Gasoline:		
Jet Fuel:		
Kerosene:		
New Oil:		
Used Oil:		
Unknown:		
CERCLA Substance:		
Tank #1		
Status:	Removed from Ground	
Status Date:	9/30/1987	
Capacity:	10000	
Comments:		
Install Date:		
Last Used Date:		
Closure Certification Date:		
Removed:		
Gallons Remaining:		
Above or Below Ground Tank:	below	
Assessment Date:		
Assessment Leak Check:		
Tank Contents are Hazardous:	No	
Tank Count:		
Unit ID:		
Construction Type:		
Construction Material:	Steel	
Other Construction Material Description:		
Construction Material Repair Date:		

Continued from Previous Page

Piping Material:	FRP (fiberglass-reinforced plastic)
Other Piping Material Description:	
Piping Release Detection:	SIR (Stat. Inventory Reconciliation) & Inventory Cntrl
Tank Contents:	Gasoline
Other Tank Contents Description:	
Tank Contents Mixture Information:	
Tank Release Detection:	SIR (Stat. Inventory Reconciliation) & Inventory Cntrl
Automatic Tank Gauge:	
Inventory Control:	
Pressure Testing:	
Tank #1	
Status:	Removed from Ground
Status Date:	11/4/2003
Capacity:	12000
Comments:	
Install Date:	9/1/1987
Last Used Date:	
Closure Certification Date:	
Removed:	
Gallons Remaining:	
Above or Below Ground Tank:	below
Assessment Date:	
Assessment Leak Check:	
Tank Contents are Hazardous:	No
Tank Count:	
Unit ID:	
Construction Type:	
Construction Material:	Steel
Other Construction Material Description:	
Construction Material Repair Date:	
Piping Material:	FRP (fiberglass-reinforced plastic)
Other Piping Material Description:	
Piping Release Detection:	SIR (Stat. Inventory Reconciliation) & Inventory Cntrl
Tank Contents:	Gasoline
Other Tank Contents Description:	
Tank Contents Mixture Information:	
Tank Release Detection:	SIR (Stat. Inventory Reconciliation) & Inventory Cntrl
Automatic Tank Gauge:	
Inventory Control:	
Pressure Testing:	
Tank #2	
Status:	Removed from Ground
Status Date:	9/30/1987
Capacity:	10000
Comments:	
Install Date:	

Continued from Previous Page

Last Used Date:	
Closure Certification Date:	
Removed:	
Gallons Remaining:	
Above or Below Ground Tank:	below
Assessment Date:	
Assessment Leak Check:	
Tank Contents are Hazardous:	No
Tank Count:	
Unit ID:	
Construction Type:	
Construction Material:	Steel
Other Construction Material Description:	
Construction Material Repair Date:	
Piping Material:	FRP (fiberglass-reinforced plastic)
Other Piping Material Description:	
Piping Release Detection:	SIR (Stat. Inventory Reconciliation) & Inventory Cntrl
Tank Contents:	Gasoline
Other Tank Contents Description:	
Tank Contents Mixture Information:	
Tank Release Detection:	SIR (Stat. Inventory Reconciliation) & Inventory Cntrl
Automatic Tank Gauge:	
Inventory Control:	
Pressure Testing:	
Tank #2	
Status:	Removed from Ground
Status Date:	11/4/2003
Capacity:	12000
Comments:	
Install Date:	9/1/1987
Last Used Date:	
Closure Certification Date:	
Removed:	
Gallons Remaining:	
Above or Below Ground Tank:	below
Assessment Date:	
Assessment Leak Check:	
Tank Contents are Hazardous:	No
Tank Count:	
Unit ID:	
Construction Type:	
Construction Material:	Steel
Other Construction Material Description:	
Construction Material Repair Date:	
Piping Material:	FRP (fiberglass-reinforced plastic)
Other Piping Material Description:	

Continued from Previous Page

Piping Release Detection:	SIR (Stat. Inventory Reconciliation) & Inventory Cntrl
Tank Contents:	Gasoline
Other Tank Contents Description:	
Tank Contents Mixture Information:	
Tank Release Detection:	SIR (Stat. Inventory Reconciliation) & Inventory Cntrl
Automatic Tank Gauge:	
Inventory Control:	
Pressure Testing:	
Tank #3	
Status:	Removed from Ground
Status Date:	9/30/1987
Capacity:	10000
Comments:	
Install Date:	
Last Used Date:	
Closure Certification Date:	
Removed:	
Gallons Remaining:	
Above or Below Ground Tank:	below
Assessment Date:	
Assessment Leak Check:	
Tank Contents are Hazardous:	No
Tank Count:	
Unit ID:	
Construction Type:	
Construction Material:	Steel
Other Construction Material Description:	
Construction Material Repair Date:	
Piping Material:	FRP (fiberglass-reinforced plastic)
Other Piping Material Description:	
Piping Release Detection:	SIR (Stat. Inventory Reconciliation) & Inventory Cntrl
Tank Contents:	Gasoline
Other Tank Contents Description:	
Tank Contents Mixture Information:	
Tank Release Detection:	SIR (Stat. Inventory Reconciliation) & Inventory Cntrl
Automatic Tank Gauge:	
Inventory Control:	
Pressure Testing:	
Tank #3	
Status:	Removed from Ground
Status Date:	11/4/2003
Capacity:	12000
Comments:	
Install Date:	9/1/1987
Last Used Date:	
Closure Certification Date:	

Continued from Previous Page

Removed:	
Gallons Remaining:	
Above or Below Ground Tank:	below
Assessment Date:	
Assessment Leak Check:	
Tank Contents are Hazardous:	No
Tank Count:	
Unit ID:	
Construction Type:	
Construction Material:	Steel
Other Construction Material Description:	
Construction Material Repair Date:	
Piping Material:	FRP (fiberglass-reinforced plastic)
Other Piping Material Description:	
Piping Release Detection:	SIR (Stat. Inventory Reconciliation) & Inventory Cntrl
Tank Contents:	Gasoline
Other Tank Contents Description:	
Tank Contents Mixture Information:	
Tank Release Detection:	SIR (Stat. Inventory Reconciliation) & Inventory Cntrl
Automatic Tank Gauge:	
Inventory Control:	
Pressure Testing:	

Map ID #60		Source: TCEQ
LPST ID: 091798	Facility ID: 0035350	Banks ID: 091798
STOP N GO FORMER 7 11 24740		Rel. Loc.: 0.36 miles NW
6116 GULFTON AND RAMPART, HOUSTON, TX 77081		Elevation: 73 feet (+73)
Contact: PATRICIA LAMBERT		
Status:	Final concurrence issued, case close	
Leak Discovery Date:	11/13/1987	
Leak Discovery Method:		
Leak Cause:		
Damage Description:	gw impacted, no apparent threats or impacts to receptors	
Leak Closure Date:		
Priority Score:		
Owner Name:	D & D INTERNATIONAL INC	
Owner Phone:		
Contact Name:	DANNY DHANANI	
Contact Phone:	713-776-1515	
Comments:		
Leak Substance		
Diesel:		
Gasoline:		
Jet Fuel:		
Kerosene:		
New Oil:		
Used Oil:		
Unknown:		
CERCLA Substance:		
Tank #1		
Status:	In Use	
Status Date:		
Capacity:	10000	
Comments:		
Install Date:	6/1/1980	
Last Used Date:		
Closure Certification Date:		
Removed:		
Gallons Remaining:		
Above or Below Ground Tank:	below	
Assessment Date:		
Assessment Leak Check:		
Tank Contents are Hazardous:	No	
Tank Count:		
Unit ID:		
Construction Type:		
Construction Material:	Composite (steel w/external FRP cladding)	
Other Construction Material Description:		
Construction Material Repair Date:		

Continued from Previous Page

Piping Material:	FRP (fiberglass-reinforced plastic)
Other Piping Material Description:	
Piping Release Detection:	SIR (Stat. Inventory Reconciliation) & Inventory Cntrl, Auto. Line Leak Detector (3.0gph for pressure piping), Annual Piping Tightness Test (@0.1 gph)
Tank Contents:	Gasoline
Other Tank Contents Description:	
Tank Contents Mixture Information:	
Tank Release Detection:	SIR (Stat. Inventory Reconciliation) & Inventory Cntrl
Automatic Tank Gauge:	
Inventory Control:	
Pressure Testing:	
Tank #2	
Status:	In Use
Status Date:	
Capacity:	10000
Comments:	
Install Date:	6/1/1980
Last Used Date:	
Closure Certification Date:	
Removed:	
Gallons Remaining:	
Above or Below Ground Tank:	below
Assessment Date:	
Assessment Leak Check:	
Tank Contents are Hazardous:	No
Tank Count:	
Unit ID:	
Construction Type:	
Construction Material:	Composite (steel w/external FRP cladding)
Other Construction Material Description:	
Construction Material Repair Date:	
Piping Material:	FRP (fiberglass-reinforced plastic)
Other Piping Material Description:	
Piping Release Detection:	SIR (Stat. Inventory Reconciliation) & Inventory Cntrl, Auto. Line Leak Detector (3.0gph for pressure piping), Annual Piping Tightness Test (@0.1 gph)
Tank Contents:	Gasoline
Other Tank Contents Description:	
Tank Contents Mixture Information:	
Tank Release Detection:	SIR (Stat. Inventory Reconciliation) & Inventory Cntrl
Automatic Tank Gauge:	
Inventory Control:	
Pressure Testing:	
Tank #3	
Status:	In Use
Status Date:	
Capacity:	10000
Comments:	
Install Date:	6/1/1980

Continued from Previous Page

Last Used Date:	
Closure Certification Date:	
Removed:	
Gallons Remaining:	
Above or Below Ground Tank:	below
Assessment Date:	
Assessment Leak Check:	
Tank Contents are Hazardous:	No
Tank Count:	
Unit ID:	
Construction Type:	
Construction Material:	Composite (steel w/external FRP cladding)
Other Construction Material Description:	
Construction Material Repair Date:	
Piping Material:	FRP (fiberglass-reinforced plastic)
Other Piping Material Description:	
Piping Release Detection:	SIR (Stat. Inventory Reconciliation) & Inventory Cntrl, Auto. Line Leak Detector (3.0gph for pressure piping), Annual Piping Tightness Test (@0.1 gph)
Tank Contents:	Gasoline
Other Tank Contents Description:	
Tank Contents Mixture Information:	
Tank Release Detection:	SIR (Stat. Inventory Reconciliation) & Inventory Cntrl
Automatic Tank Gauge:	
Inventory Control:	
Pressure Testing:	

Map ID #61		Source: TCEQ
LPST ID: 092266	Facility ID: NA	Banks ID: 092266
FORMER EXXON SERVICE STATION		Rel. Loc.: 0.39 miles S
8510 HILLCROFT, HOUSTON, TX 77096		Elevation: 72 feet (+72)
Contact: ROBERT BRIGGS		
Status:	Final concurrence issued, case close	
Leak Discovery Date:	8/26/1988	
Leak Discovery Method:		
Leak Cause:		
Damage Description:	groundwater other than 1b (drinking water aquifer or water well impacted/threatened), site characterization incomplete	
Leak Closure Date:		
Priority Score:		
Comments:		
Leak Substance		
Diesel:		
Gasoline:		
Jet Fuel:		
Kerosene:		
New Oil:		
Used Oil:		
Unknown:		
CERCLA Substance:		

Map ID #62		Source: TCEQ
LPST ID: 099314	Facility ID: 0055189	Banks ID: 099314
WESTERN AUTO 11698 BELLAIRE BLVD, HOUSTON, TX 77072 Contact: DALE BINKLEY		Rel. Loc.: 0.48 miles SE Elevation: 60 feet (+60)
Status:	Final concurrence issued, case close	
Leak Discovery Date:	9/25/1990	
Leak Discovery Method:		
Leak Cause:		
Damage Description:	soil contamination only, requires full site assessment & rap	
Leak Closure Date:		
Priority Score:		
Owner Name:	WEINGARTEN REALTY INC	
Owner Phone:		
Contact Name:		
Contact Phone:	713-430-6731	
Comments:		
Leak Substance		
Diesel:		
Gasoline:		
Jet Fuel:		
Kerosene:		
New Oil:		
Used Oil:		
Unknown:		
CERCLA Substance:		
Tank #1		
Status:	Removed from Ground	
Status Date:	4/17/1990	
Capacity:	750	
Comments:		
Install Date:	1/1/1963	
Last Used Date:		
Closure Certification Date:		
Removed:		
Gallons Remaining:		
Above or Below Ground Tank:	below	
Assessment Date:		
Assessment Leak Check:		
Tank Contents are Hazardous:	No	
Tank Count:		
Unit ID:		
Construction Type:		
Construction Material:	Steel	
Other Construction Material Description:		
Construction Material Repair Date:		

Continued from Previous Page

Piping Material:
Other Piping Material Description:
Piping Release Detection:
Tank Contents:
Other Tank Contents Description: Empty
Tank Contents Mixture Information:
Tank Release Detection:
Automatic Tank Gauge:
Inventory Control:
Pressure Testing:

Map ID #63	Source: TCEQ
LPST ID: 113682	Facility ID: 0035336
Banks ID: 113682	
STOP N GO 2485 6436 BELLAIRE, HOUSTON, TX 77081 Contact: C SHAY WIDEMAN	Rel. Loc.: 0.5 miles W Elevation: 65 feet (+65)
Status:	Final concurrence issued, case close
Leak Discovery Date:	11/17/1998
Leak Discovery Method:	
Leak Cause:	
Damage Description:	gw impacted, no apparent threats or impacts to receptors
Leak Closure Date:	
Priority Score:	
Owner Name:	DIAMOND SHAMROCK REFINING AND MARKETING COMPANY
Owner Phone:	
Contact Name:	KENT HAMEL
Contact Phone:	210-345-4670
Comments:	
Leak Substance	
Diesel:	
Gasoline:	
Jet Fuel:	
Kerosene:	
New Oil:	
Used Oil:	
Unknown:	
CERCLA Substance:	
Tank #1	
Status:	Removed from Ground
Status Date:	10/14/1999
Capacity:	12000
Comments:	
Install Date:	1/1/1982
Last Used Date:	
Closure Certification Date:	
Removed:	
Gallons Remaining:	
Above or Below Ground Tank:	below
Assessment Date:	
Assessment Leak Check:	
Tank Contents are Hazardous:	No
Tank Count:	
Unit ID:	
Construction Type:	
Construction Material:	FRP (fiberglass-reinforced plastic)
Other Construction Material Description:	
Construction Material Repair Date:	

Continued from Previous Page

Piping Material:	FRP (fiberglass-reinforced plastic)
Other Piping Material Description:	
Piping Release Detection:	Auto. Line Leak Detector (3.0gph for pressure piping)
Tank Contents:	Gasoline
Other Tank Contents Description:	
Tank Contents Mixture Information:	
Tank Release Detection:	SIR (Stat. Inventory Reconciliation) & Inventory Cntrl, Weekly Manual Tank Gauging(tanks <=1000 gal)
Automatic Tank Gauge:	
Inventory Control:	
Pressure Testing:	
Tank #2	
Status:	Removed from Ground
Status Date:	10/14/1999
Capacity:	12000
Comments:	
Install Date:	1/1/1982
Last Used Date:	
Closure Certification Date:	
Removed:	
Gallons Remaining:	
Above or Below Ground Tank:	below
Assessment Date:	
Assessment Leak Check:	
Tank Contents are Hazardous:	No
Tank Count:	
Unit ID:	
Construction Type:	
Construction Material:	FRP (fiberglass-reinforced plastic)
Other Construction Material Description:	
Construction Material Repair Date:	
Piping Material:	FRP (fiberglass-reinforced plastic)
Other Piping Material Description:	
Piping Release Detection:	Auto. Line Leak Detector (3.0gph for pressure piping)
Tank Contents:	Gasoline
Other Tank Contents Description:	
Tank Contents Mixture Information:	
Tank Release Detection:	SIR (Stat. Inventory Reconciliation) & Inventory Cntrl, Weekly Manual Tank Gauging(tanks <=1000 gal)
Automatic Tank Gauge:	
Inventory Control:	
Pressure Testing:	
Tank #3	
Status:	Removed from Ground
Status Date:	10/14/1999
Capacity:	12000
Comments:	
Install Date:	1/1/1982

Continued from Previous Page

Last Used Date:	
Closure Certification Date:	
Removed:	
Gallons Remaining:	
Above or Below Ground Tank:	below
Assessment Date:	
Assessment Leak Check:	
Tank Contents are Hazardous:	No
Tank Count:	
Unit ID:	
Construction Type:	
Construction Material:	FRP (fiberglass-reinforced plastic)
Other Construction Material Description:	
Construction Material Repair Date:	
Piping Material:	FRP (fiberglass-reinforced plastic)
Other Piping Material Description:	
Piping Release Detection:	Auto. Line Leak Detector (3.0gph for pressure piping)
Tank Contents:	Gasoline
Other Tank Contents Description:	
Tank Contents Mixture Information:	
Tank Release Detection:	SIR (Stat. Inventory Reconciliation) & Inventory Cntrl, Weekly Manual Tank Gauging(tanks <=1000 gal)
Automatic Tank Gauge:	
Inventory Control:	
Pressure Testing:	

End of LPST Sites Section

PST - State/Tribal Storage Tank

Map ID #1	Source: TCEQ
Facility #: 0035335	TCEQ Customer ID: 060831
Banks ID: 0035335	
STOP N GO MARKETS 6030 DASHWOOD 6030 DASHWOOD, HOUSTON, TX 77081 Contact: RJ AMASS	Rel. Loc.: 0.01 miles E Elevation: 65 feet (+65)
Owner Name:	DIAMOND SHAMROCK REFINING AND MARKETING COMPANY
Owner Phone:	
Contact Name:	KENT HAMEL
Contact Phone:	210-345-4670
Number of ASTs:	0000
Number of USTs:	0003
Total Number of Tanks:	
Tank #1	
Status:	Removed from Ground
Status Date:	5/30/1991
Capacity:	10000
Comments:	
Install Date:	1/1/1976
Last Used Date:	
Closure Certification Date:	
Removed:	
Gallons Remaining:	
Above or Below Ground Tank:	below
Assessment Date:	
Assessment Leak Check:	
Tank Contents are Hazardous:	No
Tank Count:	
Unit ID:	
Construction Type:	
Construction Material:	Steel
Other Construction Material Description:	
Construction Material Repair Date:	
Piping Material:	Steel
Other Piping Material Description:	
Piping Release Detection:	
Tank Contents:	Gasoline
Other Tank Contents Description:	
Tank Contents Mixture Information:	
Tank Release Detection:	
Automatic Tank Gauge:	
Inventory Control:	
Pressure Testing:	
Tank #2	
Status:	Removed from Ground

Continued from Previous Page

Status Date:	5/30/1991
Capacity:	10000
Comments:	
Install Date:	1/1/1976
Last Used Date:	
Closure Certification Date:	
Removed:	
Gallons Remaining:	
Above or Below Ground Tank:	below
Assessment Date:	
Assessment Leak Check:	
Tank Contents are Hazardous:	No
Tank Count:	
Unit ID:	
Construction Type:	
Construction Material:	Steel
Other Construction Material Description:	
Construction Material Repair Date:	
Piping Material:	Steel
Other Piping Material Description:	
Piping Release Detection:	
Tank Contents:	Gasoline
Other Tank Contents Description:	
Tank Contents Mixture Information:	
Tank Release Detection:	
Automatic Tank Gauge:	
Inventory Control:	
Pressure Testing:	
Tank #3	
Status:	Removed from Ground
Status Date:	5/30/1991
Capacity:	10000
Comments:	
Install Date:	1/1/1976
Last Used Date:	
Closure Certification Date:	
Removed:	
Gallons Remaining:	
Above or Below Ground Tank:	below
Assessment Date:	
Assessment Leak Check:	
Tank Contents are Hazardous:	No
Tank Count:	
Unit ID:	
Construction Type:	
Construction Material:	Steel

Continued from Previous Page

Other Construction Material Description:	
Construction Material Repair Date:	
Piping Material:	Steel
Other Piping Material Description:	
Piping Release Detection:	
Tank Contents:	Gasoline
Other Tank Contents Description:	
Tank Contents Mixture Information:	
Tank Release Detection:	
Automatic Tank Gauge:	
Inventory Control:	
Pressure Testing:	

Map ID #3	Source: TCEQ	
Facility #: 0019186	TCEQ Customer ID: 076324	Banks ID: 0019186
JESSAMINE SOC		Rel. Loc.: 0.01 miles E
6050 JESSAMINE, HOUSTON, TX 77081		Elevation: 65 feet (+65)
Contact: AREA MGR FLEET OPERATIONS		
Owner Name:	SOUTHWESTERN BELL TELEPHONE LP	
Owner Phone:		
Contact Name:	MARK DINUBILA	
Contact Phone:	214-464-7046	
Number of ASTs:	0000	
Number of USTs:	0001	
Total Number of Tanks:		
Tank #1		
Status:	Removed from Ground	
Status Date:	9/28/1994	
Capacity:	10000	
Comments:		
Install Date:	1/1/1956	
Last Used Date:		
Closure Certification Date:		
Removed:		
Gallons Remaining:		
Above or Below Ground Tank:	below	
Assessment Date:		
Assessment Leak Check:		
Tank Contents are Hazardous:	No	
Tank Count:		
Unit ID:		
Construction Type:		
Construction Material:	Steel	
Other Construction Material Description:		
Construction Material Repair Date:		
Piping Material:	Steel	
Other Piping Material Description:		
Piping Release Detection:	Auto. Line Leak Detector (3.0gph for pressure piping)	
Tank Contents:	Gasoline	
Other Tank Contents Description:		
Tank Contents Mixture Information:		
Tank Release Detection:		
Automatic Tank Gauge:		
Inventory Control:		
Pressure Testing:		

Map ID #9	Source: TCEQ
Facility #: 0065565	TCEQ Customer ID: 097546
	Banks ID: 0065565
GM SHELL 6100 BELLAIRE BLVD, HOUSTON, TX 77081 Contact: TANVEER MOOSA	Rel. Loc.: 0.02 miles W Elevation: 65 feet (+65)
Owner Name:	ROHIRAS INC
Owner Phone:	
Contact Name:	MATT ROHIRA
Contact Phone:	713-666-7227
Number of ASTs:	0000
Number of USTs:	0003
Total Number of Tanks:	
Tank #1	
Status:	In Use
Status Date:	
Capacity:	12000
Comments:	
Install Date:	8/1/1993
Last Used Date:	
Closure Certification Date:	
Removed:	
Gallons Remaining:	
Above or Below Ground Tank:	below
Assessment Date:	
Assessment Leak Check:	
Tank Contents are Hazardous:	No
Tank Count:	
Unit ID:	
Construction Type:	
Construction Material:	FRP (fiberglass-reinforced plastic)
Other Construction Material Description:	
Construction Material Repair Date:	
Piping Material:	FRP (fiberglass-reinforced plastic)
Other Piping Material Description:	
Piping Release Detection:	Auto. Line Leak Detector (3.0gph for pressure piping), Annual Piping Tightness Test (@0.1 gph)
Tank Contents:	Gasoline
Other Tank Contents Description:	
Tank Contents Mixture Information:	
Tank Release Detection:	Automatic Tank Gauge Test & Inventory Cntrl
Automatic Tank Gauge:	
Inventory Control:	
Pressure Testing:	
Tank #2	
Status:	In Use
Status Date:	
Capacity:	12000

Continued from Previous Page

Comments:	
Install Date:	8/1/1993
Last Used Date:	
Closure Certification Date:	
Removed:	
Gallons Remaining:	
Above or Below Ground Tank:	below
Assessment Date:	
Assessment Leak Check:	
Tank Contents are Hazardous:	No
Tank Count:	
Unit ID:	
Construction Type:	
Construction Material:	FRP (fiberglass-reinforced plastic)
Other Construction Material Description:	
Construction Material Repair Date:	
Piping Material:	FRP (fiberglass-reinforced plastic)
Other Piping Material Description:	
Piping Release Detection:	Auto. Line Leak Detector (3.0gph for pressure piping), Annual Piping Tightness Test (@0.1 gph), Monthly Piping Tightness Test(@ 0.2 gph)
Tank Contents:	Gasoline
Other Tank Contents Description:	
Tank Contents Mixture Information:	
Tank Release Detection:	Automatic Tank Gauge Test & Inventory Cntrl
Automatic Tank Gauge:	
Inventory Control:	
Pressure Testing:	
Tank #3	
Status:	In Use
Status Date:	
Capacity:	8000
Comments:	
Install Date:	8/1/1993
Last Used Date:	
Closure Certification Date:	
Removed:	
Gallons Remaining:	
Above or Below Ground Tank:	below
Assessment Date:	
Assessment Leak Check:	
Tank Contents are Hazardous:	No
Tank Count:	
Unit ID:	
Construction Type:	
Construction Material:	FRP (fiberglass-reinforced plastic)
Other Construction Material Description:	
Construction Material Repair Date:	

Continued from Previous Page

Piping Material:	FRP (fiberglass-reinforced plastic)
Other Piping Material Description:	
Piping Release Detection:	Auto. Line Leak Detector (3.0gph for pressure piping), Annual Piping Tightness Test (@0.1 gph)
Tank Contents:	Diesel
Other Tank Contents Description:	
Tank Contents Mixture Information:	
Tank Release Detection:	Automatic Tank Gauge Test & Inventory Cntrl
Automatic Tank Gauge:	
Inventory Control:	
Pressure Testing:	

Map ID #14		Source: TCEQ
Facility #: 0064937	TCEQ Customer ID: 096590	Banks ID: 0064937
9 STOP FOOD STORE 6102 BISSONNET ST, HOUSTON, TX 77081 Contact: CINDY DANG		Rel. Loc.: 0.04 miles W Elevation: 69 feet (+69)
Owner Name:	CINDY L DANG	
Owner Phone:		
Contact Name:	CINDY DANG	
Contact Phone:	713-271-5680	
Number of ASTs:	0000	
Number of USTs:	0002	
Total Number of Tanks:		
Tank #1		
Status:	Removed from Ground	
Status Date:	1/8/1996	
Capacity:	10000	
Comments:		
Install Date:	7/1/1991	
Last Used Date:		
Closure Certification Date:		
Removed:		
Gallons Remaining:		
Above or Below Ground Tank:	below	
Assessment Date:		
Assessment Leak Check:		
Tank Contents are Hazardous:	No	
Tank Count:		
Unit ID:		
Construction Type:		
Construction Material:	Steel	
Other Construction Material Description:		
Construction Material Repair Date:		
Piping Material:		
Other Piping Material Description:		
Piping Release Detection:		
Tank Contents:		
Other Tank Contents Description:	Empty	
Tank Contents Mixture Information:		
Tank Release Detection:		
Automatic Tank Gauge:		
Inventory Control:		
Pressure Testing:		
Tank #2		
Status:	Removed from Ground	
Status Date:	1/8/1996	
Capacity:	10000	

Continued from Previous Page

Comments:	
Install Date:	8/31/1987
Last Used Date:	
Closure Certification Date:	
Removed:	
Gallons Remaining:	
Above or Below Ground Tank:	below
Assessment Date:	
Assessment Leak Check:	
Tank Contents are Hazardous:	No
Tank Count:	
Unit ID:	
Construction Type:	
Construction Material:	
Other Construction Material Description:	
Construction Material Repair Date:	
Piping Material:	
Other Piping Material Description:	
Piping Release Detection:	
Tank Contents:	
Other Tank Contents Description:	Unknown
Tank Contents Mixture Information:	
Tank Release Detection:	
Automatic Tank Gauge:	
Inventory Control:	
Pressure Testing:	

Map ID #15	Source: TCEQ
Facility #: 0034583	TCEQ Customer ID: 067085
Banks ID: 0034583	
ENZO LUSSO AUTOMOTIVE 6105 CLAREWOOD, HOUSTON, TX 77081 Contact: E LUSSO	Rel. Loc.: 0.04 miles W Elevation: 65 feet (+65)
Owner Name:	ENZO LUSSO AUTOMOTIVE INC
Owner Phone:	
Contact Name:	E LUSSO
Contact Phone:	713-778-9445
Number of ASTs:	0000
Number of USTs:	0001
Total Number of Tanks:	
Tank #1	
Status:	Perm. Filled in Place
Status Date:	6/29/1995
Capacity:	500
Comments:	
Install Date:	1/1/1985
Last Used Date:	
Closure Certification Date:	
Removed:	
Gallons Remaining:	
Above or Below Ground Tank:	below
Assessment Date:	
Assessment Leak Check:	
Tank Contents are Hazardous:	No
Tank Count:	
Unit ID:	
Construction Type:	
Construction Material:	Steel
Other Construction Material Description:	
Construction Material Repair Date:	
Piping Material:	FRP (fiberglass-reinforced plastic)
Other Piping Material Description:	
Piping Release Detection:	
Tank Contents:	Used Oil
Other Tank Contents Description:	
Tank Contents Mixture Information:	
Tank Release Detection:	
Automatic Tank Gauge:	
Inventory Control:	
Pressure Testing:	

Map ID #18		Source: TCEQ
Facility #: 0010444	TCEQ Customer ID: 073083	Banks ID: 0010444
CAR CLINIC OF HOUSTON 7805 HILLCROFT ST, HOUSTON, TX 77081 Contact: NORMAN LEROY ROWLES		Rel. Loc.: 0.05 miles W Elevation: 77 feet (+77)
Owner Name:	MICHAEL T CARDENAS	
Owner Phone:		
Contact Name:		
Contact Phone:		
Number of ASTs:	0000	
Number of USTs:	0001	
Total Number of Tanks:		
Tank #1		
Status:	In Use	
Status Date:		
Capacity:	1000	
Comments:		
Install Date:	1/1/1985	
Last Used Date:		
Closure Certification Date:		
Removed:		
Gallons Remaining:		
Above or Below Ground Tank:	below	
Assessment Date:		
Assessment Leak Check:		
Tank Contents are Hazardous:	No	
Tank Count:		
Unit ID:		
Construction Type:		
Construction Material:	Steel	
Other Construction Material Description:		
Construction Material Repair Date:		
Piping Material:	FRP (fiberglass-reinforced plastic)	
Other Piping Material Description:		
Piping Release Detection:		
Tank Contents:	Used Oil	
Other Tank Contents Description:		
Tank Contents Mixture Information:		
Tank Release Detection:		
Automatic Tank Gauge:		
Inventory Control:		
Pressure Testing:		

Map ID #19		Source: TCEQ
Facility #: 0047938	TCEQ Customer ID: 079269	Banks ID: 0047938
MODERN PEST CONTROL 6121 JESSAMINE, HOUSTON, TX 77036 Contact: J W BRASHIER		Rel. Loc.: 0.06 miles W Elevation: 65 feet (+65)
Owner Name:	MODERN PEST CONTROL	
Owner Phone:		
Contact Name:		
Contact Phone:	713-561-0100	
Number of ASTs:	0000	
Number of USTs:	0002	
Total Number of Tanks:		
Tank #1		
Status:	Removed from Ground	
Status Date:	3/10/1989	
Capacity:	1000	
Comments:		
Install Date:	1/1/1979	
Last Used Date:		
Closure Certification Date:		
Removed:		
Gallons Remaining:		
Above or Below Ground Tank:	below	
Assessment Date:		
Assessment Leak Check:		
Tank Contents are Hazardous:	No	
Tank Count:		
Unit ID:		
Construction Type:		
Construction Material:	Steel	
Other Construction Material Description:		
Construction Material Repair Date:		
Piping Material:	Steel	
Other Piping Material Description:		
Piping Release Detection:		
Tank Contents:	Gasoline	
Other Tank Contents Description:		
Tank Contents Mixture Information:		
Tank Release Detection:		
Automatic Tank Gauge:		
Inventory Control:		
Pressure Testing:		
Tank #2		
Status:	Removed from Ground	
Status Date:	3/10/1989	
Capacity:	500	

Continued from Previous Page

Comments:	
Install Date:	1/1/1979
Last Used Date:	
Closure Certification Date:	
Removed:	
Gallons Remaining:	
Above or Below Ground Tank:	below
Assessment Date:	
Assessment Leak Check:	
Tank Contents are Hazardous:	No
Tank Count:	
Unit ID:	
Construction Type:	
Construction Material:	Steel
Other Construction Material Description:	
Construction Material Repair Date:	
Piping Material:	Steel
Other Piping Material Description:	
Piping Release Detection:	
Tank Contents:	Gasoline
Other Tank Contents Description:	
Tank Contents Mixture Information:	
Tank Release Detection:	
Automatic Tank Gauge:	
Inventory Control:	
Pressure Testing:	

Map ID #20		Source: TCEQ
Facility #: 0055382	TCEQ Customer ID: 080983	Banks ID: 0055382
6113 ALETHA LANE		Rel. Loc.: 0.06 miles W
6113 ALETHA LN, HOUSTON, TX 77081		Elevation: 65 feet (+65)
Contact: CLIFF OSBORNE		
Owner Name:	FEDERAL DEPOSIT INSURANCE COMPANY	
Owner Phone:		
Contact Name:	SHEILA GARDNER	
Contact Phone:	713-270-6565	
Number of ASTs:	0	
Number of USTs:	1	
Total Number of Tanks:		
Tank #1		
Status:	Removed from Ground	
Status Date:	7/17/1990	
Capacity:	1200	
Comments:		
Install Date:		
Last Used Date:		
Closure Certification Date:		
Removed:		
Gallons Remaining:		
Above or Below Ground Tank:	below	
Assessment Date:		
Assessment Leak Check:		
Tank Contents are Hazardous:	No	
Tank Count:		
Unit ID:		
Construction Type:		
Construction Material:	Steel	
Other Construction Material Description:		
Construction Material Repair Date:		
Piping Material:	Steel	
Other Piping Material Description:		
Piping Release Detection:		
Tank Contents:	Gasoline	
Other Tank Contents Description:		
Tank Contents Mixture Information:		
Tank Release Detection:		
Automatic Tank Gauge:		
Inventory Control:		
Pressure Testing:		

Map ID #21	Source: TCEQ
Facility #: 0061662	TCEQ Customer ID: 090748
Banks ID: 0061662	
JOHN WILLIAM OVERLY 6211 BELLAIRE BLVD, HOUSTON, TX 77081 Contact: MR OVERLY	Rel. Loc.: 0.06 miles W Elevation: 65 feet (+65)
Owner Name:	OVERLY JOHN WILLIAM
Owner Phone:	
Contact Name:	MR OVERLY
Contact Phone:	7134655388
Number of ASTs:	0
Number of USTs:	1
Total Number of Tanks:	
Tank #1	
Status:	Perm. Filled in Place
Status Date:	3/11/1992
Capacity:	3000
Comments:	
Install Date:	6/1/1965
Last Used Date:	
Closure Certification Date:	
Removed:	
Gallons Remaining:	
Above or Below Ground Tank:	below
Assessment Date:	
Assessment Leak Check:	
Tank Contents are Hazardous:	No
Tank Count:	
Unit ID:	
Construction Type:	
Construction Material:	Steel
Other Construction Material Description:	
Construction Material Repair Date:	
Piping Material:	Steel
Other Piping Material Description:	
Piping Release Detection:	
Tank Contents:	Gasoline
Other Tank Contents Description:	
Tank Contents Mixture Information:	
Tank Release Detection:	
Automatic Tank Gauge:	
Inventory Control:	
Pressure Testing:	

Map ID #22		Source: TCEQ
Facility #: 0069899	TCEQ Customer ID: 106134	Banks ID: 0069899
HILLCROFT MOBIL 7802 HILLCROFT ST, HOUSTON, TX 77081 Contact: AEYHAN CAGLOR		Rel. Loc.: 0.09 miles W Elevation: 73 feet (+73)
Owner Name:	NEFT INC	
Owner Phone:		
Contact Name:	GEGHAN COGLOR	
Contact Phone:	832-867-3181	
Number of ASTs:	0000	
Number of USTs:	0002	
Total Number of Tanks:		
Tank #1		
Status:	In Use	
Status Date:		
Capacity:	12000	
Comments:		
Install Date:	7/19/1996	
Last Used Date:		
Closure Certification Date:		
Removed:		
Gallons Remaining:		
Above or Below Ground Tank:	below	
Assessment Date:		
Assessment Leak Check:		
Tank Contents are Hazardous:	No	
Tank Count:		
Unit ID:		
Construction Type:		
Construction Material:	FRP (fiberglass-reinforced plastic)	
Other Construction Material Description:		
Construction Material Repair Date:		
Piping Material:	FRP (fiberglass-reinforced plastic)	
Other Piping Material Description:		
Piping Release Detection:	Auto. Line Leak Detector (3.0gph for pressure piping), Annual Piping Tightness Test (@0.1 gph)	
Tank Contents:	Gasoline	
Other Tank Contents Description:		
Tank Contents Mixture Information:		
Tank Release Detection:	Automatic Tank Gauge Test & Inventory Cntrl	
Automatic Tank Gauge:		
Inventory Control:		
Pressure Testing:		
Tank #2		
Status:	In Use	
Status Date:		
Capacity:	12000	

Continued from Previous Page

Comments:	
Install Date:	6/20/1996
Last Used Date:	
Closure Certification Date:	
Removed:	
Gallons Remaining:	
Above or Below Ground Tank:	below
Assessment Date:	
Assessment Leak Check:	
Tank Contents are Hazardous:	No
Tank Count:	
Unit ID:	
Construction Type:	
Construction Material:	FRP (fiberglass-reinforced plastic)
Other Construction Material Description:	
Construction Material Repair Date:	
Piping Material:	FRP (fiberglass-reinforced plastic)
Other Piping Material Description:	
Piping Release Detection:	Auto. Line Leak Detector (3.0gph for pressure piping), Annual Piping Tightness Test (@0.1 gph)
Tank Contents:	Gasoline
Other Tank Contents Description:	
Tank Contents Mixture Information:	
Tank Release Detection:	Automatic Tank Gauge Test & Inventory Cntrl
Automatic Tank Gauge:	
Inventory Control:	
Pressure Testing:	

Map ID #26		Source: TCEQ
Facility #: 0060530	TCEQ Customer ID: 090916	Banks ID: 0060530
UNITED TRANSMISSIONS 6002 BELLAIRE, HOUSTON, TX 77081 Contact: CARLOS ALVAREZ		Rel. Loc.: 0.1 miles E Elevation: 64 feet (+64)
Owner Name:	UNITED TRANSMISSIONS INC	
Owner Phone:		
Contact Name:	Carlos Alvarez	
Contact Phone:	713-785-3830	
Number of ASTs:	0000	
Number of USTs:	0003	
Total Number of Tanks:		
Tank #1		
Status:	Perm. Filled in Place	
Status Date:	1/1/1976	
Capacity:	5000	
Comments:		
Install Date:	1/1/1971	
Last Used Date:		
Closure Certification Date:		
Removed:		
Gallons Remaining:		
Above or Below Ground Tank:	below	
Assessment Date:		
Assessment Leak Check:		
Tank Contents are Hazardous:	No	
Tank Count:		
Unit ID:		
Construction Type:		
Construction Material:	Steel	
Other Construction Material Description:		
Construction Material Repair Date:		
Piping Material:		
Other Piping Material Description:		
Piping Release Detection:		
Tank Contents:		
Other Tank Contents Description:	Empty	
Tank Contents Mixture Information:		
Tank Release Detection:		
Automatic Tank Gauge:		
Inventory Control:		
Pressure Testing:		
Tank #2		
Status:	Perm. Filled in Place	
Status Date:	1/1/1976	
Capacity:	5000	

Continued from Previous Page

Comments:	
Install Date:	1/1/1971
Last Used Date:	
Closure Certification Date:	
Removed:	
Gallons Remaining:	
Above or Below Ground Tank:	below
Assessment Date:	
Assessment Leak Check:	
Tank Contents are Hazardous:	No
Tank Count:	
Unit ID:	
Construction Type:	
Construction Material:	Steel
Other Construction Material Description:	
Construction Material Repair Date:	
Piping Material:	
Other Piping Material Description:	
Piping Release Detection:	
Tank Contents:	
Other Tank Contents Description:	Empty
Tank Contents Mixture Information:	
Tank Release Detection:	
Automatic Tank Gauge:	
Inventory Control:	
Pressure Testing:	
Tank #3	
Status:	Perm. Filled in Place
Status Date:	1/1/1976
Capacity:	5000
Comments:	
Install Date:	1/1/1971
Last Used Date:	
Closure Certification Date:	
Removed:	
Gallons Remaining:	
Above or Below Ground Tank:	below
Assessment Date:	
Assessment Leak Check:	
Tank Contents are Hazardous:	No
Tank Count:	
Unit ID:	
Construction Type:	
Construction Material:	Steel
Other Construction Material Description:	
Construction Material Repair Date:	

Continued from Previous Page

Piping Material:	
Other Piping Material Description:	
Piping Release Detection:	
Tank Contents:	
Other Tank Contents Description:	Empty
Tank Contents Mixture Information:	
Tank Release Detection:	
Automatic Tank Gauge:	
Inventory Control:	
Pressure Testing:	

Map ID #30	Source: TCEQ
Facility #: 0063217	TCEQ Customer ID: 094063
Banks ID: 0063217	
GRAND AUTOMOTIVE 6210 BISSONNET ST, HOUSTON, TX 77081 Contact: SAM SHIRAZI	Rel. Loc.: 0.13 miles N Elevation: 66 feet (+66)
Owner Name:	AMECA INC
Owner Phone:	
Contact Name:	SAM SHIRAZI
Contact Phone:	713-981-5100
Number of ASTs:	0000
Number of USTs:	0001
Total Number of Tanks:	
Tank #1	
Status:	Perm. Filled in Place
Status Date:	3/18/2005
Capacity:	8000
Comments:	
Install Date:	1/1/1973
Last Used Date:	
Closure Certification Date:	
Removed:	
Gallons Remaining:	
Above or Below Ground Tank:	below
Assessment Date:	
Assessment Leak Check:	
Tank Contents are Hazardous:	No
Tank Count:	
Unit ID:	
Construction Type:	
Construction Material:	Steel
Other Construction Material Description:	
Construction Material Repair Date:	
Piping Material:	Steel
Other Piping Material Description:	
Piping Release Detection:	Vapor Monitoring
Tank Contents:	Gasoline
Other Tank Contents Description:	
Tank Contents Mixture Information:	
Tank Release Detection:	Vapor Monitoring
Automatic Tank Gauge:	
Inventory Control:	
Pressure Testing:	

Map ID #31		Source: TCEQ
Facility #: 0061774	TCEQ Customer ID: 091926	Banks ID: 0061774
LEASE CENTER		Rel. Loc.: 0.13 miles NW
6507 ASHCROFT, HOUSTON, TX 77000		Elevation: 65 feet (+65)
Contact: \$		
Owner Name:	GUILLIAM G	
Owner Phone:		
Contact Name:	G GUILLIAM	
Contact Phone:	4098925110	
Number of ASTs:	0000	
Number of USTs:	0002	
Total Number of Tanks:		
Tank #1		
Status:	Removed from Ground	
Status Date:	10/22/1991	
Capacity:	10000	
Comments:		
Install Date:		
Last Used Date:		
Closure Certification Date:		
Removed:		
Gallons Remaining:		
Above or Below Ground Tank:	below	
Assessment Date:		
Assessment Leak Check:		
Tank Contents are Hazardous:	No	
Tank Count:		
Unit ID:		
Construction Type:		
Construction Material:	Steel	
Other Construction Material Description:		
Construction Material Repair Date:		
Piping Material:	Steel	
Other Piping Material Description:		
Piping Release Detection:		
Tank Contents:		
Other Tank Contents Description:	Empty	
Tank Contents Mixture Information:		
Tank Release Detection:		
Automatic Tank Gauge:		
Inventory Control:		
Pressure Testing:		
Tank #2		
Status:	Removed from Ground	
Status Date:	10/22/1991	
Capacity:	6000	

Continued from Previous Page

Comments:	
Install Date:	
Last Used Date:	
Closure Certification Date:	
Removed:	
Gallons Remaining:	
Above or Below Ground Tank:	below
Assessment Date:	
Assessment Leak Check:	
Tank Contents are Hazardous:	No
Tank Count:	
Unit ID:	
Construction Type:	
Construction Material:	Steel
Other Construction Material Description:	
Construction Material Repair Date:	
Piping Material:	Steel
Other Piping Material Description:	
Piping Release Detection:	
Tank Contents:	
Other Tank Contents Description:	Empty
Tank Contents Mixture Information:	
Tank Release Detection:	
Automatic Tank Gauge:	
Inventory Control:	
Pressure Testing:	

Map ID #33	Source: TCEQ
Facility #: 0079335	TCEQ Customer ID: 122847
Banks ID: 0079335	
WAREHOUSE 7400 ASHCROFT DR, HOUSTON, TX 77081 Contact: WILMA MCKUIN	Rel. Loc.: 0.14 miles W Elevation: 73 feet (+73)
Owner Name:	THE DONALD G MCKUIN SR AND WILMA L MCKUIN TRUST
Owner Phone:	
Contact Name:	WILMA MCKUIN
Contact Phone:	573-785-7844
Number of ASTs:	0000
Number of USTs:	0001
Total Number of Tanks:	
Tank #1	
Status:	Removed from Ground
Status Date:	8/14/2008
Capacity:	1000
Comments:	
Install Date:	1/1/1975
Last Used Date:	
Closure Certification Date:	
Removed:	
Gallons Remaining:	
Above or Below Ground Tank:	below
Assessment Date:	
Assessment Leak Check:	
Tank Contents are Hazardous:	No
Tank Count:	
Unit ID:	
Construction Type:	
Construction Material:	Steel
Other Construction Material Description:	
Construction Material Repair Date:	
Piping Material:	Steel
Other Piping Material Description:	
Piping Release Detection:	
Tank Contents:	Gasoline
Other Tank Contents Description:	
Tank Contents Mixture Information:	
Tank Release Detection:	
Automatic Tank Gauge:	
Inventory Control:	
Pressure Testing:	

Map ID #34		Source: TCEQ
Facility #: 0036017	TCEQ Customer ID: 086868	Banks ID: 0036017
FIESTA EXPRESS INSPECTION 5930 BELLAIRE BLVD, HOUSTON, TX 77081 Contact: SYED JAN ALAM		Rel. Loc.: 0.14 miles E Elevation: 64 feet (+64)
Owner Name:	FIESTA INSPECTION INC	
Owner Phone:		
Contact Name:	SYED JAN ALAM	
Contact Phone:	832-863-2494	
Number of ASTs:	0	
Number of USTs:	5	
Total Number of Tanks:		
Tank #1		
Status:	Removed from Ground	
Status Date:	3/21/2012	
Capacity:	10000	
Comments:		
Install Date:	1/1/1983	
Last Used Date:		
Closure Certification Date:		
Removed:		
Gallons Remaining:		
Above or Below Ground Tank:	below	
Assessment Date:		
Assessment Leak Check:		
Tank Contents are Hazardous:	No	
Tank Count:		
Unit ID:		
Construction Type:		
Construction Material:	FRP (fiberglass-reinforced plastic)	
Other Construction Material Description:		
Construction Material Repair Date:		
Piping Material:	FRP (fiberglass-reinforced plastic)	
Other Piping Material Description:		
Piping Release Detection:	Annual Piping Tightness Test (@0.1 gph), Auto. Line Leak Detector (3.0gph for pressure piping)	
Tank Contents:		
Other Tank Contents Description:	Empty	
Tank Contents Mixture Information:		
Tank Release Detection:	Automatic Tank Gauge Test & Inventory Cntrl, Groundwater Monitoring	
Automatic Tank Gauge:		
Inventory Control:		
Pressure Testing:		
Tank #2		
Status:	Removed from Ground	
Status Date:	3/21/2012	
Capacity:	10000	

Continued from Previous Page

Comments:	
Install Date:	1/1/1983
Last Used Date:	
Closure Certification Date:	
Removed:	
Gallons Remaining:	
Above or Below Ground Tank:	below
Assessment Date:	
Assessment Leak Check:	
Tank Contents are Hazardous:	No
Tank Count:	
Unit ID:	
Construction Type:	
Construction Material:	FRP (fiberglass-reinforced plastic)
Other Construction Material Description:	
Construction Material Repair Date:	
Piping Material:	FRP (fiberglass-reinforced plastic)
Other Piping Material Description:	
Piping Release Detection:	Annual Piping Tightness Test (@0.1 gph), Auto. Line Leak Detector (3.0gph for pressure piping)
Tank Contents:	
Other Tank Contents Description:	Empty
Tank Contents Mixture Information:	
Tank Release Detection:	Automatic Tank Gauge Test & Inventory Cntrl, Groundwater Monitoring
Automatic Tank Gauge:	
Inventory Control:	
Pressure Testing:	
Tank #3	
Status:	Removed from Ground
Status Date:	3/21/2012
Capacity:	10000
Comments:	
Install Date:	1/1/1983
Last Used Date:	
Closure Certification Date:	
Removed:	
Gallons Remaining:	
Above or Below Ground Tank:	below
Assessment Date:	
Assessment Leak Check:	
Tank Contents are Hazardous:	No
Tank Count:	
Unit ID:	
Construction Type:	
Construction Material:	FRP (fiberglass-reinforced plastic)
Other Construction Material Description:	
Construction Material Repair Date:	

Continued from Previous Page

Piping Material:	FRP (fiberglass-reinforced plastic)
Other Piping Material Description:	
Piping Release Detection:	Annual Piping Tightness Test (@0.1 gph), Auto. Line Leak Detector (3.0gph for pressure piping)
Tank Contents:	
Other Tank Contents Description:	Empty
Tank Contents Mixture Information:	
Tank Release Detection:	Automatic Tank Gauge Test & Inventory Cntrl, Groundwater Monitoring
Automatic Tank Gauge:	
Inventory Control:	
Pressure Testing:	
Tank #4	
Status:	Removed from Ground
Status Date:	4/20/1999
Capacity:	560
Comments:	
Install Date:	1/1/1956
Last Used Date:	
Closure Certification Date:	
Removed:	
Gallons Remaining:	
Above or Below Ground Tank:	below
Assessment Date:	
Assessment Leak Check:	
Tank Contents are Hazardous:	No
Tank Count:	
Unit ID:	
Construction Type:	
Construction Material:	Steel
Other Construction Material Description:	
Construction Material Repair Date:	
Piping Material:	Steel
Other Piping Material Description:	
Piping Release Detection:	
Tank Contents:	Used Oil
Other Tank Contents Description:	
Tank Contents Mixture Information:	
Tank Release Detection:	
Automatic Tank Gauge:	
Inventory Control:	
Pressure Testing:	
Tank #5	
Status:	In Use
Status Date:	
Capacity:	14000
Comments:	
Install Date:	3/16/2012

Continued from Previous Page

Last Used Date:	
Closure Certification Date:	
Removed:	
Gallons Remaining:	
Above or Below Ground Tank:	below
Assessment Date:	
Assessment Leak Check:	
Tank Contents are Hazardous:	No
Tank Count:	
Unit ID:	
Construction Type:	
Construction Material:	Jacketed (steel w/external nonmetallic jacket)
Other Construction Material Description:	
Construction Material Repair Date:	
Piping Material:	Nonmetallic Flexible Piping
Other Piping Material Description:	
Piping Release Detection:	SIR (Stat. Inventory Reconciliation) & Inventory Cntrl, Auto. Line Leak Detector (3.0gph for pressure piping), Monthly Piping Tightness Test (@ 0.2 gph)
Tank Contents:	Gasoline
Other Tank Contents Description:	
Tank Contents Mixture Information:	
Tank Release Detection:	SIR (Stat. Inventory Reconciliation) & Inventory Cntrl, Interstitial Monitoring within secondary wall/jacket, Automatic Tank Gauge Test & Inventory Cntrl
Automatic Tank Gauge:	
Inventory Control:	
Pressure Testing:	

Map ID #38		Source: TCEQ
Facility #: 0001505	TCEQ Customer ID: 039408	Banks ID: 0001505
FIESTA MART 6200 A BELLAIRE, HOUSTON, TX 77081 Contact: GERALD SELLERS		Rel. Loc.: 0.16 miles W Elevation: 65 feet (+65)
Owner Name:	FIESTA MART INC	
Owner Phone:		
Contact Name:	CHARLES CARMOUCHE	
Contact Phone:	713-869-5060	
Number of ASTs:	0000	
Number of USTs:	0002	
Total Number of Tanks:		
Tank #1		
Status:	Removed from Ground	
Status Date:	7/9/1990	
Capacity:	10000	
Comments:		
Install Date:	1/1/1971	
Last Used Date:		
Closure Certification Date:		
Removed:		
Gallons Remaining:		
Above or Below Ground Tank:	below	
Assessment Date:		
Assessment Leak Check:		
Tank Contents are Hazardous:	No	
Tank Count:		
Unit ID:		
Construction Type:		
Construction Material:	Steel	
Other Construction Material Description:		
Construction Material Repair Date:		
Piping Material:		
Other Piping Material Description:	COPPER PIPING	
Piping Release Detection:		
Tank Contents:	Gasoline	
Other Tank Contents Description:		
Tank Contents Mixture Information:		
Tank Release Detection:		
Automatic Tank Gauge:		
Inventory Control:		
Pressure Testing:		
Tank #2		
Status:	Removed from Ground	
Status Date:	7/9/1990	
Capacity:	10000	

Continued from Previous Page

Comments:	
Install Date:	1/1/1971
Last Used Date:	
Closure Certification Date:	
Removed:	
Gallons Remaining:	
Above or Below Ground Tank:	below
Assessment Date:	
Assessment Leak Check:	
Tank Contents are Hazardous:	No
Tank Count:	
Unit ID:	
Construction Type:	
Construction Material:	Steel
Other Construction Material Description:	
Construction Material Repair Date:	
Piping Material:	
Other Piping Material Description:	COPPER PIPING
Piping Release Detection:	
Tank Contents:	Gasoline
Other Tank Contents Description:	
Tank Contents Mixture Information:	
Tank Release Detection:	
Automatic Tank Gauge:	
Inventory Control:	
Pressure Testing:	

Map ID #42		Source: TCEQ
Facility #: 0065355	TCEQ Customer ID: 097184	Banks ID: 0065355
HILTON RENTALS		Rel. Loc.: 0.19 miles W
6401 BISSONNET ST, HOUSTON, TX 77074		Elevation: 70 feet (+70)
Contact: DEWITT HILTON		
Owner Name:	DEWITT A HILTON JR	
Owner Phone:		
Contact Name:	DEWITT HILTON	
Contact Phone:	713-774-3245	
Number of ASTs:	0000	
Number of USTs:	0003	
Total Number of Tanks:		
Tank #1		
Status:	Removed from Ground	
Status Date:	4/18/2007	
Capacity:	4000	
Comments:		
Install Date:		
Last Used Date:		
Closure Certification Date:		
Removed:		
Gallons Remaining:		
Above or Below Ground Tank:	below	
Assessment Date:		
Assessment Leak Check:		
Tank Contents are Hazardous:	No	
Tank Count:		
Unit ID:		
Construction Type:		
Construction Material:	Steel	
Other Construction Material Description:		
Construction Material Repair Date:		
Piping Material:	Steel	
Other Piping Material Description:		
Piping Release Detection:		
Tank Contents:	Gasoline	
Other Tank Contents Description:		
Tank Contents Mixture Information:		
Tank Release Detection:		
Automatic Tank Gauge:		
Inventory Control:		
Pressure Testing:		
Tank #2		
Status:	Removed from Ground	
Status Date:	4/18/2007	
Capacity:	4000	

Continued from Previous Page

Comments:	
Install Date:	
Last Used Date:	
Closure Certification Date:	
Removed:	
Gallons Remaining:	
Above or Below Ground Tank:	below
Assessment Date:	
Assessment Leak Check:	
Tank Contents are Hazardous:	No
Tank Count:	
Unit ID:	
Construction Type:	
Construction Material:	Steel
Other Construction Material Description:	
Construction Material Repair Date:	
Piping Material:	Steel
Other Piping Material Description:	
Piping Release Detection:	
Tank Contents:	Gasoline
Other Tank Contents Description:	
Tank Contents Mixture Information:	
Tank Release Detection:	
Automatic Tank Gauge:	
Inventory Control:	
Pressure Testing:	
Tank #3	
Status:	Removed from Ground
Status Date:	4/18/2007
Capacity:	6000
Comments:	
Install Date:	
Last Used Date:	
Closure Certification Date:	
Removed:	
Gallons Remaining:	
Above or Below Ground Tank:	below
Assessment Date:	
Assessment Leak Check:	
Tank Contents are Hazardous:	No
Tank Count:	
Unit ID:	
Construction Type:	
Construction Material:	Steel
Other Construction Material Description:	
Construction Material Repair Date:	

Continued from Previous Page

Piping Material:	Steel
Other Piping Material Description:	
Piping Release Detection:	
Tank Contents:	Gasoline
Other Tank Contents Description:	
Tank Contents Mixture Information:	
Tank Release Detection:	
Automatic Tank Gauge:	
Inventory Control:	
Pressure Testing:	

Map ID #44	Source: TCEQ
Facility #: 0046786	TCEQ Customer ID: 078087
Banks ID: 0046786	
TURK JACK J 6230 EVERGREEN ST, HOUSTON, TX 77081 Contact: JACK J TURK	Rel. Loc.: 0.2 miles W Elevation: 76 feet (+76)
Owner Name:	TURK JACK J
Owner Phone:	
Contact Name:	
Contact Phone:	7137723727
Number of ASTs:	0000
Number of USTs:	0001
Total Number of Tanks:	
Tank #1	
Status:	Removed from Ground
Status Date:	8/31/1987
Capacity:	10000
Comments:	
Install Date:	1/1/1980
Last Used Date:	
Closure Certification Date:	
Removed:	
Gallons Remaining:	
Above or Below Ground Tank:	below
Assessment Date:	
Assessment Leak Check:	
Tank Contents are Hazardous:	No
Tank Count:	
Unit ID:	
Construction Type:	
Construction Material:	Steel
Other Construction Material Description:	
Construction Material Repair Date:	
Piping Material:	Steel
Other Piping Material Description:	
Piping Release Detection:	
Tank Contents:	
Other Tank Contents Description:	Empty
Tank Contents Mixture Information:	
Tank Release Detection:	
Automatic Tank Gauge:	
Inventory Control:	
Pressure Testing:	

Map ID #45	Source: TCEQ
Facility #: 0045545	TCEQ Customer ID: 080359
Banks ID: 0045545	
BAYLAND PARK Rel. Loc.: 0.2 miles W 6400 BISSONNET ST, HOUSTON, TX 77074 Elevation: 72 feet (+72) Contact: ERIC VANALSTINE	
Owner Name:	HARRIS COUNTY
Owner Phone:	
Contact Name:	DEBORAH M VAUGHN
Contact Phone:	713-755-1156
Number of ASTs:	0
Number of USTs:	2
Total Number of Tanks:	
Tank #1	
Status:	In Use
Status Date:	
Capacity:	4000
Comments:	
Install Date:	1/1/1976
Last Used Date:	
Closure Certification Date:	
Removed:	
Gallons Remaining:	
Above or Below Ground Tank:	below
Assessment Date:	
Assessment Leak Check:	
Tank Contents are Hazardous:	No
Tank Count:	
Unit ID:	
Construction Type:	
Construction Material:	Steel
Other Construction Material Description:	
Construction Material Repair Date:	
Piping Material:	FRP (fiberglass-reinforced plastic)
Other Piping Material Description:	
Piping Release Detection:	Interstitial Monitoring within secondary wall/jacket, Auto. Line Leak Detector (3.0gph for pressure piping)
Tank Contents:	Gasoline
Other Tank Contents Description:	
Tank Contents Mixture Information:	
Tank Release Detection:	Automatic Tank Gauge Test & Inventory Cntrl
Automatic Tank Gauge:	
Inventory Control:	
Pressure Testing:	
Tank #2	
Status:	In Use
Status Date:	
Capacity:	4000

Continued from Previous Page

Comments:	
Install Date:	1/1/1976
Last Used Date:	
Closure Certification Date:	
Removed:	
Gallons Remaining:	
Above or Below Ground Tank:	below
Assessment Date:	
Assessment Leak Check:	
Tank Contents are Hazardous:	No
Tank Count:	
Unit ID:	
Construction Type:	
Construction Material:	Steel
Other Construction Material Description:	
Construction Material Repair Date:	
Piping Material:	FRP (fiberglass-reinforced plastic)
Other Piping Material Description:	
Piping Release Detection:	Interstitial Monitoring within secondary wall/jacket, Auto. Line Leak Detector (3.0gph for pressure piping)
Tank Contents:	Diesel
Other Tank Contents Description:	
Tank Contents Mixture Information:	
Tank Release Detection:	Automatic Tank Gauge Test & Inventory Cntrl
Automatic Tank Gauge:	
Inventory Control:	
Pressure Testing:	

Map ID #48		Source: TCEQ
Facility #: 0027986	TCEQ Customer ID: 062957	Banks ID: 0027986
MARCUS JONES BUICK 6909 HILLCROFT ST, HOUSTON, TX 77081 Contact: UNREADABLE		Rel. Loc.: 0.23 miles W Elevation: 65 feet (+65)
Owner Name:	MARCUS JONES BUICK INC	
Owner Phone:		
Contact Name:		
Contact Phone:	7137764711	
Number of ASTs:	0000	
Number of USTs:	0002	
Total Number of Tanks:		
Tank #1		
Status:	Removed from Ground	
Status Date:	11/30/1992	
Capacity:	500	
Comments:		
Install Date:	1/1/1969	
Last Used Date:		
Closure Certification Date:		
Removed:		
Gallons Remaining:		
Above or Below Ground Tank:	below	
Assessment Date:		
Assessment Leak Check:		
Tank Contents are Hazardous:	No	
Tank Count:		
Unit ID:		
Construction Type:		
Construction Material:	Steel	
Other Construction Material Description:		
Construction Material Repair Date:		
Piping Material:	Steel	
Other Piping Material Description:		
Piping Release Detection:		
Tank Contents:	Diesel	
Other Tank Contents Description:		
Tank Contents Mixture Information:		
Tank Release Detection:		
Automatic Tank Gauge:		
Inventory Control:		
Pressure Testing:		
Tank #2		
Status:	Removed from Ground	
Status Date:	12/31/1992	
Capacity:	10000	

Continued from Previous Page

Comments:	
Install Date:	1/1/1978
Last Used Date:	
Closure Certification Date:	
Removed:	
Gallons Remaining:	
Above or Below Ground Tank:	below
Assessment Date:	
Assessment Leak Check:	
Tank Contents are Hazardous:	No
Tank Count:	
Unit ID:	
Construction Type:	
Construction Material:	FRP (fiberglass-reinforced plastic)
Other Construction Material Description:	
Construction Material Repair Date:	
Piping Material:	FRP (fiberglass-reinforced plastic)
Other Piping Material Description:	
Piping Release Detection:	
Tank Contents:	Gasoline
Other Tank Contents Description:	
Tank Contents Mixture Information:	
Tank Release Detection:	
Automatic Tank Gauge:	
Inventory Control:	
Pressure Testing:	

Map ID #49	Source: TCEQ	
Facility #: 0010906	TCEQ Customer ID: 040929	Banks ID: 0010906
HILLCROFT 19414	Rel. Loc.: 0.23 miles W	
7411 HILLCROFT, HOUSTON, TX 77081	Elevation: 74 feet (+74)	
Contact: RAY EDMONDSON		
Owner Name:	CONOCOPHILLIPS COMPANY	
Owner Phone:		
Contact Name:	RUTH BULMER	
Contact Phone:	602-728-3217	
Number of ASTs:	0	
Number of USTs:	5	
Total Number of Tanks:		
Tank #1		
Status:	Removed from Ground	
Status Date:	11/30/1989	
Capacity:	4000	
Comments:		
Install Date:	1/1/1964	
Last Used Date:		
Closure Certification Date:		
Removed:		
Gallons Remaining:		
Above or Below Ground Tank:	below	
Assessment Date:		
Assessment Leak Check:		
Tank Contents are Hazardous:	No	
Tank Count:		
Unit ID:		
Construction Type:		
Construction Material:	Steel	
Other Construction Material Description:		
Construction Material Repair Date:		
Piping Material:	FRP (fiberglass-reinforced plastic)	
Other Piping Material Description:		
Piping Release Detection:		
Tank Contents:	Gasoline	
Other Tank Contents Description:		
Tank Contents Mixture Information:		
Tank Release Detection:		
Automatic Tank Gauge:		
Inventory Control:		
Pressure Testing:		
Tank #2		
Status:	Removed from Ground	
Status Date:	11/30/1989	
Capacity:	4000	

Continued from Previous Page

Comments:	
Install Date:	1/1/1964
Last Used Date:	
Closure Certification Date:	
Removed:	
Gallons Remaining:	
Above or Below Ground Tank:	below
Assessment Date:	
Assessment Leak Check:	
Tank Contents are Hazardous:	No
Tank Count:	
Unit ID:	
Construction Type:	
Construction Material:	Steel
Other Construction Material Description:	
Construction Material Repair Date:	
Piping Material:	FRP (fiberglass-reinforced plastic)
Other Piping Material Description:	
Piping Release Detection:	
Tank Contents:	Gasoline
Other Tank Contents Description:	
Tank Contents Mixture Information:	
Tank Release Detection:	
Automatic Tank Gauge:	
Inventory Control:	
Pressure Testing:	
Tank #3	
Status:	Removed from Ground
Status Date:	11/30/1989
Capacity:	0
Comments:	
Install Date:	
Last Used Date:	
Closure Certification Date:	
Removed:	
Gallons Remaining:	
Above or Below Ground Tank:	below
Assessment Date:	
Assessment Leak Check:	
Tank Contents are Hazardous:	No
Tank Count:	
Unit ID:	
Construction Type:	
Construction Material:	
Other Construction Material Description:	
Construction Material Repair Date:	

Continued from Previous Page

Piping Material:	
Other Piping Material Description:	
Piping Release Detection:	
Tank Contents:	
Other Tank Contents Description:	Unknown
Tank Contents Mixture Information:	
Tank Release Detection:	
Automatic Tank Gauge:	
Inventory Control:	
Pressure Testing:	
Tank #4	
Status:	Removed from Ground
Status Date:	11/30/1989
Capacity:	0
Comments:	
Install Date:	
Last Used Date:	
Closure Certification Date:	
Removed:	
Gallons Remaining:	
Above or Below Ground Tank:	below
Assessment Date:	
Assessment Leak Check:	
Tank Contents are Hazardous:	No
Tank Count:	
Unit ID:	
Construction Type:	
Construction Material:	
Other Construction Material Description:	
Construction Material Repair Date:	
Piping Material:	
Other Piping Material Description:	
Piping Release Detection:	
Tank Contents:	
Other Tank Contents Description:	Unknown
Tank Contents Mixture Information:	
Tank Release Detection:	
Automatic Tank Gauge:	
Inventory Control:	
Pressure Testing:	
Tank #5	
Status:	Removed from Ground
Status Date:	11/30/1989
Capacity:	0
Comments:	
Install Date:	

Continued from Previous Page

Last Used Date:	
Closure Certification Date:	
Removed:	
Gallons Remaining:	
Above or Below Ground Tank:	below
Assessment Date:	
Assessment Leak Check:	
Tank Contents are Hazardous:	No
Tank Count:	
Unit ID:	
Construction Type:	
Construction Material:	
Other Construction Material Description:	
Construction Material Repair Date:	
Piping Material:	
Other Piping Material Description:	
Piping Release Detection:	
Tank Contents:	
Other Tank Contents Description:	Unknown
Tank Contents Mixture Information:	
Tank Release Detection:	
Automatic Tank Gauge:	
Inventory Control:	
Pressure Testing:	

Map ID #51		Source: TCEQ
Facility #: 0029179	TCEQ Customer ID: 063594	Banks ID: 0029179
4452 BELLAIRE		Rel. Loc.: 0.24 miles W
6237 BELLAIRE, HOUSTON, TX 77081		Elevation: 65 feet (+65)
Contact:		
Owner Name:	SUSSER PETROLEUM COMPANY LLC	
Owner Phone:		
Contact Name:	CRAIG SCOTTON	
Contact Phone:	361-884-2463	
Number of ASTs:	0000	
Number of USTs:	0003	
Total Number of Tanks:		
Tank #1		
Status:	Removed from Ground	
Status Date:	2/5/2003	
Capacity:	9564	
Comments:		
Install Date:	1/1/1975	
Last Used Date:		
Closure Certification Date:		
Removed:		
Gallons Remaining:		
Above or Below Ground Tank:	below	
Assessment Date:		
Assessment Leak Check:		
Tank Contents are Hazardous:	No	
Tank Count:		
Unit ID:		
Construction Type:		
Construction Material:	FRP (fiberglass-reinforced plastic)	
Other Construction Material Description:		
Construction Material Repair Date:		
Piping Material:	FRP (fiberglass-reinforced plastic)	
Other Piping Material Description:		
Piping Release Detection:	Auto. Line Leak Detector (3.0gph for pressure piping), SIR (Stat. Inventory Reconciliation) & Inventory Cntrl	
Tank Contents:	Gasoline	
Other Tank Contents Description:		
Tank Contents Mixture Information:		
Tank Release Detection:	Automatic Tank Gauge Test & Inventory Cntrl, SIR (Stat. Inventory Reconciliation) & Inventory Cntrl	
Automatic Tank Gauge:		
Inventory Control:		
Pressure Testing:		
Tank #2		
Status:	Removed from Ground	
Status Date:	2/5/2003	
Capacity:	9564	

Continued from Previous Page

Comments:	
Install Date:	1/1/1975
Last Used Date:	
Closure Certification Date:	
Removed:	
Gallons Remaining:	
Above or Below Ground Tank:	below
Assessment Date:	
Assessment Leak Check:	
Tank Contents are Hazardous:	No
Tank Count:	
Unit ID:	
Construction Type:	
Construction Material:	FRP (fiberglass-reinforced plastic)
Other Construction Material Description:	
Construction Material Repair Date:	
Piping Material:	FRP (fiberglass-reinforced plastic)
Other Piping Material Description:	
Piping Release Detection:	Auto. Line Leak Detector (3.0gph for pressure piping), SIR (Stat. Inventory Reconciliation) & Inventory Cntrl
Tank Contents:	Gasoline
Other Tank Contents Description:	
Tank Contents Mixture Information:	
Tank Release Detection:	Automatic Tank Gauge Test & Inventory Cntrl, SIR (Stat. Inventory Reconciliation) & Inventory Cntrl
Automatic Tank Gauge:	
Inventory Control:	
Pressure Testing:	
Tank #3	
Status:	Removed from Ground
Status Date:	2/5/2003
Capacity:	9564
Comments:	
Install Date:	1/1/1975
Last Used Date:	
Closure Certification Date:	
Removed:	
Gallons Remaining:	
Above or Below Ground Tank:	below
Assessment Date:	
Assessment Leak Check:	
Tank Contents are Hazardous:	No
Tank Count:	
Unit ID:	
Construction Type:	
Construction Material:	FRP (fiberglass-reinforced plastic)
Other Construction Material Description:	
Construction Material Repair Date:	

Continued from Previous Page

Piping Material:	FRP (fiberglass-reinforced plastic)
Other Piping Material Description:	
Piping Release Detection:	Auto. Line Leak Detector (3.0gph for pressure piping), SIR (Stat. Inventory Reconciliation) & Inventory Cntrl
Tank Contents:	Gasoline
Other Tank Contents Description:	
Tank Contents Mixture Information:	
Tank Release Detection:	Automatic Tank Gauge Test & Inventory Cntrl, SIR (Stat. Inventory Reconciliation) & Inventory Cntrl
Automatic Tank Gauge:	
Inventory Control:	
Pressure Testing:	

End of PST Sites Section

VCP - State/Tribal Voluntary Cleanup

Map ID #2		Source: TCEQ
VCP ID: 2123	EPA Texas ID/Registration #: NA	Banks ID: VCP_002123
Rampart Office Park 7207 Rampart, Houston, TX 77081 Contact:		Rel. Loc.: 0.01 miles E Elevation: 72 feet (+72)
Status:	Investigation	
Receive Date:	12/12/2007	
Project Completion Date:		
Completion Date - Certificate Issued:		
Covenant Not to Sue:		
Facility Type:	Printing Companies	
Acres:	1.4	
Applicant:	Freedman Investments, LP	
Institutional Controls:		
Site Contamination Information:	Chlorinated Solvents	
Media Affected:	Groundwater	
Owner Name:	Bill Corrigan	
Owner Phone:	713-772-6262	
Additional Information:		

Map ID #17		Source: TCEQ
VCP ID: 118	EPA Texas ID/Registration #: NA	Banks ID: VCP_000118
Pilgrim Cleaners - Hillcroft 7901 Hillcroft, Houston, TX Contact:		Rel. Loc.: 0.04 miles W Elevation: 82 feet (+82)
Status:	Withdrawal	
Receive Date:	9/11/1995	
Project Completion Date:		
Completion Date - Certificate Issued:		
Covenant Not to Sue:		
Facility Type:	Dry Cleaners	
Acres:		
Applicant:	Pilgrim Enterprises	
Institutional Controls:		
Site Contamination Information:	PCE	
Media Affected:		
Owner Name:	Doug Mulvaney	
Owner Phone:	713-666-0351	
Additional Information:		

Map ID #59		Source: TCEQ
VCP ID: 2108	EPA Texas ID/Registration #: NA	Banks ID: VCP_002108
Orchard Green - New Way Cleaners 5980 Renwick, Houston, TX 77081 Contact:		Rel. Loc.: 0.36 miles N Elevation: 64 feet (+64)
Status:	Trans/DCRP	
Receive Date:	10/18/2007	
Project Completion Date:		
Completion Date - Certificate Issued:		
Covenant Not to Sue:		
Facility Type:	Dry Cleaners	
Acres:	5.657	
Applicant:	Weingarten Realty Investors, LLC	
Institutional Controls:		
Site Contamination Information:	VOCs, Chlorinated Solvents	
Media Affected:	Soils/Groundwater	
Owner Name:	Chuck Gurney	
Owner Phone:	713-866-6855	
Additional Information:		

End of VCP Sites Section

HW - State/Tribal Hazardous Waste

Map ID #4		Source: TCEQ
Register #: 75742	EPA ID: NA	Banks ID: 75742
SILVER SCREEN 6630 Rampart St, Houston, TX 77081 Contact: VAN GORE		Rel. Loc.: 0.01 miles W Elevation: 65 feet (+65)
Status:	INACTIVE	
Waste Description:		
Location Description:	6630 Rampart St, Houston, TX	
Additional State ID:	30088	
Permit Number:		
Business Type:	Unknown	
Facility Type:		
Facility Owner Name:	SILVER SCREEN	
Facility Owner Phone:	1-713-2729720	
Facility Contact Name:		
Facility Contact Phone:		
State Contact Name:		
State Contact Phone:		
Company Name:		
Operator Address:		

Map ID #5		Source: TCEQ
Register #: 76147	EPA ID: TXD987990066	Banks ID: 76147
BIG 10 PRODUCTIONS 7206 RAMPART ST, HOUSTON, TX 77081 Contact: RENEE MAXEY		Rel. Loc.: 0.02 miles W Elevation: 71 feet (+71)
Status:	INACTIVE	
Waste Description:		
Location Description:	7206 Rampart, Houston, TX	
Additional State ID:	30474	
Permit Number:		
Business Type:	Unknown	
Facility Type:		
Facility Owner Name:	BIG 10 PRODUCTIONS INC	
Facility Owner Phone:	1-713-9955100	
Facility Contact Name:		
Facility Contact Phone:		
State Contact Name:		
State Contact Phone:		
Company Name:		
Operator Address:		

Map ID #5		Source: TCEQ
Register #: 71643	EPA ID: TXD062116553	Banks ID: 71643
ART STYLE PRINTING 7208 Rampart St, Houston, TX 77081 Contact:		Rel. Loc.: 0.02 miles W Elevation: 70 feet (+70)
Status:	INACTIVE	
Waste Description:		
Location Description:	7208 Rampart St, Houston, TX	
Additional State ID:	26250	
Permit Number:		
Business Type:	Unknown	
Facility Type:		
Facility Owner Name:	Art Style Printing Inc	
Facility Owner Phone:		
Facility Contact Name:		
Facility Contact Phone:		
State Contact Name:		
State Contact Phone:		
Company Name:	Art Style Printing Inc	
Operator Address:	7208 Rampart St, Houston, TX 77081	

Map ID #6		Source: TCEQ
Register #: 71437	EPA ID: NA	Banks ID: 71437
SCALDIS GRAPHICS 6620 RAMPART ST, HOUSTON, TX 77081 Contact: JIM BARNFIELD		Rel. Loc.: 0.02 miles W Elevation: 65 feet (+65)
Status:	INACTIVE	
Waste Description:		
Location Description:	6620 Rampart, Houston, TX	
Additional State ID:	26090	
Permit Number:		
Business Type:	Unknown	
Facility Type:		
Facility Owner Name:	SCALDIS GRAPHICS	
Facility Owner Phone:	1-713-7789933	
Facility Contact Name:		
Facility Contact Phone:		
State Contact Name:		
State Contact Phone:		
Company Name:		
Operator Address:		

Map ID #7	Source: TCEQ	
Register #: 68318	EPA ID: TXD982292500	Banks ID: 68318
RV SERVICES OF HOUSTON 6128 ALETHA LN, HOUSTON, TX 77081 Contact: BRADFORD SCARDIMO	Rel. Loc.: 0.02 miles W Elevation: 65 feet (+65)	
Status:	INACTIVE	
Waste Description:		
Location Description:	6128 Aletha Lane, Houston, TX	
Additional State ID:	23267	
Permit Number:		
Business Type:	Unknown	
Facility Type:		
Facility Owner Name:	RV SERVICES OF HOUSTON	
Facility Owner Phone:	1-713-2705508	
Facility Contact Name:		
Facility Contact Phone:		
State Contact Name:		
State Contact Phone:		
Company Name:		
Operator Address:		

Map ID #8		Source: TCEQ
Register #: 87617	EPA ID: TXR000061614	Banks ID: 87617
LOGIC 7330 RAMPART ST STE 106, HOUSTON, TX 77081 Contact: DON RICHARDSON		Rel. Loc.: 0.02 miles W Elevation: 65 feet (+65)
Status:	ACTIVE	
Waste Description:		
Location Description:	7330 Rampart St, Ste 106, Houston, TX	
Additional State ID:	118484	
Permit Number:		
Business Type:	Corporation	
Facility Type:		
Facility Owner Name:	LOGIC LEASING & FINANCE CO	
Facility Owner Phone:	1-713-6680558	
Facility Contact Name:		
Facility Contact Phone:		
State Contact Name:		
State Contact Phone:		
Company Name:	LOGIC LEASING & FINANCE CO	
Operator Address:	5518 SYLMAR RD, HOUSTON, TX 77081	
Activity		Description
3		Recycler

Map ID #10		Source: TCEQ
Register #: 70857	EPA ID: TXD981611478	Banks ID: 70857
NEWBART INDUSTRIES 6025 EDMOOR DR, HOUSTON, TX 77081 Contact: JAMES BARTLEY		Rel. Loc.: 0.03 miles E Elevation: 64 feet (+64)
Status:	INACTIVE	
Waste Description:		
Location Description:	6025 Edgemore, Houston, TX	
Additional State ID:	25656	
Permit Number:		
Business Type:	Unknown	
Facility Type:		
Facility Owner Name:	NEWBART INDUSTRIES	
Facility Owner Phone:	1-713-6678233	
Facility Contact Name:		
Facility Contact Phone:		
State Contact Name:		
State Contact Phone:		
Company Name:		
Operator Address:		



Mapped Sites Details

Klotz Associates: Beechnut

Map ID #11		Source: TCEQ			
Register #: 31788		EPA ID: TXD007342512			
Banks ID: 31788					
FRAZIER INC		Rel. Loc.: 0.03 miles E			
7219 Rampart St, Houston, TX 77081		Elevation: 64 feet (+64)			
Contact: JOHN GRIFFIN					
Status:		INACTIVE			
Waste Description:					
Location Description:		7219 Rampart St, Houston, TX			
Additional State ID:		9337			
Permit Number:					
Business Type:		Unknown			
Facility Type:					
Facility Owner Name:		FRAZIER INC			
Facility Owner Phone:					
Facility Contact Name:					
Facility Contact Phone:					
State Contact Name:					
State Contact Phone:					
Company Name:		FRAZER INC			
Operator Address:					
Waste ID	Waste Code	Waste Description	Disposal Method	Storage Method	Total Annual Waste (lbs)
146857	00019992	Plant trash, office trash, boxes, wood, cans, glass, paper, cloth rags, food was			
143993	00042061	Oil removed in servicing generators			
143994	00029022	Scrap metal, steel, stainless floor metal sweepings			

Map ID #12		Source: TCEQ
Register #: 80731	EPA ID: TXD988078069	Banks ID: 80731
R B AUTO SERVICE 6034 BELLAIRE BLVD, HOUSTON, TX 77081 Contact: HARRY ROHIRA		Rel. Loc.: 0.04 miles E Elevation: 64 feet (+64)
Status:	INACTIVE	
Waste Description:		
Location Description:	6034 Bellaire Blvd., Houston, TX 77081	
Additional State ID:	35543	
Permit Number:		
Business Type:	Corporation	
Facility Type:		
Facility Owner Name:	R B AUTO SERVICE	
Facility Owner Phone:	1-713-6662020	
Facility Contact Name:		
Facility Contact Phone:		
State Contact Name:		
State Contact Phone:		
Company Name:		
Operator Address:		

Map ID #13 **Source: TCEQ**

Register #: 32083 **EPA ID: TXD065081226** **Banks ID: 32083**

CONDUCTIVE CIRCUIT CORP Rel. Loc.: 0.04 miles W
 6119 JESSAMINE ST, HOUSTON, TX 77081 Elevation: 65 feet (+65)
 Contact: GERALD STREIT

Status: INACTIVE

Waste Description:

Location Description: 6119 Jessamine, Houston, TX

Additional State ID: 9626

Permit Number:

Business Type: Unknown

Facility Type:

Facility Owner Name: CONDUCTIVE CIRCUIT CORP

Facility Owner Phone: 1-713-7712483

Facility Contact Name:

Facility Contact Phone:

State Contact Name:

State Contact Phone:

Company Name:

Operator Address:

Waste ID	Waste Code	Waste Description	Disposal Method	Storage Method	Total Annual Waste (lbs)
291972	D822113H				
291974	D824103H				
291973	D823103H				

Map ID #15	Source: TCEQ	
Register #: 76955	EPA ID: TXD988040614	Banks ID: 76955
ENZO LUSSO AUTO 6105 CLAREWOOD DR, HOUSTON, TX 77081 Contact: ENZO LUSSO		Rel. Loc.: 0.04 miles W Elevation: 65 feet (+65)
Status:	INACTIVE	
Waste Description:		
Location Description:	6105 Clarewood, Houston, TX	
Additional State ID:	31262	
Permit Number:		
Business Type:	Unknown	
Facility Type:		
Facility Owner Name:	ENZO LUSSO AUTOMOTIVE INC	
Facility Owner Phone:	1-713-7789445	
Facility Contact Name:		
Facility Contact Phone:		
State Contact Name:		
State Contact Phone:		
Company Name:		
Operator Address:		

Map ID #16		Source: TCEQ
Register #: 76558	EPA ID: TXD988039806	Banks ID: 76558
APOLLO PAINT & BODY SHOP 7933 HILLCROFT ST, HOUSTON, TX 77081 Contact: YVONNE ASWELL		Rel. Loc.: 0.04 miles W Elevation: 84 feet (+84)
Status:	INACTIVE	
Waste Description:		
Location Description:	7933 Hillcroft, Houston, TX	
Additional State ID:	30873	
Permit Number:		
Business Type:	Unknown	
Facility Type:		
Facility Owner Name:	APOLLO PAINT & BODY SHOP INC	
Facility Owner Phone:	1-713-9885690	
Facility Contact Name:		
Facility Contact Phone:		
State Contact Name:		
State Contact Phone:		
Company Name:		
Operator Address:		

Map ID #17		Source: TCEQ
Register #: 51090	EPA ID: TXD981050651	Banks ID: 51090
PILGRIM CLEANERS 7 7901 HILLCROFT ST, HOUSTON, TX 77081 Contact: RICK SCHISLER		Rel. Loc.: 0.04 miles W Elevation: 82 feet (+82)
Status:	INACTIVE	
Waste Description:		
Location Description:	7901 Hillcroft, Houston, TX	
Additional State ID:	18623	
Permit Number:		
Business Type:	Corporation	
Facility Type:		
Facility Owner Name:	PILGRIM CLEANERS INC	
Facility Owner Phone:		
Facility Contact Name:		
Facility Contact Phone:		
State Contact Name:		
State Contact Phone:		
Company Name:		
Operator Address:		

Map ID #23		Source: TCEQ			
Register #: 79583		EPA ID: TXD988023925			
GREGS CLEANERS		Rel. Loc.: 0.09 miles W			
7848 HILLCROFT ST, HOUSTON, TX 77081		Elevation: 73 feet (+73)			
Contact: QUIBB VU					
Status:		INACTIVE			
Waste Description:					
Location Description:		7848 Hillcroft, Houston, TX			
Additional State ID:		33137			
Permit Number:					
Business Type:		Corporation			
Facility Type:					
Facility Owner Name:		VNP INC			
Facility Owner Phone:					
Facility Contact Name:					
Facility Contact Phone:					
State Contact Name:					
State Contact Phone:					
Company Name:		VNP INC			
Operator Address:					
Waste ID	Waste Code	Waste Description	Disposal Method	Storage Method	Total Annual Waste (lbs)
264610	C7LK407H				
264611	C7LL601H				
264609	C7LJ202H				

Map ID #25		Source: TCEQ
Register #: 68564	EPA ID: NA	Banks ID: 68564
HILLCROFT PAINT AND BODY 6322 BISSONNET ST, HOUSTON, TX 77074 Contact: PAUL D AUSTIN		Rel. Loc.: 0.1 miles W Elevation: 73 feet (+73)
Status:	INACTIVE	
Waste Description:		
Location Description:	6322 Bissonnet, Houston, TX	
Additional State ID:	23506	
Permit Number:		
Business Type:	Unknown	
Facility Type:		
Facility Owner Name:	Hillcroft Paint and Body Inc	
Facility Owner Phone:		
Facility Contact Name:		
Facility Contact Phone:		
State Contact Name:		
State Contact Phone:		
Company Name:	HILLCROFT PAINT AND BODY INC	
Operator Address:	6322 BISSONNET ST, HOUSTON, TX 77074	

Map ID #27		Source: TCEQ
Register #: 75744	EPA ID: NA	Banks ID: 75744
SOUTHWEST SILK SCREENING 7327 ASHCROFT DR, HOUSTON, TX 77081 Contact: MARCUS STALAROW		Rel. Loc.: 0.11 miles W Elevation: 74 feet (+74)
Status:	INACTIVE	
Waste Description:		
Location Description:	7327 Ashcroft, Houston, TX	
Additional State ID:	30090	
Permit Number:		
Business Type:	Corporation	
Facility Type:		
Facility Owner Name:	SOUTHWEST SILK SCREENING INC	
Facility Owner Phone:	1-713-7762111	
Facility Contact Name:		
Facility Contact Phone:		
State Contact Name:		
State Contact Phone:		
Company Name:	SOUTHWEST SILK SCREENING INC	
Operator Address:	7327 ASHCROFT DR, HOUSTON, TX 77081	

Map ID #28 **Source: TCEQ**

Register #: 80509 **EPA ID: NA** **Banks ID: 80509**

SERVICE REBUILDERS Rel. Loc.: 0.11 miles W
 7347 ASHCROFT DR, HOUSTON, TX 77081 Elevation: 72 feet (+72)
 Contact: RON MITCHELL

Status: INACTIVE

Waste Description:

Location Description: 7347 Ashcroft, Houston, TX 77081

Additional State ID: 35263

Permit Number:

Business Type: Unknown

Facility Type:

Facility Owner Name: SERVICE REBUILDERS

Facility Owner Phone: 1-713-9889600

Facility Contact Name:

Facility Contact Phone:

State Contact Name:

State Contact Phone:

Company Name:

Operator Address:

Waste ID	Waste Code	Waste Description	Disposal Method	Storage Method	Total Annual Waste (lbs)
----------	------------	-------------------	-----------------	----------------	--------------------------

00069121		Mineral spirits			
----------	--	-----------------	--	--	--

Map ID #29		Source: TCEQ
Register #: 20626	EPA ID: NA	Banks ID: 20626
E S I		Rel. Loc.: 0.11 miles W
7333 ASHCROFT DR, HOUSTON, TX 77081		Elevation: 73 feet (+73)
Contact: FRANK BAKER		
Status:	INACTIVE	
Waste Description:		
Location Description:	7333 Ashcroft Houston TX 77081	
Additional State ID:	7082	
Permit Number:		
Business Type:	Unknown	
Facility Type:		
Facility Owner Name:	E S I	
Facility Owner Phone:	1-713-7771966	
Facility Contact Name:		
Facility Contact Phone:		
State Contact Name:		
State Contact Phone:		
Company Name:		
Operator Address:		

Map ID #29		Source: TCEQ
Register #: 51153	EPA ID: TXD981148307	Banks ID: 51153
ACCU PRESS		Rel. Loc.: 0.11 miles W
7337 ASHCROFT DR, HOUSTON, TX 77081		Elevation: 73 feet (+73)
Contact: ARMANDO PEREZ		
Status:	INACTIVE	
Waste Description:		
Location Description:	7337 Ashcroft, Houston, TX	
Additional State ID:	18681	
Permit Number:		
Business Type:	Unknown	
Facility Type:		
Facility Owner Name:	ACCU PRESS INC	
Facility Owner Phone:	1-713-2707770	
Facility Contact Name:		
Facility Contact Phone:		
State Contact Name:		
State Contact Phone:		
Company Name:		
Operator Address:		

Map ID #32		Source: TCEQ
Register #: 67272	EPA ID: TXD981146111	Banks ID: 67272
ART STYLE PRINTING 7570 Renwick Dr, Houston, TX 77081 Contact: JUDITY ANDERSON		Rel. Loc.: 0.14 miles N Elevation: 61 feet (+61)
Status:	INACTIVE	
Waste Description:		
Location Description:	7570 Renwick Dr, Houston, TX	
Additional State ID:	22408	
Permit Number:		
Business Type:	Unknown	
Facility Type:		
Facility Owner Name:	ART STYLE PRINTING INC	
Facility Owner Phone:	1-713-4321023	
Facility Contact Name:		
Facility Contact Phone:		
State Contact Name:		
State Contact Phone:		
Company Name:		
Operator Address:		

Map ID #35 **Source: TCEQ**

Register #: 20174 **EPA ID: NA** **Banks ID: 20174**

GREENFIELD MACHINE WORKS Rel. Loc.: 0.14 miles E
 7001 MULLINS DR, HOUSTON, TX 77081 Elevation: 75 feet (+75)
 Contact: DOUG AUERITT

Status: INACTIVE

Waste Description:

Location Description: 7001 Mullins, Houston, TX

Additional State ID: 6694

Permit Number:

Business Type: Corporation

Facility Type:

Facility Owner Name: GREENFIELD MACHINE WORKS INC

Facility Owner Phone: 1-713-6612466

Facility Contact Name:

Facility Contact Phone:

State Contact Name:

State Contact Phone:

Company Name:

Operator Address:

Waste ID	Waste Code	Waste Description	Disposal Method	Storage Method	Total Annual Waste (lbs)
----------	------------	-------------------	-----------------	----------------	--------------------------

137764	0501203H	SPENT SOLVENT			
--------	----------	---------------	--	--	--

Map ID #36		Source: TCEQ
Register #: 71436	EPA ID: NA	Banks ID: 71436
FOUR STAR PRINTING 6916 ASHCROFT DR, HOUSTON, TX 77081 Contact: FRANK BOYD		Rel. Loc.: 0.14 miles W Elevation: 65 feet (+65)
Status:	INACTIVE	
Waste Description:		
Location Description:	6916 Ashcroft, Houston, TX	
Additional State ID:	26089	
Permit Number:		
Business Type:	Unknown	
Facility Type:		
Facility Owner Name:	FOUR STAR PRINTING CO	
Facility Owner Phone:	1-713-7713875	
Facility Contact Name:		
Facility Contact Phone:		
State Contact Name:		
State Contact Phone:		
Company Name:		
Operator Address:		

Map ID #37		Source: TCEQ
Register #: 71826	EPA ID: TXD040342859	Banks ID: 71826
WATERMARK PRINTING 6206 EVERGREEN ST, HOUSTON, TX 77081 Contact: TONY CISNEROS		Rel. Loc.: 0.14 miles W Elevation: 76 feet (+76)
Status:	INACTIVE	
Waste Description:		
Location Description:	6206 Evergreen, Houston, TX	
Additional State ID:	26410	
Permit Number:		
Business Type:	Unknown	
Facility Type:		
Facility Owner Name:	WATERMARK PRINTING INC	
Facility Owner Phone:	1-713-7712520	
Facility Contact Name:		
Facility Contact Phone:		
State Contact Name:		
State Contact Phone:		
Company Name:	WATERMARK PRINTING INC	
Operator Address:		

Map ID #39 **Source: TCEQ**

Register #: 23603 **EPA ID: NA** **Banks ID: 23603**

ANCHOR MACHINE Rel. Loc.: 0.16 miles W
 6211 EVERGREEN ST, HOUSTON, TX 77081 Elevation: 73 feet (+73)
 Contact: DON JOHNSTON

Status: INACTIVE

Waste Description:

Location Description: 6211 Evergreen, Houston, TX

Additional State ID: 34380

Permit Number:

Business Type: Corporation

Facility Type:

Facility Owner Name: ANCHOR MACHINE WORKS INC

Facility Owner Phone:

Facility Contact Name:

Facility Contact Phone:

State Contact Name:

State Contact Phone:

Company Name: ANCHOR MACHINE WORKS INC

Operator Address:

Waste ID	Waste Code	Waste Description	Disposal Method	Storage Method	Total Annual Waste (lbs)
137959	0501203H	SPENT SOLVENT			
137960	0566203H	IMMERSION CLEANER			
137961	14763101	USED FILTERS			



Mapped Sites Details

Klotz Associates: Beechnut

Map ID #40		Source: TCEQ			
Register #: 20351		EPA ID: TXD980811897			
CNC MANUFACTURING		Rel. Loc.: 0.18 miles E			
5904 JESSAMINE ST STE A12, HOUSTON, TX 77081		Elevation: 74 feet (+74)			
Contact: STEVE WOODWARD					
Status:		ACTIVE			
Waste Description:					
Location Description:		5904 Jessamine St, Ste A 12, Houston, TX			
Additional State ID:		6846			
Permit Number:					
Business Type:		Unknown			
Facility Type:					
Facility Owner Name:		CNC MANUFACTURING			
Facility Owner Phone:		1-713-6678021			
Facility Contact Name:					
Facility Contact Phone:					
State Contact Name:					
State Contact Phone:					
Company Name:		CNC MANUFACTURING			
Operator Address:		5904 JESSAMINE ST STE A12, HOUSTON, TX 77081			
Waste ID	Waste Code	Waste Description	Disposal Method	Storage Method	Total Annual Waste (lbs)
127828	05572031	Waste mineral spirits/cleaning of machined parts/1-10-95			

Map ID #41	Source: TCEQ	
Register #: 71717	EPA ID: TXD008071086	Banks ID: 71717
SARANDOS DEODERANT CO		Rel. Loc.: 0.19 miles SW
8209 DUNLAP ST, HOUSTON, TX 77074		Elevation: 77 feet (+77)
Contact:		
Status:	INACTIVE	
Waste Description:		
Location Description:	8209 Dunlop, Houston, TX	
Additional State ID:	26314	
Permit Number:		
Business Type:	Unknown	
Facility Type:		
Facility Owner Name:	SARANDOS DEODORANT CO	
Facility Owner Phone:		
Facility Contact Name:		
Facility Contact Phone:		
State Contact Name:		
State Contact Phone:		
Company Name:		
Operator Address:		

Map ID #47		Source: TCEQ
Register #: 71318	EPA ID: TXD020805404	Banks ID: 71318
NATIONAL HEALTH ENTERPRISES 6601 HILLCROFT ST, HOUSTON, TX 77081 Contact:		Rel. Loc.: 0.22 miles W Elevation: 65 feet (+65)
Status:	INACTIVE	
Waste Description:		
Location Description:	6601 Hillcroft, Houston, TX	
Additional State ID:	25978	
Permit Number:		
Business Type:	Unknown	
Facility Type:		
Facility Owner Name:	NATIONAL HEALTH ENTERPRISES	
Facility Owner Phone:	1-713-7775123	
Facility Contact Name:		
Facility Contact Phone:		
State Contact Name:		
State Contact Phone:		
Company Name:	NATIONAL HEALTH ENTERPRISES	
Operator Address:		

Map ID #48		Source: TCEQ
Register #: 71849	EPA ID: TXD072202054	Banks ID: 71849
DAVID TAYLOR CADILLAC 6909 HILLCROFT ST, HOUSTON, TX 77081 Contact: ROGER R ROMERO		Rel. Loc.: 0.23 miles W Elevation: 65 feet (+65)
Status:	INACTIVE	
Waste Description:		
Location Description:	6909 Hillcroft, Houston, TX	
Additional State ID:	26433	
Permit Number:		
Business Type:	Unknown	
Facility Type:		
Facility Owner Name:	DAVID TAYLOR CADILLAC CO	
Facility Owner Phone:	1-713-7777151	
Facility Contact Name:		
Facility Contact Phone:		
State Contact Name:		
State Contact Phone:		
Company Name:		
Operator Address:		

Map ID #51		Source: TCEQ
Register #: 79412	EPA ID: TXD988046124	Banks ID: 79412
CHEVORN FAC 107982		Rel. Loc.: 0.24 miles W
6237 BELLAIRE BLVD, HOUSTON, TX 77081		Elevation: 65 feet (+65)
Contact: KATHRYN MINTER		
Status:	INACTIVE	
Waste Description:		
Location Description:	6237 Bellaire, Houston, TX	
Additional State ID:	32966	
Permit Number:		
Business Type:	Corporation	
Facility Type:		
Facility Owner Name:	CHEVRON USA INC	
Facility Owner Phone:	1-713-7543500	
Facility Contact Name:		
Facility Contact Phone:		
State Contact Name:		
State Contact Phone:		
Company Name:	CHEVRON USA INC	
Operator Address:	PO BOX 4256, HOUSTON, TX 77210	

End of HW Sites Section



Mapped Sites Details

Klotz Associates: Beechnut

RCRA - RCRA

Map ID #5 **Source: EPA**

EPA Handler ID: TXD062116553 **Handler Sequence Number: 2** **Banks ID: TXD062116553**

ART STYLE PRINTING INC Rel. Loc.: 0.02 miles W
 7208 RAMPART ST, HOUSTON, TX 77081 Elevation: 70 feet (+70)
 Contact: ENVIRONMENTAL MANAGER

Owner Name:	ART STYLE PRINTING INC
Number of Owners:	1
Operator Name:	ART STYLE PRINTING INC
Number of Operators:	1
Mailing Address:	7208 RAMPART ST, HOUSTON, TX 77081
Contact Name:	ENVIRONMENTAL MANAGER
Contact Address:	7208 RAMPART ST, HOUSTON, TX 77081
Contact Phone:	
Contact Email Address:	
Government Performance and Results Act (GPRA) Permit:	The facility does not exist on the Operating/Post-Closure Permit Baseline.
Government Performance and Results Act (GPRA) Corrective Action:	No

Workload Legend: L=Land Disposal I=Incineration B=Boiler/Industrial Furnace S=Storage T=Treatment

Permit Workload:	-----
Closure Workload:	-----
Post-Closure Workload:	-----
Subject to Corrective Action:	No
Subject to Corrective Action 3004:	No
Subject to Corrective Action Non-TSDF:	No
Corrective Action Workload:	No
Generator Status:	Not a Generator
Nuclear Mixed Waste Handler:	No
Onsite Burner Exemption:	No
Furnace Exemption:	No
Underground Injection Activity:	No
NAIC Description 1:	
NAIC Description 2:	
NAIC Description 3:	
NAIC Description 4:	
Federal Generator Class:	Not a Generator, Verified
State Generator Class:	
Environmental Controls in Place:	No
Institutional Controls in Place:	No
Groundwater Controls in Place:	No
Significant Non-Compliance:	No
Unaddressed Significant Non-Complier:	No
Addressed Significant Non-Complier:	No
Significant Non-Complier with Compliance Schedule:	No

Enforcement Description	Responsible Enforcement Agency	Enforcement Date	Penalty Description
-------------------------	--------------------------------	------------------	---------------------

Continued from Previous Page

Evaluation Description	Responsible Agency	Evaluation Date	Violation Found	
Violation Description	Violation Determined By	Violation Date	Actual Resolution Date	Scheduled Resolution Date



Mapped Sites Details

Klotz Associates: Beechnut

Map ID #5		Source: EPA	
EPA Handler ID: TXD987990066		Handler Sequence Number: 2	
		Banks ID: TXD987990066	
BIG 10 PRODUCTIONS INC		Rel. Loc.: 0.02 miles W	
7206 RAMPART, HOUSTON, TX 77081		Elevation: 71 feet (+71)	
Contact: RENEE MAXEY			
Owner Name:			
Number of Owners:		0	
Operator Name:			
Number of Operators:		0	
Mailing Address:		6201 BISSONNET, HOUSTON, TX 77081	
Contact Name:		RENEE MAXEY	
Contact Address:		6201 BISSONNET, HOUSTON, TX 77081	
Contact Phone:		713-995-5100	
Contact Email Address:			
Government Performance and Results Act (GPRA) Permit:		The facility does not exist on the Operating/Post-Closure Permit Baseline.	
Government Performance and Results Act (GPRA) Corrective Action:		No	
Workload Legend: L=Land Disposal I=Incineration B=Boiler/Industrial Furnace S=Storage T=Treatment			
Permit Workload:		-----	
Closure Workload:		-----	
Post-Closure Workload:		-----	
Subject to Corrective Action:		No	
Subject to Corrective Action 3004:		No	
Subject to Corrective Action Non-TSDF:		No	
Corrective Action Workload:		No	
Generator Status:		Not a Generator	
Nuclear Mixed Waste Handler:		No	
Onsite Burner Exemption:		No	
Furnace Exemption:		No	
Underground Injection Activity:		No	
NAIC Description 1:			
NAIC Description 2:			
NAIC Description 3:			
NAIC Description 4:			
Federal Generator Class:		Not a Generator, Verified	
State Generator Class:			
Environmental Controls in Place:		No	
Institutional Controls in Place:		No	
Groundwater Controls in Place:		No	
Significant Non-Compliance:		No	
Unaddressed Significant Non-Complier:		No	
Addressed Significant Non-Complier:		No	
Significant Non-Complier with Compliance Schedule:		No	
Enforcement Description		Responsible Enforcement Agency	Enforcement Date
Evaluation Description		Responsible Agency	Evaluation Date
			Violation Found

Continued from Previous Page

Violation Description	Violation Determined By	Violation Date	Actual Resolution Date	Scheduled Resolution Date
Hazardous Waste Description				
<p>IGNITABLE WASTE</p> <p>THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE, 2-ETHOXYETHANOL, AND 2-NITROPROPANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, OR F004; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.</p> <p>THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NONHALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS, AND A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.</p>				



Mapped Sites Details

Klotz Associates: Beechnut

Map ID #7		Source: EPA	
EPA Handler ID: TXD982292500		Handler Sequence Number: 2	
		Banks ID: TXD982292500	
RV SERVICES OF HOUSTON		Rel. Loc.: 0.02 miles W	
6128 ALETHA LANE, HOUSTON, TX 77081		Elevation: 65 feet (+65)	
Contact: BRADFORD SCARDIMO			
Owner Name:			
Number of Owners:		0	
Operator Name:			
Number of Operators:		0	
Mailing Address:		6128 ALETHA LANE, HOUSTON, TX 77081	
Contact Name:		BRADFORD SCARDIMO	
Contact Address:		6128 ALETHA LANE, HOUSTON, TX 77081	
Contact Phone:		713-270-5508	
Contact Email Address:			
Government Performance and Results Act (GPRA) Permit:		The facility does not exist on the Operating/Post-Closure Permit Baseline.	
Government Performance and Results Act (GPRA) Corrective Action:		No	
Workload Legend: L=Land Disposal I=Incineration B=Boiler/Industrial Furnace S=Storage T=Treatment			
Permit Workload:		-----	
Closure Workload:		-----	
Post-Closure Workload:		-----	
Subject to Corrective Action:		No	
Subject to Corrective Action 3004:		No	
Subject to Corrective Action Non-TSDF:		No	
Corrective Action Workload:		No	
Generator Status:		Not a Generator	
Nuclear Mixed Waste Handler:		No	
Onsite Burner Exemption:		No	
Furnace Exemption:		No	
Underground Injection Activity:		No	
NAIC Description 1:			
NAIC Description 2:			
NAIC Description 3:			
NAIC Description 4:			
Federal Generator Class:		Not a Generator, Verified	
State Generator Class:			
Environmental Controls in Place:		No	
Institutional Controls in Place:		No	
Groundwater Controls in Place:		No	
Significant Non-Compliance:		No	
Unaddressed Significant Non-Complier:		No	
Addressed Significant Non-Complier:		No	
Significant Non-Complier with Compliance Schedule:		No	
Enforcement Description		Responsible Enforcement Agency	Enforcement Date
Evaluation Description		Responsible Agency	Evaluation Date
			Violation Found

Continued from Previous Page

Violation Description	Violation Determined By	Violation Date	Actual Resolution Date	Scheduled Resolution Date
Hazardous Waste Description				
<p>IGNITABLE WASTE</p> <p>THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE, 2-ETHOXYETHANOL, AND 2-NITROPROPANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, OR F004; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.</p> <p>THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NONHALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS, AND A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.</p>				



Mapped Sites Details

Klotz Associates: Beechnut

Map ID #10		Source: EPA	
EPA Handler ID: TXD981611478		Handler Sequence Number: 3	
		Banks ID: TXD981611478	
NEWBART INDUSTRIES		Rel. Loc.: 0.03 miles E	
6025 EDGEMOORE, HOUSTON, TX 77274		Elevation: 64 feet (+64)	
Contact: JAMES BARTLEY			
Owner Name:			
Number of Owners:		0	
Operator Name:			
Number of Operators:		0	
Mailing Address:		6025 EDGEMOORE, HOUSTON, TX 77274	
Contact Name:		JAMES BARTLEY	
Contact Address:		6025 EDGEMOORE, HOUSTON, TX 77274	
Contact Phone:		713-667-8233	
Contact Email Address:			
Government Performance and Results Act (GPRA) Permit:		The facility does not exist on the Operating/Post-Closure Permit Baseline.	
Government Performance and Results Act (GPRA) Corrective Action:		No	
Workload Legend: L=Land Disposal I=Incineration B=Boiler/Industrial Furnace S=Storage T=Treatment			
Permit Workload:		-----	
Closure Workload:		-----	
Post-Closure Workload:		-----	
Subject to Corrective Action:		No	
Subject to Corrective Action 3004:		No	
Subject to Corrective Action Non-TSDF:		No	
Corrective Action Workload:		No	
Generator Status:		Not a Generator	
Nuclear Mixed Waste Handler:		No	
Onsite Burner Exemption:		No	
Furnace Exemption:		No	
Underground Injection Activity:		No	
NAIC Description 1:			
NAIC Description 2:			
NAIC Description 3:			
NAIC Description 4:			
Federal Generator Class:		Not a Generator, Verified	
State Generator Class:			
Environmental Controls in Place:		No	
Institutional Controls in Place:		No	
Groundwater Controls in Place:		No	
Significant Non-Compliance:		No	
Unaddressed Significant Non-Complier:		No	
Addressed Significant Non-Complier:		No	
Significant Non-Complier with Compliance Schedule:		No	
Enforcement Description		Responsible Enforcement Agency	Enforcement Date
Evaluation Description		Responsible Agency	Evaluation Date
			Violation Found

Continued from Previous Page

Violation Description	Violation Determined By	Violation Date	Actual Resolution Date	Scheduled Resolution Date
Hazardous Waste Description				
CORROSIVE WASTE				
DESCRIPTION				
IGNITABLE WASTE				



Mapped Sites Details

Klotz Associates: Beechnut

Map ID #11		Source: EPA	
EPA Handler ID: TXD007342512		Handler Sequence Number: 2	
		Banks ID: TXD007342512	
FRAZIER INC		Rel. Loc.: 0.03 miles E	
7219 RAMPART ST, HOUSTON, TX 77081		Elevation: 64 feet (+64)	
Contact: JOHN GRIFFIN			
Owner Name:			
Number of Owners:		0	
Operator Name:			
Number of Operators:		0	
Mailing Address:		PO BOX 741369, HOUSTON, TX 77274	
Contact Name:		JOHN GRIFFIN	
Contact Address:		PO BOX 741369, HOUSTON, TX 77274	
Contact Phone:		713-772-5511	
Contact Email Address:			
Government Performance and Results Act (GPRA) Permit:		The facility does not exist on the Operating/Post-Closure Permit Baseline.	
Government Performance and Results Act (GPRA) Corrective Action:		No	
Workload Legend: L=Land Disposal I=Incineration B=Boiler/Industrial Furnace S=Storage T=Treatment			
Permit Workload:		-----	
Closure Workload:		-----	
Post-Closure Workload:		-----	
Subject to Corrective Action:		No	
Subject to Corrective Action 3004:		No	
Subject to Corrective Action Non-TSDF:		No	
Corrective Action Workload:		No	
Generator Status:		Not a Generator	
Nuclear Mixed Waste Handler:		No	
Onsite Burner Exemption:		No	
Furnace Exemption:		No	
Underground Injection Activity:		No	
NAIC Description 1:		Construction Machinery Manufacturing	
NAIC Description 2:			
NAIC Description 3:			
NAIC Description 4:			
Federal Generator Class:		Not a Generator, Verified	
State Generator Class:			
Environmental Controls in Place:		No	
Institutional Controls in Place:		No	
Groundwater Controls in Place:		No	
Significant Non-Compliance:		No	
Unaddressed Significant Non-Complier:		No	
Addressed Significant Non-Complier:		No	
Significant Non-Complier with Compliance Schedule:		No	
Enforcement Description	Responsible Enforcement Agency	Enforcement Date	Penalty Description
Evaluation Description	Responsible Agency	Evaluation Date	Violation Found

Continued from Previous Page

Violation Description	Violation Determined By	Violation Date	Actual Resolution Date	Scheduled Resolution Date
Hazardous Waste Description				
<p>THE FOLLOWING SPENT HALOGENATED SOLVENTS USED IN DEGREASING: TETRACHLOROETHYLENE, TRICHLOROETHYLENE, METHYLENE CHLORIDE, 1,1,1-TRICHLOROETHANE, CARBON TETRACHLORIDE AND CHLORINATED FLUOROCARBONS; ALL SPENT SOLVENT MIXTURES/BLENDS USED IN DEGREASING CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F002, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.</p> <p>THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFUOROMETHANE, AND 1,1,2, TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.</p> <p>WASTEWATER TREATMENT SLUDGES FROM THE CHEMICAL CONVERSION COATING OF ALUMINUM, EXCEPT FROM ZIRCONIUM PHOSPHATING IN ALUMINUM CAN WASHING WHEN SUCH PHOSPHATING IS AN EXCLUSIVE CONVERSION COATING PROCESS.</p>				



Mapped Sites Details

Klotz Associates: Beechnut

Map ID #12		Source: EPA	
EPA Handler ID: TXD988078069		Handler Sequence Number: 3	
		Banks ID: TXD988078069	
R B AUTO SERVICE		Rel. Loc.: 0.04 miles E	
6034 BELLAIRE BLVD., HOUSTON, TX 77081		Elevation: 64 feet (+64)	
Contact: HARRY ROHIRA			
Owner Name:			
Number of Owners:		0	
Operator Name:			
Number of Operators:		0	
Mailing Address:		6034 BELLAIRE BLVD, HOUSTON, TX 77081	
Contact Name:		HARRY ROHIRA	
Contact Address:		6034 BELLAIRE BLVD, HOUSTON, TX 77081	
Contact Phone:		713-666-2020	
Contact Email Address:			
Government Performance and Results Act (GPRA) Permit:		The facility does not exist on the Operating/Post-Closure Permit Baseline.	
Government Performance and Results Act (GPRA) Corrective Action:		No	
Workload Legend: L=Land Disposal I=Incineration B=Boiler/Industrial Furnace S=Storage T=Treatment			
Permit Workload:		-----	
Closure Workload:		-----	
Post-Closure Workload:		-----	
Subject to Corrective Action:		No	
Subject to Corrective Action 3004:		No	
Subject to Corrective Action Non-TSDF:		No	
Corrective Action Workload:		No	
Generator Status:		Not a Generator	
Nuclear Mixed Waste Handler:		No	
Onsite Burner Exemption:		No	
Furnace Exemption:		No	
Underground Injection Activity:		No	
NAIC Description 1:			
NAIC Description 2:			
NAIC Description 3:			
NAIC Description 4:			
Federal Generator Class:		Not a Generator, Verified	
State Generator Class:			
Environmental Controls in Place:		No	
Institutional Controls in Place:		No	
Groundwater Controls in Place:		No	
Significant Non-Compliance:		No	
Unaddressed Significant Non-Complier:		No	
Addressed Significant Non-Complier:		No	
Significant Non-Complier with Compliance Schedule:		No	
Enforcement Description		Responsible Enforcement Agency	Enforcement Date
Evaluation Description		Responsible Agency	Evaluation Date
			Violation Found

Continued from Previous Page

Violation Description	Violation Determined By	Violation Date	Actual Resolution Date	Scheduled Resolution Date
Hazardous Waste Description				
<p>IGNITABLE WASTE</p> <p>THE FOLLOWING SPENT HALOGENATED SOLVENTS USED IN DEGREASING: TETRACHLOROETHYLENE, TRICHLOROETHYLENE, METHYLENE CHLORIDE, 1,1,1-TRICHLOROETHANE, CARBON TETRACHLORIDE AND CHLORINATED FLUOROCARBONS; ALL SPENT SOLVENT MIXTURES/BLENDS USED IN DEGREASING CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F002, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.</p> <p>THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2, TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.</p> <p>THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE, 2-ETHOXYETHANOL, AND 2-NITROPROPANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, OR F004; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.</p> <p>THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NONHALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS, AND A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.</p>				



Mapped Sites Details

Klotz Associates: Beechnut

Map ID #13 **Source: EPA**

EPA Handler ID: TXD065081226 **Handler Sequence Number: 2** **Banks ID: TXD065081226**

CONDUCTIVE CIRCUIT CORP Rel. Loc.: 0.04 miles W
 6119 JESSAMINE, HOUSTON, TX 77081 Elevation: 65 feet (+65)
 Contact: GERALD STREIT

Owner Name:
Number of Owners: 0
Operator Name:
Number of Operators: 0
Mailing Address: 6119 JESSAMINE, HOUSTON, TX 77081
Contact Name: GERALD STREIT
Contact Address: 6119 JESSAMINE, HOUSTON, TX 77081
Contact Phone: 713-771-2483
Contact Email Address:
Government Performance and Results Act (GPRA) Permit: The facility does not exist on the Operating/Post-Closure Permit Baseline.
Government Performance and Results Act (GPRA) Corrective Action: No

Workload Legend: L=Land Disposal I=Incineration B=Boiler/Industrial Furnace S=Storage T=Treatment

Permit Workload: -----
Closure Workload: -----
Post-Closure Workload: -----
Subject to Corrective Action: No
Subject to Corrective Action 3004: No
Subject to Corrective Action Non-TSDF: No
Corrective Action Workload: No
Generator Status: Not a Generator
Nuclear Mixed Waste Handler: No
Onsite Burner Exemption: No
Furnace Exemption: No
Underground Injection Activity: No
NAIC Description 1:
NAIC Description 2:
NAIC Description 3:
NAIC Description 4:
Federal Generator Class: Not a Generator, Verified
State Generator Class:
Environmental Controls in Place: No
Institutional Controls in Place: No
Groundwater Controls in Place: No
Significant Non-Compliance: No
Unaddressed Significant Non-Complier: No
Addressed Significant Non-Complier: No
Significant Non-Complier with Compliance Schedule: No

Enforcement Description	Responsible Enforcement Agency	Enforcement Date	Penalty Description

Evaluation Description	Responsible Agency	Evaluation Date	Violation Found

Continued from Previous Page

Violation Description	Violation Determined By	Violation Date	Actual Resolution Date	Scheduled Resolution Date
Hazardous Waste Description				
CORROSIVE WASTE				
CYANIDES (SOLUBLE CYANIDE SALTS), NOT OTHERWISE SPECIFIED				
DESCRIPTION				
LEAD				
PLATING BATH RESIDUES FROM THE BOTTOM OF PLATING BATHS FROM ELECTROPLATING OPERATIONS IN WHICH CYANIDES ARE USED IN THE PROCESS.				
POTASSIUM CYANIDE (OR) POTASSIUM CYANIDE K(CN)				
REACTIVE WASTE				
SODIUM CYANIDE (OR) SODIUM CYANIDE NA(CN)				
SPENT CYANIDE PLATING BATH SOLUTIONS FROM ELECTROPLATING OPERATIONS.				
SPENT STRIPPING AND CLEANING BATH SOLUTIONS FROM ELECTROPLATING OPERATIONS IN WHICH CYANIDES ARE USED IN THE PROCESS.				
THE FOLLOWING SPENT HALOGENATED SOLVENTS USED IN DEGREASING: TETRACHLOROETHYLENE, TRICHLOROETHYLENE, METHYLENE CHLORIDE, 1,1,1-TRICHLOROETHANE, CARBON TETRACHLORIDE AND CHLORINATED FLUOROCARBONS; ALL SPENT SOLVENT MIXTURES/BLENDS USED IN DEGREASING CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F002, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.				
THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2, TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.				
WASTEWATER TREATMENT SLUDGES FROM ELECTROPLATING OPERATIONS, EXCEPT FROM THE FOLLOWING PROCESSES: (1) SULFURIC ACID ANODIZING OF ALUMINUM; (2) TIN PLATING ON CARBON STEEL; (3) ZINC PLATING (SEGREGATED BASIS) ON CARBON STEEL; (4) ALUMINUM OR ZINC-ALUMINUM PLATING ON CARBON STEEL; (5) CLEANING/STRIPPING ASSOCIATED WITH TIN, ZINC, AND ALUMINUM PLATING ON CARBON STEEL; AND (6) CHEMICAL ETCHING AND MILLING OF ALUMINUM.				



Mapped Sites Details

Klotz Associates: Beechnut

Map ID #14		Source: EPA	
EPA Handler ID: TXR000075978		Handler Sequence Number: 1	
		Banks ID: TXR000075978	
TD EXPERT		Rel. Loc.: 0.04 miles W	
6102 BISSONNET ST SUITE C, HOUSTON, TX 77081		Elevation: 69 feet (+69)	
Contact:			
Owner Name:			
Number of Owners:		0	
Operator Name:			
Number of Operators:		0	
Mailing Address:		6102 BISSONNET ST SUITE C, HOUSTON, TX 77081	
Contact Name:			
Contact Address:			
Contact Phone:			
Contact Email Address:			
Government Performance and Results Act (GPRA) Permit:		The facility does not exist on the Operating/Post-Closure Permit Baseline.	
Government Performance and Results Act (GPRA) Corrective Action:		No	
Workload Legend: L=Land Disposal I=Incineration B=Boiler/Industrial Furnace S=Storage T=Treatment			
Permit Workload:		-----	
Closure Workload:		-----	
Post-Closure Workload:		-----	
Subject to Corrective Action:		No	
Subject to Corrective Action 3004:		No	
Subject to Corrective Action Non-TSDF:		No	
Corrective Action Workload:		No	
Generator Status:		Not a Generator	
Nuclear Mixed Waste Handler:		No	
Onsite Burner Exemption:		No	
Furnace Exemption:		No	
Underground Injection Activity:		No	
NAIC Description 1:			
NAIC Description 2:			
NAIC Description 3:			
NAIC Description 4:			
Federal Generator Class:		Not a Generator, Verified	
State Generator Class:			
Environmental Controls in Place:		No	
Institutional Controls in Place:		No	
Groundwater Controls in Place:		No	
Significant Non-Compliance:		No	
Unaddressed Significant Non-Complier:		No	
Addressed Significant Non-Complier:		No	
Significant Non-Complier with Compliance Schedule:		No	
Enforcement Description		Responsible Enforcement Agency	Enforcement Date
Evaluation Description		Responsible Agency	Evaluation Date
			Violation Found

Continued from Previous Page

Violation Description	Violation Determined By	Violation Date	Actual Resolution Date	Scheduled Resolution Date



Mapped Sites Details

Klotz Associates: Beechnut

Map ID #15		Source: EPA	
EPA Handler ID: TXD988040614		Handler Sequence Number: 2	
		Banks ID: TXD988040614	
ENZO LUSSO AUTOMOTIVE INC		Rel. Loc.: 0.04 miles W	
6105 CLAREWOOD, HOUSTON, TX 77081		Elevation: 65 feet (+65)	
Contact: ENZO LUSSO			
Owner Name:			
Number of Owners:		0	
Operator Name:			
Number of Operators:		0	
Mailing Address:		6105 CLAREWOOD, HOUSTON, TX 77081	
Contact Name:		ENZO LUSSO	
Contact Address:		6105 CLAREWOOD, HOUSTON, TX 77081	
Contact Phone:		713-778-9445	
Contact Email Address:			
Government Performance and Results Act (GPRA) Permit:		The facility does not exist on the Operating/Post-Closure Permit Baseline.	
Government Performance and Results Act (GPRA) Corrective Action:		No	
Workload Legend: L=Land Disposal I=Incineration B=Boiler/Industrial Furnace S=Storage T=Treatment			
Permit Workload:		-----	
Closure Workload:		-----	
Post-Closure Workload:		-----	
Subject to Corrective Action:		No	
Subject to Corrective Action 3004:		No	
Subject to Corrective Action Non-TSDF:		No	
Corrective Action Workload:		No	
Generator Status:		Not a Generator	
Nuclear Mixed Waste Handler:		No	
Onsite Burner Exemption:		No	
Furnace Exemption:		No	
Underground Injection Activity:		No	
NAIC Description 1:			
NAIC Description 2:			
NAIC Description 3:			
NAIC Description 4:			
Federal Generator Class:		Not a Generator, Verified	
State Generator Class:			
Environmental Controls in Place:		No	
Institutional Controls in Place:		No	
Groundwater Controls in Place:		No	
Significant Non-Compliance:		No	
Unaddressed Significant Non-Complier:		No	
Addressed Significant Non-Complier:		No	
Significant Non-Complier with Compliance Schedule:		No	
Enforcement Description	Responsible Enforcement Agency	Enforcement Date	Penalty Description
Evaluation Description	Responsible Agency	Evaluation Date	Violation Found

Continued from Previous Page

Violation Description	Violation Determined By	Violation Date	Actual Resolution Date	Scheduled Resolution Date
Hazardous Waste Description				
IGNITABLE WASTE				



Mapped Sites Details

Klotz Associates: Beechnut

Map ID #16		Source: EPA	
EPA Handler ID: TXD988039806		Handler Sequence Number: 2	
		Banks ID: TXD988039806	
APOLLO PAINT & BODY SHOP INC		Rel. Loc.: 0.04 miles W	
7933 HILLCROFT, HOUSTON, TX 77081		Elevation: 84 feet (+84)	
Contact: YVONNE ASWELL			
Owner Name:			
Number of Owners:		0	
Operator Name:			
Number of Operators:		0	
Mailing Address:		7933 HILLCROFT, HOUSTON, TX 77081	
Contact Name:		YVONNE ASWELL	
Contact Address:		7933 HILLCROFT, HOUSTON, TX 77081	
Contact Phone:		713-988-5690	
Contact Email Address:			
Government Performance and Results Act (GPRA) Permit:		The facility does not exist on the Operating/Post-Closure Permit Baseline.	
Government Performance and Results Act (GPRA) Corrective Action:		No	
Workload Legend: L=Land Disposal I=Incineration B=Boiler/Industrial Furnace S=Storage T=Treatment			
Permit Workload:		-----	
Closure Workload:		-----	
Post-Closure Workload:		-----	
Subject to Corrective Action:		No	
Subject to Corrective Action 3004:		No	
Subject to Corrective Action Non-TSDF:		No	
Corrective Action Workload:		No	
Generator Status:		Not a Generator	
Nuclear Mixed Waste Handler:		No	
Onsite Burner Exemption:		No	
Furnace Exemption:		No	
Underground Injection Activity:		No	
NAIC Description 1:			
NAIC Description 2:			
NAIC Description 3:			
NAIC Description 4:			
Federal Generator Class:		Not a Generator, Verified	
State Generator Class:			
Environmental Controls in Place:		No	
Institutional Controls in Place:		No	
Groundwater Controls in Place:		No	
Significant Non-Compliance:		No	
Unaddressed Significant Non-Complier:		No	
Addressed Significant Non-Complier:		No	
Significant Non-Complier with Compliance Schedule:		No	
Enforcement Description	Responsible Enforcement Agency	Enforcement Date	Penalty Description
Evaluation Description	Responsible Agency	Evaluation Date	Violation Found

Continued from Previous Page

Violation Description	Violation Determined By	Violation Date	Actual Resolution Date	Scheduled Resolution Date
Hazardous Waste Description				
<p>IGNITABLE WASTE</p> <p>THE FOLLOWING SPENT HALOGENATED SOLVENTS USED IN DEGREASING: TETRACHLOROETHYLENE, TRICHLOROETHYLENE, METHYLENE CHLORIDE, 1,1,1-TRICHLOROETHANE, CARBON TETRACHLORIDE AND CHLORINATED FLUOROCARBONS; ALL SPENT SOLVENT MIXTURES/BLENDS USED IN DEGREASING CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F002, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.</p> <p>THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2, TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.</p> <p>THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE, 2-ETHOXYETHANOL, AND 2-NITROPROPANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, OR F004; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.</p> <p>THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NONHALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS, AND A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.</p>				



Mapped Sites Details

Klotz Associates: Beechnut

Map ID #17 **Source: EPA**

EPA Handler ID: TXD981050651 **Handler Sequence Number: 2** **Banks ID: TXD981050651**

PILGRIM CLEANERS INC Rel. Loc.: 0.04 miles W
 7901 HILLCROFT, HOUSTON, TX 77081 Elevation: 82 feet (+82)
 Contact: RICK SCHISLER

Owner Name:
Number of Owners: 0
Operator Name:
Number of Operators: 0
Mailing Address: 7901 HILLCROFT, HOUSTON, TX 77081
Contact Name: RICK SCHISLER
Contact Address: 7901 HILLCROFT, HOUSTON, TX 77081
Contact Phone: 713-774-5883
Contact Email Address:
Government Performance and Results Act (GPRA) Permit: The facility does not exist on the Operating/Post-Closure Permit Baseline.
Government Performance and Results Act (GPRA) Corrective Action: No

Workload Legend: L=Land Disposal I=Incineration B=Boiler/Industrial Furnace S=Storage T=Treatment

Permit Workload: -----
Closure Workload: -----
Post-Closure Workload: -----
Subject to Corrective Action: No
Subject to Corrective Action 3004: No
Subject to Corrective Action Non-TSDF: No
Corrective Action Workload: No
Generator Status: Not a Generator
Nuclear Mixed Waste Handler: No
Onsite Burner Exemption: No
Furnace Exemption: No
Underground Injection Activity: No
NAIC Description 1:
NAIC Description 2:
NAIC Description 3:
NAIC Description 4:
Federal Generator Class: Not a Generator, Verified
State Generator Class:
Environmental Controls in Place: No
Institutional Controls in Place: No
Groundwater Controls in Place: No
Significant Non-Compliance: No
Unaddressed Significant Non-Complier: No
Addressed Significant Non-Complier: No
Significant Non-Complier with Compliance Schedule: No

Enforcement Description	Responsible Enforcement Agency	Enforcement Date	Penalty Description

Evaluation Description	Responsible Agency	Evaluation Date	Violation Found

Continued from Previous Page

Violation Description	Violation Determined By	Violation Date	Actual Resolution Date	Scheduled Resolution Date
Hazardous Waste Description				
<p>THE FOLLOWING SPENT HALOGENATED SOLVENTS USED IN DEGREASING: TETRACHLOROETHYLENE, TRICHLOROETHYLENE, METHYLENE CHLORIDE, 1,1,1-TRICHLOROETHANE, CARBON TETRACHLORIDE AND CHLORINATED FLUOROCARBONS; ALL SPENT SOLVENT MIXTURES/BLENDS USED IN DEGREASING CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F002, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.</p> <p>THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFUOROMETHANE, AND 1,1,2, TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.</p>				



Mapped Sites Details

Klotz Associates: Beechnut

Map ID #23		Source: EPA	
EPA Handler ID: TXD988023925		Handler Sequence Number: 2	
		Banks ID: TXD988023925	
GREGS CLEANERS		Rel. Loc.: 0.09 miles W	
7848 HILLCROFT, HOUSTON, TX 77081		Elevation: 73 feet (+73)	
Contact: QUIBB VU			
Owner Name:			
Number of Owners:		0	
Operator Name:			
Number of Operators:		0	
Mailing Address:		7848 HILLCROFT, HOUSTON, TX 77081	
Contact Name:		QUIBB VU	
Contact Address:		7848 HILLCROFT, HOUSTON, TX 77081	
Contact Phone:		713-774-1343	
Contact Email Address:			
Government Performance and Results Act (GPRA) Permit:		The facility does not exist on the Operating/Post-Closure Permit Baseline.	
Government Performance and Results Act (GPRA) Corrective Action:		No	
Workload Legend: L=Land Disposal I=Incineration B=Boiler/Industrial Furnace S=Storage T=Treatment			
Permit Workload:		-----	
Closure Workload:		-----	
Post-Closure Workload:		-----	
Subject to Corrective Action:		No	
Subject to Corrective Action 3004:		No	
Subject to Corrective Action Non-TSDF:		No	
Corrective Action Workload:		No	
Generator Status:		Not a Generator	
Nuclear Mixed Waste Handler:		No	
Onsite Burner Exemption:		No	
Furnace Exemption:		No	
Underground Injection Activity:		No	
NAIC Description 1:			
NAIC Description 2:			
NAIC Description 3:			
NAIC Description 4:			
Federal Generator Class:		Not a Generator, Verified	
State Generator Class:			
Environmental Controls in Place:		No	
Institutional Controls in Place:		No	
Groundwater Controls in Place:		No	
Significant Non-Compliance:		No	
Unaddressed Significant Non-Complier:		No	
Addressed Significant Non-Complier:		No	
Significant Non-Complier with Compliance Schedule:		No	
Enforcement Description		Responsible Enforcement Agency	Enforcement Date
Evaluation Description		Responsible Agency	Evaluation Date
			Violation Found

Continued from Previous Page

Violation Description	Violation Determined By	Violation Date	Actual Resolution Date	Scheduled Resolution Date
Hazardous Waste Description				
<p>THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFUOROMETHANE, AND 1,1,2, TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.</p>				



Mapped Sites Details

Klotz Associates: Beechnut

Map ID #29		Source: EPA	
EPA Handler ID: TXD981148307		Handler Sequence Number: 2	
		Banks ID: TXD981148307	
ACCU PRESS INC		Rel. Loc.: 0.11 miles W	
7337 ASHCROFT, HOUSTON, TX 77081		Elevation: 73 feet (+73)	
Contact: ARMANDO PEREZ			
Owner Name:			
Number of Owners:		0	
Operator Name:			
Number of Operators:		0	
Mailing Address:		7337 ASHCROFT, HOUSTON, TX 77081	
Contact Name:		ARMANDO PEREZ	
Contact Address:		7337 ASHCROFT, HOUSTON, TX 77081	
Contact Phone:		713-270-7770	
Contact Email Address:			
Government Performance and Results Act (GPRA) Permit:		The facility does not exist on the Operating/Post-Closure Permit Baseline.	
Government Performance and Results Act (GPRA) Corrective Action:		No	
Workload Legend: L=Land Disposal I=Incineration B=Boiler/Industrial Furnace S=Storage T=Treatment			
Permit Workload:		-----	
Closure Workload:		-----	
Post-Closure Workload:		-----	
Subject to Corrective Action:		No	
Subject to Corrective Action 3004:		No	
Subject to Corrective Action Non-TSDF:		No	
Corrective Action Workload:		No	
Generator Status:		Not a Generator	
Nuclear Mixed Waste Handler:		No	
Onsite Burner Exemption:		No	
Furnace Exemption:		No	
Underground Injection Activity:		No	
NAIC Description 1:			
NAIC Description 2:			
NAIC Description 3:			
NAIC Description 4:			
Federal Generator Class:		Not a Generator, Verified	
State Generator Class:			
Environmental Controls in Place:		No	
Institutional Controls in Place:		No	
Groundwater Controls in Place:		No	
Significant Non-Compliance:		No	
Unaddressed Significant Non-Complier:		No	
Addressed Significant Non-Complier:		No	
Significant Non-Complier with Compliance Schedule:		No	
Enforcement Description	Responsible Enforcement Agency	Enforcement Date	Penalty Description
Evaluation Description	Responsible Agency	Evaluation Date	Violation Found

Continued from Previous Page

Violation Description	Violation Determined By	Violation Date	Actual Resolution Date	Scheduled Resolution Date
Hazardous Waste Description				
CORROSIVE WASTE				
DESCRIPTION				
IGNITABLE WASTE				



Mapped Sites Details

Klotz Associates: Beechnut

Map ID #32 **Source: EPA**

EPA Handler ID: TXD981146111 **Handler Sequence Number: 2** **Banks ID: TXD981146111**

ART STYLE PRINTING INC Rel. Loc.: 0.14 miles N
 7570 RENWICK DR, HOUSTON, TX 77081 Elevation: 61 feet (+61)
 Contact: JUDITY ANDERSON

Owner Name:
Number of Owners: 0
Operator Name:
Number of Operators: 0
Mailing Address: PO BOX 740947, HOUSTON, TX 77274
Contact Name: JUDITY ANDERSON
Contact Address: PO BOX 740947, HOUSTON, TX 77274
Contact Phone: 713-432-1023
Contact Email Address:
Government Performance and Results Act (GPRA) Permit: The facility does not exist on the Operating/Post-Closure Permit Baseline.
Government Performance and Results Act (GPRA) Corrective Action: No

Workload Legend: L=Land Disposal I=Incineration B=Boiler/Industrial Furnace S=Storage T=Treatment

Permit Workload: -----
Closure Workload: -----
Post-Closure Workload: -----
Subject to Corrective Action: No
Subject to Corrective Action 3004: No
Subject to Corrective Action Non-TSDF: No
Corrective Action Workload: No
Generator Status: Not a Generator
Nuclear Mixed Waste Handler: No
Onsite Burner Exemption: No
Furnace Exemption: No
Underground Injection Activity: No
NAIC Description 1:
NAIC Description 2:
NAIC Description 3:
NAIC Description 4:
Federal Generator Class: Not a Generator, Verified
State Generator Class:
Environmental Controls in Place: No
Institutional Controls in Place: No
Groundwater Controls in Place: No
Significant Non-Compliance: No
Unaddressed Significant Non-Complier: No
Addressed Significant Non-Complier: No
Significant Non-Complier with Compliance Schedule: No

Enforcement Description	Responsible Enforcement Agency	Enforcement Date	Penalty Description

Evaluation Description	Responsible Agency	Evaluation Date	Violation Found

Continued from Previous Page

Violation Description	Violation Determined By	Violation Date	Actual Resolution Date	Scheduled Resolution Date
Hazardous Waste Description				
CORROSIVE WASTE				



Mapped Sites Details

Klotz Associates: Beechnut

Map ID #37 **Source: EPA**

EPA Handler ID: TXD040342859 **Handler Sequence Number: 2** **Banks ID: TXD040342859**

WATERMARK PRINTING INC Rel. Loc.: 0.14 miles W
 6206 EVERGREEN, HOUSTON, TX 77081 Elevation: 76 feet (+76)
 Contact: TONY CISNEROS

Owner Name:
Number of Owners: 0
Operator Name:
Number of Operators: 0
Mailing Address: 6206 EVERGREEN, HOUSTON, TX 77081
Contact Name: TONY CISNEROS
Contact Address: 6206 EVERGREEN, HOUSTON, TX 77081
Contact Phone: 713-771-2520
Contact Email Address:
Government Performance and Results Act (GPRA) Permit: The facility does not exist on the Operating/Post-Closure Permit Baseline.
Government Performance and Results Act (GPRA) Corrective Action: No

Workload Legend: L=Land Disposal I=Incineration B=Boiler/Industrial Furnace S=Storage T=Treatment

Permit Workload: -----
Closure Workload: -----
Post-Closure Workload: -----
Subject to Corrective Action: No
Subject to Corrective Action 3004: No
Subject to Corrective Action Non-TSDF: No
Corrective Action Workload: No
Generator Status: Not a Generator
Nuclear Mixed Waste Handler: No
Onsite Burner Exemption: No
Furnace Exemption: No
Underground Injection Activity: No
NAIC Description 1:
NAIC Description 2:
NAIC Description 3:
NAIC Description 4:
Federal Generator Class: Not a Generator, Verified
State Generator Class:
Environmental Controls in Place: No
Institutional Controls in Place: No
Groundwater Controls in Place: No
Significant Non-Compliance: No
Unaddressed Significant Non-Complier: No
Addressed Significant Non-Complier: No
Significant Non-Complier with Compliance Schedule: No

Enforcement Description	Responsible Enforcement Agency	Enforcement Date	Penalty Description
Evaluation Description	Responsible Agency	Evaluation Date	Violation Found

Continued from Previous Page

Violation Description	Violation Determined By	Violation Date	Actual Resolution Date	Scheduled Resolution Date
Hazardous Waste Description				
CORROSIVE WASTE				
DESCRIPTION				
IGNITABLE WASTE				



Mapped Sites Details

Klotz Associates: Beechnut

Map ID #41		Source: EPA	
EPA Handler ID: TXD008071086		Handler Sequence Number: 2	
		Banks ID: TXD008071086	
SARANDOS DEODERANT CO		Rel. Loc.: 0.19 miles SW	
8209 DUNLOP, HOUSTON, TX 77074		Elevation: 77 feet (+77)	
Contact: ENVIRONMENTAL MANAGER			
Owner Name:			
Number of Owners:		0	
Operator Name:			
Number of Operators:		0	
Mailing Address:		8209 DUNLOP, HOUSTON, TX 77074	
Contact Name:		ENVIRONMENTAL MANAGER	
Contact Address:		8209 DUNLOP, HOUSTON, TX 77074	
Contact Phone:			
Contact Email Address:			
Government Performance and Results Act (GPRA) Permit:		The facility does not exist on the Operating/Post-Closure Permit Baseline.	
Government Performance and Results Act (GPRA) Corrective Action:		No	
Workload Legend: L=Land Disposal I=Incineration B=Boiler/Industrial Furnace S=Storage T=Treatment			
Permit Workload:		-----	
Closure Workload:		-----	
Post-Closure Workload:		-----	
Subject to Corrective Action:		No	
Subject to Corrective Action 3004:		No	
Subject to Corrective Action Non-TSDF:		No	
Corrective Action Workload:		No	
Generator Status:		Not a Generator	
Nuclear Mixed Waste Handler:		No	
Onsite Burner Exemption:		No	
Furnace Exemption:		No	
Underground Injection Activity:		No	
NAIC Description 1:			
NAIC Description 2:			
NAIC Description 3:			
NAIC Description 4:			
Federal Generator Class:		Not a Generator, Verified	
State Generator Class:			
Environmental Controls in Place:		No	
Institutional Controls in Place:		No	
Groundwater Controls in Place:		No	
Significant Non-Compliance:		No	
Unaddressed Significant Non-Complier:		No	
Addressed Significant Non-Complier:		No	
Significant Non-Complier with Compliance Schedule:		No	
Enforcement Description		Responsible Enforcement Agency	Enforcement Date
Evaluation Description		Responsible Agency	Evaluation Date
			Violation Found



Mapped Sites Details

Klotz Associates: Beechnut

Continued from Previous Page

Violation Description	Violation Determined By	Violation Date	Actual Resolution Date	Scheduled Resolution Date



Mapped Sites Details

Klotz Associates: Beechnut

Map ID #47		Source: EPA	
EPA Handler ID: TXD020805404		Handler Sequence Number: 3	
		Banks ID: TXD020805404	
NATIONAL HEALTH ENTERPRISES		Rel. Loc.: 0.22 miles W	
6601 HILLCROFT, HOUSTON, TX 77081		Elevation: 65 feet (+65)	
Contact: ENVIRONMENTAL MANAGER			
Owner Name:			
Number of Owners:		0	
Operator Name:			
Number of Operators:		0	
Mailing Address:		6601 HILLCROFT, HOUSTON, TX 77081	
Contact Name:		ENVIRONMENTAL MANAGER	
Contact Address:		6601 HILLCROFT, HOUSTON, TX 77081	
Contact Phone:		713-777-5123	
Contact Email Address:			
Government Performance and Results Act (GPRA) Permit:		The facility does not exist on the Operating/Post-Closure Permit Baseline.	
Government Performance and Results Act (GPRA) Corrective Action:		No	
Workload Legend: L=Land Disposal I=Incineration B=Boiler/Industrial Furnace S=Storage T=Treatment			
Permit Workload:		-----	
Closure Workload:		-----	
Post-Closure Workload:		-----	
Subject to Corrective Action:		No	
Subject to Corrective Action 3004:		No	
Subject to Corrective Action Non-TSDF:		No	
Corrective Action Workload:		No	
Generator Status:		Not a Generator	
Nuclear Mixed Waste Handler:		No	
Onsite Burner Exemption:		No	
Furnace Exemption:		No	
Underground Injection Activity:		No	
NAIC Description 1:			
NAIC Description 2:			
NAIC Description 3:			
NAIC Description 4:			
Federal Generator Class:		Not a Generator, Verified	
State Generator Class:			
Environmental Controls in Place:		No	
Institutional Controls in Place:		No	
Groundwater Controls in Place:		No	
Significant Non-Compliance:		No	
Unaddressed Significant Non-Complier:		No	
Addressed Significant Non-Complier:		No	
Significant Non-Complier with Compliance Schedule:		No	
Enforcement Description	Responsible Enforcement Agency	Enforcement Date	Penalty Description
Evaluation Description	Responsible Agency	Evaluation Date	Violation Found

Continued from Previous Page

Violation Description	Violation Determined By	Violation Date	Actual Resolution Date	Scheduled Resolution Date



Mapped Sites Details

Klotz Associates: Beechnut

Map ID #48		Source: EPA	
EPA Handler ID: TXD072202054		Handler Sequence Number: 2	
		Banks ID: TXD072202054	
DAVID TAYLOR CADILLAC CO		Rel. Loc.: 0.23 miles W	
6909 HILLCROFT, HOUSTON, TX 77081		Elevation: 65 feet (+65)	
Contact: ROGER R ROMERO			
Owner Name:			
Number of Owners:		0	
Operator Name:			
Number of Operators:		0	
Mailing Address:		PO BOX 740739, HOUSTON, TX 77081	
Contact Name:		ROGER R ROMERO	
Contact Address:		PO BOX 740739, HOUSTON, TX 77081	
Contact Phone:		713-777-7151	
Contact Email Address:			
Government Performance and Results Act (GPRA) Permit:		The facility does not exist on the Operating/Post-Closure Permit Baseline.	
Government Performance and Results Act (GPRA) Corrective Action:		No	
Workload Legend: L=Land Disposal I=Incineration B=Boiler/Industrial Furnace S=Storage T=Treatment			
Permit Workload:		-----	
Closure Workload:		-----	
Post-Closure Workload:		-----	
Subject to Corrective Action:		No	
Subject to Corrective Action 3004:		No	
Subject to Corrective Action Non-TSDF:		No	
Corrective Action Workload:		No	
Generator Status:		Not a Generator	
Nuclear Mixed Waste Handler:		No	
Onsite Burner Exemption:		No	
Furnace Exemption:		No	
Underground Injection Activity:		No	
NAIC Description 1:			
NAIC Description 2:			
NAIC Description 3:			
NAIC Description 4:			
Federal Generator Class:		Not a Generator, Verified	
State Generator Class:			
Environmental Controls in Place:		No	
Institutional Controls in Place:		No	
Groundwater Controls in Place:		No	
Significant Non-Compliance:		No	
Unaddressed Significant Non-Complier:		No	
Addressed Significant Non-Complier:		No	
Significant Non-Complier with Compliance Schedule:		No	
Enforcement Description		Responsible Enforcement Agency	Enforcement Date
Evaluation Description		Responsible Agency	Evaluation Date
			Violation Found

Continued from Previous Page

Violation Description	Violation Determined By	Violation Date	Actual Resolution Date	Scheduled Resolution Date
Hazardous Waste Description				
<p>IGNITABLE WASTE</p> <p>THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE, 2-ETHOXYETHANOL, AND 2-NITROPROPANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, OR F004; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.</p> <p>THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NONHALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS, AND A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.</p>				



Mapped Sites Details

Klotz Associates: Beechnut

Map ID #51 **Source: EPA**

EPA Handler ID: TXD988046124 **Handler Sequence Number: 3** **Banks ID: TXD988046124**

CHEVRON USA INC Rel. Loc.: 0.24 miles W
 6237 BELLAIRE, HOUSTON, TX 77081 Elevation: 65 feet (+65)
 Contact: KATHRYN MINTER

Owner Name:	CHEVRON USA INC
Number of Owners:	1
Operator Name:	CHEVRON USA INC
Number of Operators:	1
Mailing Address:	PO BOX 4256, HOUSTON, TX 77210
Contact Name:	KATHRYN MINTER
Contact Address:	PO BOX 4256, HOUSTON, TX 77210
Contact Phone:	713-754-3500
Contact Email Address:	
Government Performance and Results Act (GPRA) Permit:	The facility does not exist on the Operating/Post-Closure Permit Baseline.
Government Performance and Results Act (GPRA) Corrective Action:	No

Workload Legend: L=Land Disposal I=Incineration B=Boiler/Industrial Furnace S=Storage T=Treatment

Permit Workload:	-----
Closure Workload:	-----
Post-Closure Workload:	-----
Subject to Corrective Action:	No
Subject to Corrective Action 3004:	No
Subject to Corrective Action Non-TSDF:	No
Corrective Action Workload:	No
Generator Status:	Not a Generator
Nuclear Mixed Waste Handler:	No
Onsite Burner Exemption:	No
Furnace Exemption:	No
Underground Injection Activity:	No
NAIC Description 1:	
NAIC Description 2:	
NAIC Description 3:	
NAIC Description 4:	
Federal Generator Class:	Not a Generator, Verified
State Generator Class:	
Environmental Controls in Place:	No
Institutional Controls in Place:	No
Groundwater Controls in Place:	No
Significant Non-Compliance:	No
Unaddressed Significant Non-Complier:	No
Addressed Significant Non-Complier:	No
Significant Non-Complier with Compliance Schedule:	No

Enforcement Description	Responsible Enforcement Agency	Enforcement Date	Penalty Description

Evaluation Description	Responsible Agency	Evaluation Date	Violation Found

Continued from Previous Page

Violation Description	Violation Determined By	Violation Date	Actual Resolution Date	Scheduled Resolution Date
Hazardous Waste Description				
BENZENE				
DESCRIPTION				
IGNITABLE WASTE				

End of RCRA Sites Section

DRYC - Dry Cleaners

Map ID #14	Source: TCEQ
Registration #: RN104425954	Site ID: 3003894
	Banks ID: 104425954
T D EXPERT CLEANERS 6102 BISSONNET ST STE C, HOUSTON, TX 77081 Contact:	Rel. Loc.: 0.04 miles W Elevation: 69 feet (+69)
Details #1	
Status:	ACTIVE
Site Type:	DROP STATION REGISTRATION
Site Start Date:	
Role:	
Owner:	TOM TRAN
Mailing Address:	6102 BISSONNET ST STE C
Mailing City:	HOUSTON
Mailing State:	TX
Mailing Zip:	77081
Additional Location Information:	
CN Number:	CN603718099
Details #2	
Status:	ACTIVE
Site Type:	DROP STATION REGISTRATION
Site Start Date:	
Role:	
Owner:	VU LE TRAN
Mailing Address:	6102 BISSONNET ST STE C
Mailing City:	HOUSTON
Mailing State:	TX
Mailing Zip:	77081
Additional Location Information:	
CN Number:	CN603404658
Details #3	
Status:	ACTIVE
Site Type:	DROP STATION REGISTRATION
Site Start Date:	
Role:	
Owner:	TRAN, DZUNG NGOC
Mailing Address:	6102 BISSONNET ST STE C
Mailing City:	HOUSTON
Mailing State:	TX
Mailing Zip:	77081
Additional Location Information:	
CN Number:	CN602723850

Map ID #23		Source: TCEQ
Registration #: RN102333226	Site ID: 3000877	Banks ID: 102333226
GREGS CLEANERS 7848 HILLCROFT ST, HOUSTON, TX 77081 Contact:		Rel. Loc.: 0.09 miles W Elevation: 73 feet (+73)
Details #1		
Status:	ACTIVE	
Site Type:	FACILITY REGISTRATION	
Site Start Date:		
Role:		
Owner:	VNP INC	
Mailing Address:	7848 HILLCROFT ST	
Mailing City:	HOUSTON	
Mailing State:	TX	
Mailing Zip:	77081	
Additional Location Information:		
CN Number:	CN601231327	
Details #2		
Status:	ACTIVE	
Site Type:	FACILITY REGISTRATION	
Site Start Date:		
Role:		
Owner:	T N D EXPERT LLC	
Mailing Address:	7848 HILLCROFT ST	
Mailing City:	HOUSTON	
Mailing State:	TX	
Mailing Zip:	77081	
Additional Location Information:		
CN Number:	CN603215286	
Details #3		
Status:	ACTIVE	
Site Type:	FACILITY REGISTRATION	
Site Start Date:		
Role:		
Owner:	FURNITUREWALA, FAROOQ	
Mailing Address:	9675 AZEEM AVE	
Mailing City:	HOUSTON	
Mailing State:	TX	
Mailing Zip:	77099	
Additional Location Information:		
CN Number:	CN603577966	

Map ID #50 **Source: TCEQ**

Registration #: RN104401336 **Site ID: 3003850** **Banks ID: 104401336**

SOUTHWEST WASHATERIA Rel. Loc.: 0.23 miles W
 7203 HILLCROFT ST, HOUSTON, TX 77081 Elevation: 74 feet (+74)
 Contact:

Details #1

Status:	ACTIVE
Site Type:	DROP STATION REGISTRATION
Site Start Date:	
Role:	
Owner:	DINH, LIEN
Mailing Address:	7203 HILLCROFT ST
Mailing City:	HOUSTON
Mailing State:	TX
Mailing Zip:	77081
Additional Location Information:	
CN Number:	CN602707671

End of DRYC Sites Section

ERNS - ERNS List

Source: EPA/National Response Center

NRC Report #: 263504

Secondary ID: NA

Banks ID: 263504

CORNER OF BELLAIRE BLVD, HOUSTON, TX 77051

Contact:

Responsible Party:	EXXON CO USA
Incident Location:	
Incident Date/Time:	10/1/1994 7:10 AM
Cause of Incident:	TRANSPORT ACCIDENT
Description of Incident:	GASOLINE TANK TRUCK//TRANSPORT ACCIDENT//MATERIAL RELEASED FROMTRANSFER HOSE
Incident Type:	MOBILE
Additional Information:	FATALITY WAS TO DRIVER OF OTHER VEHICLE//EVACUATIONS WERE FROM A NEARBYFOOD STORE// INTERSECTION WAS CLOSED FOR 5 HRS
Any Fatalities:	Yes
Number of Fatalities:	1
Remedial Action Taken:	SECURED RELEASE//HOUSTON HAZMAT ON SCENE
Medium Affected:	LAND
Medium Description:	CONCRETE
Materials Spilled:	GASOLINE: AUTOMOTIVE (UNLEADED)
Railroad Involved:	
Pipeline Type Involved:	UNKNOWN
Source:	UNAVAILABLE

End of ERNS Sites Section


Database	Source	Database Description	Update Schedule	Data Requested	Data Obtained	Data Updated	Source Updated
CER -- CERCLIS	EPA	CERCLIS sites come from the Comprehensive Environmental Response, Compensation, and Liability Act, a federal law designed to clean up abandoned hazardous waste sites. These sites are either proposed, listed or under review currently to be a part of the National Priority List.	Quarterly	08/03/2012	08/03/2012	08/04/2012	05/24/2012
CER NFRAP -- CERCLIS NFRAP	EPA	CERCLIS sites designated 'No Further Remedial Action Planned' NFRAP have been removed from CERCLIS. NFRAP sites may be sites where, following an initial investigation, no contamination was found, contamination was removed quickly without the site being placed on the NPL, or the contamination was not serious enough to require Federal Superfund action or NPL consideration.	Quarterly	08/03/2012	08/03/2012	08/04/2012	05/24/2012
DNPL -- Delisted National Priority List	EPA	DNPL is a list of all sites that have been deleted from the EPA NPL list. These sites are taken off the NPL list usually due to no further response or remedial action being required on them. Notices to delete NPL sites are published in the Federal Register and become effective unless the EPA receives significant adverse or critical comments during the 30-day public comment period.	Quarterly	08/03/2012	08/03/2012	08/04/2012	05/24/2012
DRYC -- Dry Cleaners	TCEQ	Dry Cleaner data houses both the DCRP Program information and PERC information released by the TCEQ. The DCRP database contains records funded for state-lead clean up of dry cleaner related contaminated sites. The DCRP administers the Dry Cleaning Facility Release Fund to assist with remediation of contamination caused by dry cleaning solvents. There are two listings from this program: LIST#1 - A historic listing of any facility that registered with the DCRP indicating whether or not the facility has used Perchloroethylene (PERC) in the past. LIST#2 - A Prioritization list of dry cleaner sites. Facilities on this list will be investigated in order to determine the existence and or extent of possible contamination. Facilities which are not current on their DCRP payments get dropped from the program. Banks Environmental Data DOES NOT REMOVE these listings from our database so that we may present a more complete historical listing of facilities that may or may not have used PERC in the past.	Quarterly	08/09/2012	08/09/2012	08/12/2012	05/16/2012
ERNS -- ERNS List	EPA/National Response Center	ERNS is a national database used to store information on unauthorized releases of oil and hazardous substances that have been reported to the National Response Center since 2001. The NRC is the sole federal point of contact for reporting oil and chemical spills. Prior to 2001 this information was maintained by the EPA.	Annually	01/10/2012	01/10/2012	01/10/2012	12/31/2011
FED BWN -- Federal Brownfields	EPA	A listing of sites that assist the EPA in collecting, tracking, and updating information of sites in relation to the Small Business Liability Relief and Brownfields Revitalization Act. These sites are real property that is either abandoned or underutilized where redevelopment or expansion is complicated by real or perceived environmental contamination.	Quarterly	08/16/2012	08/17/2012	08/18/2012	08/09/2012
FED EC -- Federal Engineering Control	EPA	This is a listing of Brownfield Management System (BMS) sites that have had Engineering Controls (ECs) placed on them. ECs are physical methods or modifications put into place on a site to reduce or eliminate the possibility of human exposure to known contamination. ECs are a type of Activity and Use Limitation (AUL).	Quarterly	08/16/2012	08/17/2012	08/18/2012	08/09/2012
FED IC -- Federal Institutional Control	EPA	This is a listing of Brownfield Management System (BMS) sites that have had Institutional Controls (ICs) placed on them. ICs are administrative restrictions, such as legal controls, that help minimize the potential for human exposure to known contamination by ensuring appropriate land or resource use. ICs are meant to supplement Engineering Controls and will rarely be the sole remedy at a site. ICs are a type of Activity and Use Limitation (AUL).	Quarterly	08/16/2012	08/17/2012	08/18/2012	08/09/2012
HW -- State/Tribal Hazardous Waste	TCEQ	This database contains information on facilities which store, process, or dispose of hazardous waste as maintained by the Industrial and Hazardous Waste Permits section of the TCEQ.	Quarterly	08/22/2012	08/29/2012	09/15/2012	08/06/2012
LPST -- State/Tribal Leaking Storage Tank	TCEQ	This database contains information on leaking storage tanks, equipment failures, compliance, and releases in the state.	Quarterly	07/27/2012	07/27/2012	07/31/2012	07/06/2012
LPST -- State/Tribal Leaking Storage Tank	EPA	The Tribal LUST database (maintained by EPA Region 6) provides information on leaking underground storage tank on tribal lands in Louisiana, Arkansas, Oklahoma, New Mexico and Tribal Nations.	Quarterly	06/19/2012	07/18/2012	07/18/2012	07/18/2012
NPL -- National	EPA	NPL is the list of high priority hazardous waste sites in	Quarterly	08/03/2012	08/03/2012	08/04/2012	05/24/2012

Database	Source	Database Description	Update Schedule	Data Requested	Data Obtained	Data Updated	Source Updated
Priority List		the United States eligible for long-term remedial action financed under the federal Superfund program and CERCLIS. Also known as Superfund sites, the EPA will only add sites to the NPL list based upon completion of the Hazard Ranking System (HRS) screening, public solicitation of comments about the proposed site, and after all comments have been addressed.					
PST -- State/Tribal Storage Tank	TCEQ	This database contains information on above and underground storage tanks, compliance, and releases in the state.	Quarterly	07/27/2012	07/27/2012	07/28/2012	07/03/2012
PST -- State/Tribal Storage Tank	EPA	The Tribal UST database (maintained by EPA Region 6) provides underground storage tank information on tribal lands in Louisiana, Arkansas, Oklahoma, New Mexico and Tribal Nations.	Quarterly	06/19/2012	07/18/2012	07/18/2012	07/18/2012
RCRA -- RCRA	EPA	This database lists all sites that fall under the Resource Conservation and Recovery Act (RCRA) and are not classifiable as treatment, storage, disposers of hazardous material, hazardous waste generator or subject to corrective action activity.	Quarterly	08/08/2012	08/08/2012	08/12/2012	07/11/2012
RCRA COR -- RCRA CORRACTS	EPA	These sites are registered hazardous waste generators or handlers that fall under the Resource Conservation and Recovery Act (RCRA). and subject to corrective action activity.	Quarterly	08/08/2012	08/08/2012	08/12/2012	07/11/2012
RCRA GEN -- RCRA Generators	EPA	The EPA regulates all Hazardous Waste Generators subject to the Resource Conservation and Recovery Act (RCRA). They are classified by the quantity of hazardous waste generated. A Small Quantity Generator (SQG) generates between 100kg and 1,000 kg of waste per month. A Large Quantity Generator (LQG) generates over 1,000 kg of waste per month. A Conditionally Exempt SQG (CEG) generates less than 100 kg of waste per month.	Quarterly	08/08/2012	08/08/2012	08/12/2012	07/11/2012
RCRA TSD -- RCRA non-CORRACTS TSD	EPA	This database lists all treatment, storage and disposal of hazardous material sites that fall under the Resource Conservation and Recovery Act (RCRA). All hazardous waste TSD facilities are required to notify EPA of their existence.	Quarterly	08/08/2012	08/08/2012	08/12/2012	07/11/2012
ST BWN -- State/Tribal Brownfield	TCEQ	Brownfield sites are former industrial properties that lie dormant or underutilized due to liability associated with real or perceived contamination. In Texas, the TCEQ, in close partnership with the EPA and other federal, state, and local redevelopment agencies, and stakeholders, is facilitating cleanup, transferability, and revitalization of Brownfield's through the development of regulatory, tax, and technical assistance tools.	Quarterly	08/14/2012	08/14/2012	08/14/2012	08/14/2012
ST BWN -- State/Tribal Brownfield	RRC	The Railroad Commission of Texas' Voluntary Cleanup Program (RRC-VCP) provides an incentive to remediate Oil & Gas related pollution by participants as long as they did not cause or contribute to the contamination. Applicants to the program receive a release of liability to the state in exchange for a successful cleanup.	Quarterly	07/31/2012	07/31/2012	08/29/2012	07/31/2012
ST CER -- State/Tribal Equivalent CERCLIS	NA	This database is not currently available from this state. If this state does make this database available in the future, Banks Environmental Data will obtain it for reporting purposes.	NA	N/A	N/A	N/A	N/A
ST EC -- State/Tribal Engineering Control	TCEQ	This database includes Voluntary Cleanup Program (VCP) or Innocent Operator Program (IOP) sites that have been remediated and have had Engineering Controls (ECs) placed on them. ECs are physical methods or modifications put into place on a site to reduce or eliminate the possibility of human exposure to known contamination.	Quarterly	08/06/2012	08/06/2012	08/07/2012	07/26/2012
ST IC -- State/Tribal Institutional Control	TCEQ	This database includes Voluntary Cleanup Program (VCP) or Innocent Operator Program (IOP) sites that have been remediated and have had Institutional Controls (ICs) placed on them. ICs are administrative restrictions, such as legal controls, that help minimize the potential for human exposure to known contamination by ensuring appropriate land or resource use.	Quarterly	08/06/2012	08/06/2012	08/07/2012	07/26/2012
ST IC -- State/Tribal Institutional Control	RRC	The Railroad Commission of Texas Voluntary Cleanup Program provides an incentive to remediate Oil & Gas related pollution by participants as long as they did not cause or contribute to the contamination.	Quarterly	07/31/2012	07/31/2012	08/07/2012	07/31/2012
ST NPL -- State/Tribal Equivalent NPL	TCEQ	This database contains sites determined by the TCEQ that may constitute an imminent and substantial endangerment to public health and safety or to the environment due to a release or threatened release of hazardous substances into the environment.	Quarterly	08/14/2012	08/16/2012	08/18/2012	08/16/2012
SWLF -- State/Tribal Disposal or Landfill	TCEQ	The SWLF database contains records of municipal solid waste facilities that may accept various types of municipal solid waste for processing or disposal, depending on the type of facility. A Municipal Solid Waste facility may also accept certain special wastes and non-hazardous industrial solid wastes if approved by the TCEQ executive director.	Quarterly	09/04/2012	09/12/2012	09/12/2012	09/12/2012

Database	Source	Database Description	Update Schedule	Data Requested	Data Obtained	Data Updated	Source Updated
SWLF -- State/Tribal Disposal or Landfill	TCEQ	This database is a listing of closed and abandoned municipal solid waste landfills. The sites included are either unauthorized (UNUM_) or permitted (PERMAPP_).	NA	N/A	N/A	N/A	N/A
VCP -- State/Tribal Voluntary Cleanup	TCEQ	This database contains sites from both the Voluntary Cleanup Program (VCP) and the Innocent Operator Program (IOP). The VCP records contain information on contaminated sites that private parties have cleaned up through assistance from the State in the form of administrative, technical, and legal incentives. The IOP records are sites that have received certificates from the State acknowledging that their property is contaminated as a result of a release or migration of contaminants from a source or sources not located on the property, and they did not cause or contribute to the source or sources of contamination.	Quarterly	08/06/2012	08/06/2012	08/07/2012	07/26/2012
VCP -- State/Tribal Voluntary Cleanup	RRC	The Railroad Commission of Texas Voluntary Cleanup Program provides an incentive to remediate Oil & Gas related pollution by participants as long as they did not cause or contribute to the contamination.	Quarterly	07/31/2012	07/31/2012	08/07/2012	07/31/2012

The Banks Environmental Data Regulatory Database Report© was prepared based upon data obtained from State, Tribal, and Federal sources known to Banks Environmental Data at the time the data was obtained. Great care has been taken by Banks in obtaining the best available data from the best available sources. However, there is a possibility that there are sources of data applicable or pertaining to this report's target property, and/or surrounding properties, to which Banks does not have access or has not accessed. Furthermore, although Banks Environmental Data performs quality assurance and quality control on all data, including data it obtains, Banks recognizes that inaccuracies in data from these sources may, and do, exist; accordingly, inaccurate data may have been used or relied upon in the preparation of this report. Even though Banks Environmental Data performs a thorough and diligent search to locate and fix any inaccuracies in the data relied upon in the preparation of this report and this report, Banks cannot guarantee or warrant the accuracy of the locations, information, data, or report. The purchaser of this report accepts this report "as is" and assumes all risk related to any potential inaccuracy contained in the report or not reported in it, whether due to a reliance by Banks Environmental Data on inaccurate data, or for any other reason [including but not limited to the negligence or express negligence of Banks Environmental Data]. If this report is being used for the Records Review section of a Phase I Site Assessment according to the ASTM 1527-05, for EPA's All Appropriate Inquiry, or for any other purpose (public or private), all liability and responsibility is assumed by the Environmental Professional or other individual or entity acquiring the report.


APPENDIX D
PHYSICAL SETTING INFORMATION



U.S. DEPARTMENT OF INTERIOR GEOLOGICAL SURVEY

BELLAIRE QUADRANGLE
 HARRIS COUNTY, TEXAS

7.5 MINUTE SERIES (TOPOGRAPHIC)



FEDERAL EMERGENCY MANAGEMENT AGENCY
HARRIS COUNTY, TEXAS

Legend

-  A 100-YEAR FLOODPLAIN
-  AE 100-YEAR FLOODPLAIN
-  X DOES NOT LIE WITHIN FLOODPLAIN

0  Feet
1,250

APPENDIX E
LEGAL DESCRIPTION AND CHAIN-OF-TITLE

Fifty-year chain-of-titles were not obtained for the numerous tracts and/or lots that border the project alignment(s). Obtaining title information for the numerous properties along the project alignment(s) is cost prohibitive. Additionally, since the project alignment(s) does not involve the purchase of land, but crosses properties owned by others and is a utility right-of-way (ROW), obtaining title information is not pertinent to environmental review for this project.

APPENDIX F
HISTORICAL AERIAL PHOTOGRAPHS



Historic Aerial Photo Search

for the site

Klotz Associates, Houston, TX

8635

performed for

Berg - Oliver

9/26/2012

Photos Found

Date	County	Source	Scale	Comments
05.03.2010	HARRIS	NAIP	1 inch = 1500 feet	
01.23.1995	HARRIS	USGS	1 inch = 1500 feet	
10.09.1989	HARRIS	TXDOT	1 inch = 1500 feet	
02.22.1976	HARRIS	USGS	1 inch = 1500 feet	
10.31.1962	HARRIS	USGS	1 inch = 1500 feet	
04.26.1953	HARRIS	ASCS	1 inch = 1500 feet	
03.31.1944	HARRIS	ASCS	1 inch = 1500 feet	

AERIAL PHOTO SOURCE ACRONYMS

ASCS	AGRICULTURAL STABILIZATION AND CONSERVATION SERVICE	NAIP	NATIONAL AGRICULTURE IMAGERY PROGRAM
TXDOT	TEXAS DEPARTMENT OF TRANSPORTATION	USGS	UNITED STATES GEOLOGICAL SURVEY


BERG7386 **TelALL**TM



HARRIS CO. STATE: TX
SCALE: 1" = 1500' JOB #: BERG7386
SOURCE: ASCS DATE: 03.31.1944
TELALLTM
Corporation
800.583.0004
www.telall.net




BQ Y - 12M 15



D W C - 12M 15

HARRIS CO. STATE: TX
SCALE: 1" = 1500' JOB #: BERG7386
SOURCE: ASCS DATE: 04.26.1953
Telall™
Corporation
800.683.0004
www.telall.net






HARRIS CO. STATE: TX
SCALE: 1" = 1500' JOB #: BERG7386
SOURCE: USGS DATE: 10.31.1962


TELALL™
Corporation
800.683.0004
www.telall.net






GS-SWJE


SAFETY FILM

HARRIS CO.	STATE: TX	
SCALE: 1" = 1500'	JOB #: BERG7386	
SOURCE: USGS	DATE: 02.22.1976	
 800.683.0004 www.telall.net		



HARRIS CO. STATE: TX
SCALE: 1" = 1500' JOB #: BERG7386
SOURCE: USGS DATE: 01.23.1995
TELALLTM
Corporation
800.683.0004
www.telall.net





Client: Klotz Associates
Location: Rampart


2008 Aerial

Houston, Harris County, Texas

1"= 1250 feet

Date: 2008

Source: H-GAC Aerial Imagery



HARRIS CO.

STATE: TX

SCALE: 1" = 1500'

JOB #: BERG7386

SOURCE: NAIP

DATE: 05.03.2010

TELALLTM
Corporation
800.583.0004
www.telall.net

N



APPENDIX G
OWNER/OCCUPANT QUESTIONNAIRE

Since the project does not involve the acquisition of property, BOA did not complete this task. BOA had no legal authorization to discuss property issues with adjoining landowners. Additionally, BOA would need preauthorization of the client by contacting the property owners/operators to obtain their permission to discuss such matters (right-of-access and right-of-entry).

APPENDIX H
SANBORN FIRE INSURANCE AND HISTORICAL TOPOGRAPHIC MAPS

Prepared for:

BERG-OLIVER ASSOCIATES, INC.
14701 St. Mary's Lane, #400
Houston, TX 77079



HISTORICAL FIRE INSURANCE MAP RESEARCH

*Klotz Associates
Beechnut
Houston, TX
Harris County
PO#: 8635
Banks ID: ES-102227
September 25, 2012*

HISTORICAL FIRE INSURANCE MAP RESEARCH	
ES-102227	September 25, 2012



RESEARCH PROTOCOL

Banks Environmental Data, Inc. (Banks) has completed your research request to ascertain the likelihood of Fire Insurance Map coverage for the above site. This document reports that Digital Fire Insurance Maps at the Library of Congress have been reviewed based on client-supplied information. The Library of Congress' collection includes all maps submitted to the Library through copyright deposit and a set of maps transferred to the Library from the Bureau of the Census. Maps from the Bureau of the Census include corrections issued by the Sanborn Company that were pasted over the original map sheet. Maps acquired through copyright deposit remain in their original form.


(No Fire Insurance Maps depicting the target property were identified.)

HISTORICAL FIRE INSURANCE MAP RESEARCH	
ES-102227	September 25, 2012




COPYRIGHT POLICY & DISCLAIMER


This report is solely for the limited use of the client and its customers. Sanborn is a registered trademark. Banks Environmental Data, Inc. makes no warranties as to accuracy, validity, completeness, merchantability, quality, condition, suitability or fitness for a particular use or purpose in respect to this report and any information contained herein. All risk is assumed by the user. Banks Environmental Data, Inc. assumes no liability to any party for loss or damage whether arising out of errors or omissions, negligence, accident, or any other cause. In no event shall Banks Environmental Data, Inc., its affiliates or agents, be liable to anyone for special incidental, consequential or exemplary damages.



1946



1982



1995

APPENDIX I
HISTORICAL CITY DIRECTORIES



City Directory Search

P.O. Box 68, Austin, TX 78767
Tel: (800) 583-0004 Fax: (888) 756-7647

10/18/2012

BERG7391

Berg - Oliver
6040-7400 Rampart St., Houston, TX
Klotz Associates
8635

TelALL Corporation has conducted a reverse listing City Directory search to determine prior occupants of the subject site and adjacent properties. We have provided the nearest address(s) when adjacent addresses are not listed. If we have searched a range of addresses, all addresses in that range found in the Directory are included.

Reverse Listing Directories generally are focused on more highly developed areas. Newly developed areas may be covered in the more recent years, but the older directories will tend to cover only the "central" parts of the city. To complete the search, we have either utilized the Texas State Archives or the Briscoe Center collection. These do not claim to be a complete collection of all city directories produced for the state of Texas. To complete this search we used the general range(s) below to search for relevant findings.

6040-7400 Rampart St.

If you have any questions concerning this project, or need additional information please call us at 800-583-0004.

Regards,

TelALL Corp.

We have made every effort to provide complete and accurate information, but we assume no responsibility for inaccurate or incomplete information.



City Directory List

Page 1 of 8

Job# BERG7391

Date 10/18/2012

Date	Street	Address	Listing	Source
2011				DIGITAL BUSINESS DIRECTORY
	Rampart St	6440	CABOOSE PRINTING	
	Rampart St	6520	FIRST HISPANIC PENTECOSTAL CHR	
	Rampart St	6620	IGLESIA ADVENTISTA CENTRAL	
	Rampart St	6628	HONDURAS BEAUTY SALON	
	Rampart St	6711	CHAPINLANDIA BAKERY VARIEDADES	
	Rampart St	6711	DBRUC	
	Rampart St	6711	TORTILLERIA-TAQUERIA LA REYNA	
	Rampart St # 108	6711	CLINICA COMUNITARIA MUNDO	
	Rampart St	6760	WAREHOUSE TIRE & AUTO INC	
	Rampart St	6912	AUTO REPAIR	
	Rampart St	6912	CHIAPAS BODYSHOP	
	Rampart St	6912	MANUEL AUTO REPAIR	
	Rampart St # 108	6912	ERNESTO AUTO SVC	
	Rampart St	6914	HUGO'S BODY SHOP	
	Rampart St # 101	6914	ANA'S BODY SHOP	
	Rampart St	7001	RAMPART WELDING SVC	
	Rampart St	7005	PINEDA AUTO REPAIR	
	Rampart St # B	7014	RIVERA AUTO TRIM	
	Rampart St # C	7014	INTERNATIONAL AUTO CARE	
	Rampart St	7023	I & I DESIGN INC	
	Rampart St	7106	B & M BODY SHOP	
	Rampart St	7106	FLORES BODY SHOP	
	Rampart St	7106	TEXAS INDUSTRIAL REPAIR	
	Rampart St	7202	MIGHTY MOOSE PRINTING	
	Rampart St	7209	AMERICAN CAR EXCHANGE	
	Rampart St	7209	LONESTAR AUTO REMARKETING CORP	



City Directory List

Date	Street	Address	Listing	Source
	Rampart St	7213	MATAGALPA	
	Rampart St	7219	FRAZER LIMITED	
	Rampart St # 106	7330	LOGIC	
	Rampart St # 115	7330	H TOWN AUTO BODY	
	Rampart St # 116	7330	DON AGONSI AUTOMOTIVE	
	Rampart St # 119	7330	JOHNSON AUTOMOTIVE MACHINE	
	Rampart St # 109	7332	MAGIC AUTO	
	Rampart St # 112	7332	SIMON MT CAR SALES	
	Rampart St # 100	7334	RAMPART AUTO TRANSMISSION	
	Rampart St	7350	EZ3 STATE INSPECTIONS	
	Rampart St	7400	SAMMY MUFFLER SHOP	
	Rampart St # A1	7400	MIGUEL'S AUTO SVC	
	Rampart St # C	7400	R JAPANESE CARS	
	Rampart St # D	7400	CARCO TRANSMISSIONS & CAR SVC	
	Rampart St # E	7400	DISCOUNT AUTO CARE	



City Directory List

Page 3 of 8

Job# BERG7391

Date 10/18/2012

Date	Street	Address	Listing	Source
2007				DIGITAL BUSINESS DIRECTORY
	Rampart St	6440	CABOOSE PRINTING	
	Rampart St	6520	FIRST HISPANIC PENTECOSTAL CHR	
	Rampart St	6620	IGLESIA ADVENTISTA CENTRAL	
	Rampart St	6628	HONDURAS BEAUTY SALON	
	Rampart St	6711	CHAPINLANDIA BAKERY VARIEDADES	
	Rampart St	6711	TORTILLERIA-TAQUERIA LA REYNA	
	Rampart St	6760	WAREHOUSE TIRE & AUTO INC	
	Rampart St	6912	AUTO REPAIR	
	Rampart St	6912	MANUEL AUTO REPAIR	
	Rampart St # 108	6912	ERNESTO AUTO SVC	
	Rampart St # 101	6914	ANA'S BODY SHOP	
	Rampart St	7001	RAMPART WELDING SVC	
	Rampart St	7005	PINEDA AUTO REPAIR	
	Rampart St # B	7014	RIVERA AUTO TRIM	
	Rampart St # C	7014	INTERNATIONAL AUTO CARE	
	Rampart St	7023	I & I DESIGN INC	
	Rampart St	7106	B & M BODY SHOP	
	Rampart St	7106	FLORES BODY SHOP	
	Rampart St	7106	TEXAS INDUSTRIAL REPAIR	
	Rampart St	7202	MIGHTY MOOSE PRINTING	
	Rampart St	7209	AMERICAN CAR EXCHANGE	
	Rampart St	7209	LONESTAR AUTO REMARKETING CORP	
	Rampart St	7219	FRAZER LIMITED	
	Rampart St # 106	7330	LOGIC	
	Rampart St # 116	7330	DON AGONSI AUTOMOTIVE	
	Rampart St # 119	7330	JOHNSON AUTOMOTIVE MACHINE	



City Directory List

Date	Street	Address	Listing	Source
2003				DIGITAL BUSINESS DIRECTORY
	Rampart St	6440	CABOOSE PRINTING	
	Rampart St	6520	FIRST HISPANIC PENTECOSTAL CHR	
	Rampart St	6620	IGLESIA ADVENTISTA CENTRAL	
	Rampart St	6628	HONDURAS BEAUTY SALON	
	Rampart St # 108	6912	ERNESTO AUTO SVC	
	Rampart St	7005	PINEDA AUTO REPAIR	
	Rampart St # B	7014	RIVERA AUTO TRIM	
	Rampart St # C	7014	INTERNATIONAL AUTO CARE	
	Rampart St	7023	I & I DESIGN INC	
	Rampart St	7106	B & M BODY SHOP	
	Rampart St	7106	FLORES BODY SHOP	
	Rampart St	7106	TEXAS INDUSTRIAL REPAIR	
	Rampart St	7202	MIGHTY MOOSE PRINTING	
	Rampart St	7209	LONESTAR AUTO REMARKETING CORP	
	Rampart St	7219	FRAZER LIMITED	
	Rampart St # 106	7330	LOGIC	
	Rampart St # 116	7330	DON AGONSI AUTOMOTIVE	
	Rampart St # 109	7332	MAGIC AUTO	
	Rampart St # 100	7334	RAMPART AUTO TRANSMISSION	
	Rampart St # D	7400	CARCO TRANSMISSIONS & CAR SVC	
	Rampart St # E	7400	DISCOUNT AUTO CARE	



City Directory List

Date	Street	Address	Listing	Source
1999				DIGITAL BUSINESS DIRECTORY
	Rampart St	6440	CABOOSE PRINTING	
	Rampart St	6620	IGLESIA ADVENTISTA CENTRAL	
	Rampart St	6628	HONDURAS BEAUTY SALON	
	Rampart St # 108	6912	ERNESTO AUTO SVC	
	Rampart St # B	7014	RIVERA AUTO TRIM	
	Rampart St # C	7014	INTERNATIONAL AUTO CARE	
	Rampart St	7106	TEXAS INDUSTRIAL REPAIR	
	Rampart St	7219	FRAZER LIMITED	
	Rampart St # 116	7330	DON AGONSI AUTOMOTIVE	
	Rampart St # 109	7332	MAGIC AUTO	
	Rampart St # 100	7334	RAMPART AUTO TRANSMISSION	
	Rampart St # D	7400	CARCO TRANSMISSIONS & CAR SVC	
	Rampart St # E	7400	DISCOUNT AUTO CARE	
1995				DIGITAL BUSINESS DIRECTORY
	Rampart St	6440	CABOOSE PRINTING	
	Rampart St	6620	IGLESIA ADVENTISTA CENTRAL	
	Rampart St # 108	6912	ERNESTO AUTO SVC	
	Rampart St # B	7014	RIVERA AUTO TRIM	
	Rampart St # C	7014	INTERNATIONAL AUTO CARE	
	Rampart St	7106	TEXAS INDUSTRIAL REPAIR	
	Rampart St	7219	FRAZER LIMITED	
	Rampart St # 116	7330	DON AGONSI AUTOMOTIVE	
	Rampart St # 109	7332	MAGIC AUTO	
	Rampart St # 100	7334	RAMPART AUTO TRANSMISSION	
	Rampart St # D	7400	CARCO TRANSMISSIONS & CAR SVC	
	Rampart St # E	7400	DISCOUNT AUTO CARE	



City Directory List

Page 7 of 8

Job# BERG7391

Date 10/18/2012

Date	Street	Address	Listing	Source
1991				DIGITAL BUSINESS DIRECTORY
	Rampart St	6440	CABOOSE PRINTING	
	Rampart St # B	7014	RIVERA AUTO TRIM	
	Rampart St # C	7014	INTERNATIONAL AUTO CARE	
	Rampart St	7219	FRAZER LIMITED	
	Rampart St # 116	7330	DON AGONSI AUTOMOTIVE	
	Rampart St # D	7400	CARCO TRANSMISSIONS & CAR SVC	
	Rampart St # E	7400	DISCOUNT AUTO CARE	
1987				DIGITAL BUSINESS DIRECTORY
	Rampart St	6440	CABOOSE PRINTING	
	Rampart St	7219	FRAZER LIMITED	
	Rampart St # E	7400	DISCOUNT AUTO CARE	



City Directory List

Page 8 of 8

Job# BERG7391

Date 10/18/2012

Date	Street	Address	Listing	Source
1982				POLK'S CITY DIRECTORY
	Rampart St	6520	KENCO INTERNATIONAL	
	Rampart St	6628	COUTHWEST SOLAR SCREENS	
	Rampart St	6912	SAFECAR INC	
	Rampart St	6916	FRONTIER CLUB LOUNGE	
	Rampart St	7001	ALL AMERICAN FOUNDATION	
	Rampart St	7003	VACANT	
	Rampart St	7023	ALUMA-CRAFT CORPORATION	
	Rampart St	7106	SPECIALTY STEEL PRODUCTS	
	Rampart St	7201	DANNENBAUM M N INC	
	Rampart St	7202	BIG TEN PRODUCTIONS INC	
	Rampart St	7204	BIG TEN PRODUCTIONS INC	
	Rampart St	7206	RAUS JACK INC	
	Rampart St	7209	MECHO SHADE CORP	
	Rampart St	7219	FRAZER INC	
	Rampart St	7332	COMPANY BUILDING	
	Rampart St	7334	COMPANY BUILDING	
	Rampart St	7350	JOLY NORM FOREIGN CARS	
	Rampart St	7352	JOLY NORM FOREIGN CARS	
				END OF LISTINGS

APPENDIX J
TOBIN MAP AND/OR RAILROAD COMMISSION OF TEXAS INFORMATION

APPENDIX K
SITE PHOTOGRAPHS



View of the northern extent of the project alignment at Mullins Street and High Star Drive.



View facing south from Mullins Street and High Star Drive.



View facing east at Clairewood Drive from Mullins Street.



View facing south on Rampart Street from south of Clairewood Drive.



View facing south at Rampart Street from Bellaire Boulevard.



View of the Shell Service Station (6100 Bellaire Blvd.) on the northwest corner of Rampart St. at Bellaire Blvd.



View of Rampart Street facing south, north of Jessamine Street.



View of Rampart Street, south of Jessamine Street.



View of the TxVCP site, Rampart Office Park (7207 Rampart Street) that is currently occupied by a church.

APPENDIX L
INTERVIEWS



Hazmat Chemical Release

9/26/2012 9:19:00 AM

1 of 1

Date	Address	Mapkey	Chemical Released	Amount Released
11/20/2003	6260 Westpark	531A	(Turn around)	
03/29/2004	6330 Gulton	531A	Suspicious Substance	Undetrmd Amt
09/22/2004	5909 GLENMONT	531A	Natural Gas	Undetrmd Amt
10/01/2004	6213 SOUTHWEST FRWY.	531A	(Turn around)	
12/23/2004	6148 GULFTON	531A	Gasoline	2 gal
03/17/2005	5932 Renwick	531A	Carbon Monoxide	Undetrmd Amt
06/11/2005	6100 Gulfton	531A	(Turn around)	
03/03/2006	6330 Gulton	531A	(Turn around)	
08/26/2006	6100 Glenmont Dr.	531A	(Turn Around)	
11/20/2006	6260 Westpark	531 A	(Turn around)	
02/02/2007	5932 Renwick	531A	(Turn Around)	
02/14/2008	6200 HILLCROFT	531 A	(Turn around)	
05/02/2008	6200 WEST PARK TOLL ROAD	531 A	(Turn around)	
05/18/2008	6111 GLENMONT	531 A	*Chlorine	Undetrmd Amt
09/13/2008	6001 GULFTON	531 A	Natural Gas	Undetrmd Amt
09/16/2008	5601 WESTWARD	531 A	(Turn around)	
05/07/2009	5402 RENWICK	531A	(Turn around)	
09/20/2009	5402 RENWICK	531A	(Turn around)	



Hazmat Chemical Release

9/26/2012 9:19:55 AM

1 of 1

Date	Address	Mapkey	Chemical Released	Amount Released
11/21/2002	6909 Hillcroft	531E	(Turn around)	
04/12/2003	6223 Bellaire	531E	Unknown	No Release
07/10/2003	6120 Bellaire	531E	(Turn around)	
07/25/2003	6200 Bellaire	531E	(Turn around)	
03/20/2004	6750 Bellaire Blvd.	531E	Gasoline	15 gal
04/22/2004	6002 Rampart	531E	(Turn around)	
07/17/2004	6120 Bellaire Blvd	531E	(Turn around)	
05/29/2005	6237 Bellaire Blvd.	531E	(Turn around)	
07/17/2005	6677 Rookin	531E	Natural Gas	Undetrnnd Amt
07/20/2005	6900 Rampart	531E	(Turn around)	
08/06/2005	6677 Rookin	531E	Natural Gas	Undetrnnd Amt
09/19/2005	6900 Rampart	531E	(Turn around)	
10/24/2005	6500 Dunlap St.	531E	(Turn around)	
08/12/2006	7101 Renwick	531E	(Turn around)	
01/26/2007	6761 Hillcroft	531E	(Turn Around)	
02/06/2007	7101 Renwick	531 E	(Turn around)	
03/25/2007	6650 Dunlap	531 E	(Turn around)	
05/15/2007	6200 Bellaire	531 E	(Turn around)	
06/04/2007	5919 Dashwood	531 E	(Turn around)	
06/07/2007	6440 Hillcroft	531 E	(Turn around)	
09/07/2007	6305 WESTWARD	531 E	(Turn around)	
09/27/2007	6300 CLAREWOOD	531 E	PVC RESIN	Undetrnnd Amt
09/14/2008	7101 RENWICK	531 E	(Turn around)	
02/13/2009	6475 HILLCROFT	531E	(Turn around)	
09/11/2009	6463 HILLCROFT	531E	(Turn around)	
09/11/2009	6463 HILLCROFT	531E	Natural Gas	Undetrnnd Amt
11/25/2009	6463 HILLCROFT	531E	Natural Gas	Undetrnnd Amt
01/08/2010	6440 HILLCROFT	531E	Natural Gas	Undetrnnd Amt



Hazmat Chemical Release

9/26/2012 9:20:51 AM

1 of 1

Date	Address	Mapkey	Chemical Released	Amount Released
09/27/2003	6425 Chimney Rock	531F	(Turn around)	
02/03/2004	7115 Atwell	531F	*Nitric Oxide	Undetrnnd Amt
05/02/2004	6711 Atwell	531F	(Turn around)	
06/26/2004	5801 Dashwood	531F	(Turn around)	
08/24/2004	6600 Atwell	531F	Hydraulic Oil	Undetrnnd Amt
09/04/2005	5515 Dashwood Dr.	531F	(Turn around)	
01/14/2006	6666 Chimney Rock Rd.	531F	Gasoline	1 gal
07/29/2006	6515 Chimney Rock	531F	(Turn around)	
08/01/2006	7123 Mapleridge	531F	Natural Gas	Undetrnnd Amt
11/11/2006	5610 Bellaire	531F	(Turn Around)	
12/11/2006	6906 Atwell	531F	(Turn Around)	
01/16/2007	7113 Atwell Dr	531 F	(Turn around)	
02/04/2007	6550 Ferris	531F	(Turn Around)	
03/15/2007	5310 Palmetto	531F	(Turn Around)	
01/21/2008	5314 DASHWOOD	531 F	Unknown	Undetrnnd Amt
04/28/2008	5801 CLAREWOOD	531 F	(Turn around)	
05/14/2008	7113 ATWELL	531 F	Diesel; Ethylene Glycol	10 gal; 5 gal
07/07/2008	6425 CHIMNEY ROCK	531 F	Natural Gas	Undetrnnd Amt
07/26/2008	5803 HORNWOOD DR	531 F	Zinc Chloride solution	400 gal
09/14/2008	6711 ATWELL	531 F	(Turn around)	
12/11/2008	6666 CHIMNEY ROCK	531F	(Turn around)	
01/23/2009	5321 ELM	531F	Unknown	No Release
06/22/2009	5610 BELAIRE BLVD	531F	Natural Gas	Undetrnnd Amt



Hazmat Chemical Release

9/26/2012 9:21:51 AM

1 of 1

Date	Address	Mapkey	Chemical Released	Amount Released
03/04/2004	5606 Pine	531J	(Turn around)	
01/19/2006	6124 Jessamine	531J	(Turn around)	
03/11/2006	7802 Hillcroft	531J	(Turn around)	
05/03/2006	5959 Bissonnet	531J	(Turn around)	
09/22/2006	6035 Bissonnet St.	531J	(Turn around)	
12/12/2006	6255 Bissonnet	531J	(Turn around)	
04/26/2007	7325 Ashcroft Drive	531 J	(Turn around)	
04/07/2008	6437 SHARPVIEW	531 J	(Turn around)	
05/03/2008	6255 BISSONNET	531 J	(Turn around)	
10/19/2008	5505 PINE	531 J	(Turn around)	
01/18/2010	5929 BISSONNET	531J	(Turn around)	
05/13/2010	7351 Ashcroft	531 J	Natural Gas	Undetmnd Amt



Hazmat Chemical Release

9/26/2012 9:23:01 AM

1 of 1

Date	Address	Mapkey	Chemical Released	Amount Released
10/14/2002	7714 Renwick	531K	Natural Gas	Undetrnmd Amt
06/26/2003	5103 Braeburn	531K	Hydrochloric Acid	2 gal
12/08/2003	5541 Aspen	531K	(Turn around)	
12/02/2006	5615 Bissonnet	531K	(Turn Around)	
09/12/2008	5513 ASPEN	531 K	(Turn around)	

The first part of the document discusses the importance of maintaining accurate records of all transactions. It emphasizes that every entry, no matter how small, should be recorded to ensure the integrity of the financial statements. This includes not only sales and purchases but also expenses and income. The document provides a detailed list of items that should be tracked, such as inventory levels, accounts payable, and accounts receivable. It also outlines the procedures for reconciling these accounts and identifying any discrepancies.

The second part of the document focuses on the classification of expenses. It explains how to distinguish between capital expenditures and operating expenses, and how to allocate costs to different departments or projects. This section includes a table with columns for expense type, amount, and department, which is used to illustrate the process of cost allocation. The document also discusses the importance of proper documentation for all expenses, including receipts and invoices, to support the entries in the financial records.

The third part of the document addresses the issue of depreciation and amortization. It explains how to calculate the value of fixed assets and how to spread the cost over their useful life. This section includes a table showing the calculation of depreciation for different types of assets, such as buildings, equipment, and vehicles. The document also discusses the impact of depreciation on the company's financial performance and how it affects the calculation of net income.

The fourth part of the document discusses the preparation of financial statements. It outlines the steps involved in calculating the cost of goods sold, gross profit, and net income. It also provides a sample income statement and balance sheet to illustrate the format and content of these statements. The document emphasizes the importance of accuracy and transparency in the preparation of financial statements, and provides tips for ensuring that all entries are properly recorded and classified.

Finally, the document concludes with a summary of the key points discussed and a list of references. It encourages the reader to consult with a professional accountant or auditor for more detailed guidance on financial reporting. The document is intended to provide a comprehensive overview of the accounting process and to help businesses maintain accurate and reliable financial records.

ENVIRONMENTAL SITE ASSESSMENT
RECORD OF COMMUNICATION

Method of Communication:

- Phone Call
- Discussion
- Field Trip
- Conference
- Other (Specify)

Interviewed: Chris Trinkle

Company: Stop N Go

By: Tonya Biccs

Date: 10/17/2012

SUBJECT: 6030 Dashwood, Houston, TX 77081

SUMMARY OF COMMUNICATION:

Spoke with Chris Trinkle regarding any
issues or concerns there may be for hinder-
ing construction workers near their Property.
He indicated the property is closed.

CONCLUSIONS, ACTION TAKEN, OR ACTION REQUIRED:

ENVIRONMENTAL SITE ASSESSMENT
RECORD OF COMMUNICATION

Method of Communication:

- Phone Call
- Discussion
- Field Trip
- Conference
- Other (Specify)

Interviewed: Matt Rohira

Company: GM Shell

By: Tonya Biacs

Date: 10/17/2012

SUBJECT: 6100 Bellaire Blvd.; Houston, Texas

SUMMARY OF COMMUNICATION:

He indicated no issues or concerns on or near his property that would hinder construction workers. However he was concerned about the construction hindering his business.

CONCLUSIONS, ACTION TAKEN, OR ACTION REQUIRED:

ENVIRONMENTAL SITE ASSESSMENT
RECORD OF COMMUNICATION

Method of Communication:

- Phone Call
- Discussion
- Field Trip
- Conference
- Other (Specify)

Interviewed: Omar; Manager

Company: Nine Stop

By: Tonya BiccS

Date: 10/17/2012

SUBJECT: 6102A Bissonnet, Houston, Texas

SUMMARY OF COMMUNICATION:

The manager at Nine Stop indicated no issues or concerns on or near the property that would hinder construction workers.

CONCLUSIONS, ACTION TAKEN, OR ACTION REQUIRED:

